



STYLISH RELIABLE INNOVATIVE

WATER HEATER RANGE
FOR YOUR MODERN BATH SPACE



Panasonic

Panasonic Life Solutions India Pvt. Ltd.
3rd Floor, B wing, I-Think Techno
Campus, Pokharan Road No 2, Thane
(West), Thane - 400607, Maharashtra.
T: (9122) 4222 8888
Customer Care No.: 022-41304130
Email: info@in.panasonic.com
www.lsin.panasonic.com

Innovative Solutions for a Brighter Future

Anchor has been the industry front-runner in wiring devices manufacturing since 1963 and today it has expanded its product portfolio to emerge as one of the largest domestic manufacturers of electrical construction materials. Its contemporary products are supported by an immense trust in the brand.

Anchor and Panasonic's synergy in 2007 resulted in products that cater to better energy generation, management and conservation. With Panasonic's cutting-edge technology and Anchor's vast customer support network, Anchor Panasonic today delivers a seamless and vast range of innovative electrical, lighting and ventilation products that exceed global standards.

The early stage of ANCHOR

1963 Foundation of the company in Mumbai in 1963 with manufacturing of Tumbler switches.

1971 Commissioning of Valsad Factory (Wiring Devices)

The establishment of our business

1973 Popular price Switch unveiled under the brand [PENTA].

1991 Starts manufacturing incandescent Bulbs and Fluorescent Tubes

The expansion of our business

1993 Unveils middle-priced [ROMA] Modular Switches

1994 Starts manufacturing Fire Retardant Wires

2000 Enters into a Joint Venture with Ave Spa Italy to introduce Ave Luxury Switches

The integration of our business

2007 Panasonic, Japan acquires 80% stake in Anchor

2009 Stopped production and sales of GLS bulbs, to up hold our commitment towards environment protection

New development

2010 Globus Lamps

2011 Unveils Panasonic Switchgear MCB, RCCB and Isolator

2012 Introduces Panasonic Vision Switches

2013 Launches Panasonic Ventilation Fans range. Have been in business for 50 years

2014 Start Selling Panasonic HIT Solar PV module


2015 Unveiled Penta Modular Switches

2016 Set up Manufacturing Plant at Haridwar for Wiring devices and switchgear

2017 Associated with Sonam Kapoor as Brand Ambassador for New Series of ROMA

2018 Vetaar - IOT Platform Home Automation KNX

2019 Launched Panasonic Modular Kitchen



MAKES YOUR SHOWER MORE STYLISH

Anchor range of Storage and Instant Water Heaters are a truly world-class product with stylish & innovative design for your modern bathing. The water heaters come with a unique 1.8mm thick glasslined coated inner tank which is corrosion-resistant and increases the life-span of the inner tank. It also carries a 7-year warranty, ensuring a trouble-free long usage. The Magnesium Anode works under different water conditions and protects the glasslining of the tank and heating element. Extends the life of the heating element and comes with a 4-year warranty. To ensure a very high level of customer satisfaction, we provide free installation with a pair of inlet-outlet pipes which is provided at no additional cost.



Glasslined Inner Tank

Specially designed enamel coated tank which resists corrosion from hard water and increases the life of the inner tank.



Magnesium Anode

A special anode has a stainless-steel core that protects the heating elements from corrosion using a special cathodic action.



Glasslined Heating Element

A special enamel coated heating element prevents scale and sediment build-up, giving better protection and longer life.



Improved Energy Savings

High density & thick PUF ensures energy efficiency and reduced electricity bills.

STORAGE

Calisto

A perfect compact design for your modern bath space with capacities of 6, 10, 15 and 25 litres



Improved Energy Savings



Multi Function Safety Valve



on Product



on Glasslined Heating Elements



on Glasslined Inner Tank

CAPACITY	6L	10L	15L	25L
BEE Star Rating as per 2019 standards	5 Star	5 Star	5 Star	5 Star
WARRANTY				
Glasslined Inner Tank	7 Years	7 Years	7 Years	7 Years
Glasslined Heating Element	4 Years	4 Years	4 Years	4 Years
Product	3 Years	3 Years	3 Years	3 Years
Degree of Protection against Humidity	IPX 4	IPX 4	IPX 4	IPX 4
L E D Indicators	Yes	Yes	Yes	Yes
Adjustable Thermostat	Yes 30° to 75°C	Yes 30° to 75°C	Yes 30° to 75°C	Yes 30° to 75°C
Thermal Cutout	Yes	Yes	Yes	Yes
Magnesium Anode Rod	Yes	Yes	Yes	Yes
4 in 1 Multi Function Safety Valve	Yes	Yes	Yes	Yes
Power (Watts)	2000	2000	2000	2000
Working Pressure	0.8 Mpa	0.8 Mpa	0.8 Mpa	0.8 Mpa
Over Heat Protection	Y	Y	Y	Y
Anti dry heat protection	Y	Y	Y	Y
Anti high pressure protection	Y	Y	Y	Y
External Dimensions L x B x D	315*315*278	365*355*293	395*395*338	445*445*383
Mounting Accessory	Mounting Bracket	Mounting Bracket	Mounting Bracket	Mounting Bracket
Accessory for Installation	1.5Ft Inlet Outlet Pipe	1.5Ft Inlet Outlet Pipe	1.5Ft Inlet Outlet Pipe	1.5Ft Inlet Outlet Pipe

STORAGE

INSTANT

Pristine

A perfect compact design for your modern bath space with capacities 10, 15 and 25 litres vertical models and 15 and 25 litres in horizontal models.



ASTRA

Available in 3 Litre capacity



Improved Energy Savings



Multi Function Safety Valve



on Product



on Glasslined Heating Elements



on Glasslined Inner Tank



on Product



on Inner Tank



Fire Retardant Power Cord
For safety & Protection



Stainless Steel Tank
Ultra thick & superior 304 grade SS tank



Rust Proof Body
High quality ABS outer body



Copper Heating Element

For high performance & quick heating



Safety valve (0.6MPa)

Protection against excessive pressure & ideal for high rise building

	Vertical			Horizontal	
CAPACITY	10L	15L	25L	15L	25L
BEE Star Rating as per 2019 standards	5 Star	5 Star	5 Star	5 Star	5 Star
WARRANTY					
Glasslined Inner Tank	7 Years	7 Years	7 Years	7 Years	7 Years
Glasslined Heating Element	4 Years	4 Years	4 Years	4 Years	4 Years
Product	3 Years	3 Years	3 Years	3 Years	3 Years
Degree of Protection against Humidity	IPX 4	IPX 4	IPX 4	IPX 4	IPX 4
LED Indicators	Yes	Yes	Yes	Yes	Yes
Adjustable Thermostat	Yes 30o to 75o C	Yes 30o to 75o C	Yes 30o to 75o C	Yes 30o to 75o C	Yes 30o to 75o C
Temperature Display	Yes	Yes	Yes	Yes	Yes
Thermal Cutout	Yes	Yes	Yes	Yes	Yes
Magnesium Anode Rod	φ18*110	φ18*110	φ18*110	φ18*110	φ18*110
4 in 1 Multi Function Safety Valve	Yes	Yes	Yes	Yes	Yes
Power (Watts)	2000	2000	2000	2000	2000
Working Pressure	0.8 Mpa	0.8 Mpa	0.8 Mpa	0.8 Mpa	0.8 Mpa
Over Heat Protection	Y	Y	Y	Y	Y
Anti dry heat protection	Y	Y	Y	Y	Y
Anti high pressure protection	Y	Y	Y	Y	Y
External Dimensions H/W/D,mm	φ340*474	φ365*425	φ365*570	φ340*529	φ340*707
Mounting Accessory	Bulgy Screw	Bulgy Screw	Bulgy Screw	Bulgy Screw	Bulgy Screw
Accessory for Installation	1.5Ft Inlet Outlet Pipe	1.5Ft Inlet Outlet Pipe	1.5Ft Inlet Outlet Pipe	1.5Ft Inlet Outlet Pipe	1.5Ft Inlet Outlet Pipe

CAPACITY	3L
WARRANTY	
Inner Tank	5 Years
Product	2 Years
Power (Watts)	3000/4500
Working Pressure	0.6 Mpa
External Dimensions L x B x D	366 x 221.6 x 197.5 mm