









AN ISO 9001 CERTIFIED COMPANY

TRUST BUILT ON QUALITY WITH FORTYFIVE YEARS TRADITION

No.3 - w.e.f 01.10.2021

PRICE LIST-1

FR / FRLSH PVC INSULATED UNSHEATHED SINGLE CORE MULTI STRAND E.C. GRADE BRIGHT ANNEALED COPPER INDUSTRIAL CABLES OF 1100 VOLTS AS PER IS: 694

RATE PER COIL OF 90 / 180 MTRS

SIZE	FR (90)	FR (180)	FRLSH (90)	FRLSH (180)
1 Sq.mm.	1250	2390	1420	2560
1.5 Sq.mm.	1900	3570	1960	3750
2.5 Sq.mm.	2990	5630	3050	5850
4 Sq.mm.	4660	9100	4950	9300
6 Sq.mm.	7040	13650	7350	14130

Flat Twin Core Stranded Aluminium Conductor PVC Insulated & Sheathed Industrial Cables of 1100 Volts. Rate Per Coil of 100 Mtrs.

SIZE	SIZE SQ.MM	RATE
3/20 WPTC	2.5 SQ.MM	2350
7/20 WPTC	6 SQ.MM	2900
7/18 WPTC	10 SQ.MM	4900
7/16 WPTC	16 SQ.MM	7900

- 1. Rates are exclusive of GST which shall be charged extra.
- 2. This Price List cancel all our Previous Price Lists. This Price List is subject to change without Notice.
- 3. As per international practice which is also adopted by Bureau of Indian Standards, the size of the conductor shown above is nominal only. The size of the conductor is determined by its resistance. The construction of the conductor is as per market convention and is for guideline only. It may vary within the limits of IS: 8130 and its relevant classes and tables.











	No.3 - w.e.f 01.10.2021				
PRICE LIST 2					
	neathed Stranded Aluminium Conductor Volts. Rate Per Coil of 100 Mtrs				
SIZE M.S. CTS	RATE				
6 SQ.MM	1700				
10 SQ.MM	2700				
16 SQ.MM	3750				
25 SQ.MM	5600				
35 SQ.MM	7000				
50 SQ.MM	9900				
70 SQ.MM	13200				
95 SQ.MM	16800				
120 SQ.MM	22400				
150 SQ.MM	26500				
185 SQ.MM	33600				
240 SQ.MM	44200				
300 SQ.MM	55500				
Three Core Round with Stranded Alum	inium Conductor PVC Insulated & Sheathed				
Industrial Cables of 1100	Volts. Rate Per Coil of 100 Mtrs.				
SIZE	RATE				
6 SQ.MM X 3 CORE	5950				
10 SQ.MM X 3 CORE	10100				

- 1. Rates are exclusive of GST which shall be charged extra.
- 2. This Price List cancel all our Previous Price Lists. This Price List is subject to change without Notice.
- 3. As per international practice which is also adopted by Bureau of Indian Standards, the size of the conductor shown above is nominal only. The size of the conductor is determined by its resistance. The construction of the conductor is as per market convention and is for guideline only. It may vary within the limits of IS: 8130 and its relevant classes and tables.











No.3 - w.e.f 01.10.2021

PRICE LIST 3

XLPE Insulated & PVC Sheathed Armoured Industrial Cable with Solid Aluminium conductor

Upto 10 Sq.mm & Balance Stranded Conductor of 1100 Volts as per IS: 7098(Part I) 1988 - Rate Per KM

Sq.mm	1	2	3	3.5	4
6		95000	104000		108000
10		112000	119000		138000
16		119000	136000		166000
25		152000	188000	219000	234000
35		197000	246000	285000	325000
50		283000	325000	369000	418000
70		332000	410000	477000	536000
95		434000	543000	609000	681000
120		525000	654000	771000	840000
150	350000	680000	832000	958000	1075000
185	423000	838000	1025000	1168000	1314000
240	514000	1028000	1295000	1475000	1665000
300	622000	1140000	1570000	1798000	2036000
400	803000	1611000	2013000	2291000	2602000
500	990000	2000000	2684000	3123000	3505000
630	1250000	2513000	3390000	4060000	4543000
800	1540000				
1000	1894000				

Note: Unarmoured cables rate 10% less on above price.

Extra for Special Construction

		Insulation	Extr.Inner Sheath	Outer Sheath
Stranded Aluminium Upto 10 Sq.mm. 5%	HR	3%	5%	3%
PVC Insulation 2%	FR	3%	5%	5%
Extruded PVC Innersheath 5%	FRLSH	5%	5%	7.5%

- 1. Rates are exclusive of GST which shall be charged extra.
- 2. This Price List cancel all our Previous Price Lists. This Price List is subject to change without Notice.
- 3. As per international practice which is also adopted by Bureau of Indian Standards, the size of the conductor shown above is nominal only. The size of the conductor is determined by its resistance. The construction of the conductor is as per market convention and is for guideline only. It may vary within the limits of IS: 8130 and its relevant classes and tables.











No.3 - w.e.f 01.10.2021

PRICE LIST 4

Stranded Copper Conductor XLPE Insulated Armoured FRLSH PVC Sheathed Industrial Cables of 1100 Volts as per IS: 7098 (Part -I) - Rate Per Km

		T	T	1	
Sq.mm	2 Core	3 Core	4 Core		
1.5	105000	132000	156000		
2.5	137000	173000	215000		
Core	1.5 Sq.mm	2.5 Sq.mm	Core	1.5 Sq.mm	2.5 Sq.mm
5	184000	256000	14	443000	610000
6	206000	302000	16	486000	687000
7	233000	338000	19	564000	810000
8	276000	395000	24	720000	1012000
9	306000	442000	27	763000	1119000
10	336000	454000	30	891000	1245000
12	393000	532000	37	1012000	1524000
	Size	2 CORE	3 CORE	3.5CORE	4CORE
		C2XFY			
	Sq.mm		C2XFY	C2XFY	C2XFY
	4	196000	261000		328000
	6	264000	354000		448000
	10	391000	532000		688000
	16	521000	754000		993000
	25	784000	1147000	1381000	1510000
	35	1071000	1580000	1815000	2087000
	50	1455000	2153000	2520000	2851000
	70	2062000	3056000	3671000	4045000
	95	2796000	4152000	4850000	
	120	3505000	5217000	6216000	
	150	4371000	6508000	7507000	8711000
	185	5376000	8013000	9365000	
	240	6915000	10317000	12031000	
	300	8611000	12845000	14985000	
	400	11290000	16858000	19497000	

Extra for Special Construction

PVC Insulation 3% / HR PVC Insulation 5%

1. Rates are exclusive of GST which shall be charged extra.











No.3 - w.e.f 01.10.2021

PRICE LIST 5

PVC INSULATED AND SHEATHED MULTI CORE ROUND FLEXIBLE E.C.GRADE COPPER INDUSTRIAL CABLE OF 1100 VOLTS RATE PER COIL 100 MTS

	CITABL COLL	LIVINDOOTI	INL OADLL	JI TIOU VOLI	JIAILILI	OOIL 100 WITE	
NO. OF	0.5 SQ.MM	.75 SQ.MM	1 SQ.MM	1.5 SQ.MM	2.5 SQ.MM	4 SQ.MM	6 SQ.MM
CORES			,			27	
2 CORE	2600.00	3500.00	4000.00	5700.00	8500.00	13400.00	20800.00
3 CORE	3500.00	4600.00	5400.00	7400.00	11500.00	18100.00	28500.00
4 CORE	4300.00	5200.00	6700.00	9600.00	15100.00	23500.00	37000.00
5 CORE			8300.00	12000.00	19100.00	29800.00	46400.00
6 CORE			10000.00	14300.00	23100.00	37300.00	57700.00
7 CORE			11700.00	17500.00	27800.00	42900.00	
8 CORE			13200.00	19700.00	30900.00		
10 CORE			16400.00	23000.00	37300.00		
12 CORE			19700.00	27400.00	44800.00		
14 CORE			23500.00	32800.00	54600.00		
16 CORE			26300.00	38200.00	62300.00		
19 CORE			30600.00	43700.00	71100.00		
24 CORE			39300.00	55800.00	89700.00		
27 CORE			48100.00	63400.00	103800.00		w
30 CORE			49200.00	71100.00	114700.00		
37 CORE			60200.00	87400.00	142800.00	9	7

3 CORE FLAT PVC INSULATED AND SHEATHED INDUSTRIAL SUBMERSIBLE COPPER CABLE OF 1100 Volts Rate per Coil of 100 mtrs

Size		Size	
1.5 Sq.mm	7700	16 Sq.mm	74000
2.5 Sq.mm	12000	25 Sq.mm	109000
4 Sq.mm	18100	35 Sq.mm	163000
6 Sq.mm	26500		
10 Sq.mm	47500		

Outer sheath FRLS 7% Extra

- 1. Rates are exclusive of GST which shall be charged extra.
- 2. This Price List cancel all our Previous Price Lists. This Price List is subject to change without Notice.











AN ISO 9001 CERTIFIED COMPANY

No.3 - w.e.f 01.10.2021

PRICE LIST 6

Single / Multi Core FRLSH PVC Type Cables with E.C.Grade Flexible Copper Conductor 1100 Volts
Industrial Cables Rate Per 100 Mtr Coil

	Indus	strial Cables Ka	ite Per 100 Mtr Coil		
SQ.MM	1 CORE	2 CORE	3 CORE	4 CORE	5 CORE
1					
10 SQ.MM	12700 00	24900 00	46300.00	62800 00	90400 00
10 5Q.101101	13700.00	34800.00	46300.00	63800.00	80100.00
16 SQ.MM	22000.00	55700.00	71900.00	95100.00	117900.00
25 SQ.MM	33600.00	85700.00	110000.00	148300.00	202800.00
35 SQ.MM	49000.00		159900.00	212200.00	279400.00
50 SQ.MM	67800.00		223800.00	304600.00	399200.00
70 SQ.MM	97300.00		337200.00	438100.00	
95 SQ.MM	133400.00		486400.00	647200.00	
120 SQ.MM	169100.00		609300.00	808900.00	
150 SQ.MM	212200.00		766900.00	1020100.00	
185 SQ.MM	269000.00		946600:00	1256500.00	
240 SQ.MM	348800.00		1233400.00	1625200.00	
300 SQ.MM	442300.00		1777600.00	2452100.00	
400 SQ.MM	592500.00		2404800.00	3813600.00	

Note:

Single core cable is FRLSH PVC Insulated Unsheathed. Multi core cable is PVC Insulated and FRLSH PVC Sheathed.

- 1. Rates are exclusive of GST which shall be charged extra.
- 2. This Price List cancel all our Previous Price Lists. This Price List is subject to change without Notice.
- 3. As per international practice which is also adopted by Bureau of Indian Standards, the size of the conductor shown above is nominal only. The size of the conductor is determined by its resistance. The construction of the conductor is as per market convention and is for guideline only. It may vary within the limits of IS: 8130 and its relevant classes and tables.











					e.f 01.10.	
			RICE LIST	- -		
***************************************		HT XLPE	CABLES (THR	EE CORE)	4	
SQ.MM	6.6 KV 'UE'/ 11 KV 'E'	11 KV 'UE'	22 KV 'E'	33 KV 'E'		
35	700000	0	0	0		
50	792000	0	1135000	0		
70	932000	1234000	1336000	0		
95	1104000	1466000	1546000	2163000		
120	1300000	1630000	1706000	2379000		
150	1462000	1813000	1897000	2570000		
185	1652000	2049000	2134000	2859000		
240	2064000	2400000	2523000	3255000		
300	2417000	2768000	2865000	3649000		
400	2944000	3325000	3503000	4205000		
	HT XLP	E CABLES (SIN	NGLE CORE) A	L. Flat Strip Aı	rmoured	
SQ.MM	3.3 KV	6.6 KV (E)	6.6 KV (UE)/	11 KV (UE)	22 KV (E)	33 KV (E)
	(E/UE)		11 KV (E)			
240	638000	656000	689000	827000	854000	1104000
300	738000	770000	800000	946000	982000	1233000
400	900000	932000	966000	1121000	1165000	1429000
500	1114000	0	1209000	1341000	0	1676000
630	0	0	1423000	1610000	0	0
800	0	0	1764000	0	0	0
1000	0	0	0	0	0	0
	HT XLPE	CABLES (SINC	GLE CORE) AL	. Round Wire A	Armoured	
THE RESERVE THE PERSON NAMED IN	3.3 KV	6.6 KV (E)	6.6 KV (UE)/	11 KV (UE)	22 KV (E)	33 KV (E)
SQ.MM	(E/UE)		11 KV (E)			
SQ.MM		694000	800000	917000	950000	1204000
SQ.MM 240	677000			1033000	1069000	1404000
	677000 785000		910000	1033000		
240	677000 785000 942000	800000 973000	910000 1086000			1600000
240 300	785000	800000	1086000	1220000 1506000	1260000	1600000 1867000
240 300 400	785000 942000	800000 973000		1220000	1260000	
240 300 400 500	785000 942000 1182000	800000 973000 0	1086000 1356000	1220000 1506000	1260000 0	1867000











WIRES AND CABLES

AN ISO 9001 CERTIFIED COMPANY

TRUST BUILT ON QUALITY WITH FORTYFIVE YEARS TRADITION

		No.3 - \	w.e.f 01.10.2021	
	Р	RICE LIST 8		
POLYTHENE FOAM	I INSULATION WITH LAMIN	NATED ALUMINIUM TAP	E AND ALUMINIUM WIRE BRAID	
BLACK	PVC JACKETED UNARMOUR	RED COAXIAL CABLES WIT	TH CCS CONDUCTOR	
* ;	SIZE	Rat	e Rs. Per Coil	
		90 Mtr	305 mtrs	
RG - 59		1150	4000	
1	RG - 6	1350	4650	
F	RG - 11	4100	11900	
	LAN (CO	MPUTER) CABLES		
Four	Pair Unshielded Twisted F		er) Copper Cables	
	SIZE	RAT	E Rs. Per Coil	
	9.	305 Mtrs.		
С	AT 5 E		6400	
(CAT 6		10200	
INDOOR (UNADA)		PHONE CABLES	TALED CORRED CONDUCTOR	
INDOOR (UNARIV		per 90 Mtr. Coil	EALED COPPER CONDUCTOR	
No of Pair	Rate	No of Pair	Rate	
1 Pair	600	4 Pair	2100	
2 Pair	1000	5 Pair	2750	
3 Pair	1600	10 Pair	5250	

- 1. Rates are exclusive of GST which shall be charged extra.
- 2. This Price List cancel all our Previous Price Lists. This Price List is subject to change without Notice.











No.3 -	w.e	of 01	.10	.2021
--------	-----	-------	-----	-------

PRICE LIST 9

PVC Insulated & PVC Sheathed unarmoured stranded E.C. Grade Copper conductor

1100 Volts Industrial Cable as per IS: 1554 (Part - I) 1988 - Rate Per KM							
	1.5 Sq.mm	2.5 Sq.mm	4 Sq.mm	6 Sq.mm	10 Sq.mm	16 Sq.mm	
2	86000	114000	165000	227000	365000	504000	
3	108000	157000	224000	323000	516000	742000	
4	142000	210000	298000	426000	674000	978000	
5	165000	267000					
6	191000	294000				·	
7	215000	328000					
8	241000	366000					
9	270000	411000					
10	295000	472000					
12	348000	558000					
14	399000	699000					
16	448000	737000					
19	532000	866000					
24	670000	1091000					
27	747000	1221000					
30	821000	1348000					
37	1010000	1655000					

For FRLSH PVC Sheath - 7.5% Extra

- 1. Rates are exclusive of GST which shall be charged extra.
- 2. This Price List cancel all our Previous Price Lists. This Price List is subject to change without Notice.
- 3. As per international practice which is also adopted by Bureau of Indian Standards, the size of the conductor shown above is nominal only. The size of the conductor is determined by its resistance. The construction of the conductor is as per market convention and is for guideline only. It may vary within the limits of IS: 8130 and its relevant classes and tables.











AN ISO 9001 CERTIFIED COMPANY

PRICE LIST-10								
EFFECTIVE FROM DATE 01.10.2021								
GOLD HR - FRLSH								
RATE PER COIL OF 90 / 180 MTRS								
SIZE	90	180						
1 Sq.mm.	1450	2650						
1.5 Sq.mm.	2250	4100						
2.5 Sq.mm.	3400	6400						
4 Sq.mm.	5240	10150						
6 Sq.mm.	7700	14850						

- 1. Rates are exclusive of GST which shall be charged extra.
- 2. This Price List cancel all our Previous Price Lists. This Price List is subject to change without Notice.
- 3. As per international practice which is also adopted by Bureau of Indian Standards, the size of the conductor shown above is nominal only. The size of the conductor is determined by its resistance. The construction of the conductor is as per market convention and is for guideline only. It may vary within the limits of IS: 8130 and its relevant classes and tables.