

Life Is On


Schneider
Electric



 Price List

Final Distribution, Wiring Devices and Lighting Control Products

With effect from June 01st, 2021



se.com/in

Acti 9 Distribution System	
> Miniature Circuit Breakers (MCBs)	8
> Residual Current Devices	12
> Auxiliaries and Accessories for MCBs / RCDs	14
> Surge Protection Devices	16
> Control and Command Products	18
> Isobar Distribution System	19
> Acti 9 Isobar Assembly	23
> Acti 9 Distribution Boards	24
> Modular Distribution Boards - Metallic	28
Kaedra Enclosures	
> Weather Proof	33
Pratika	
> Plugs and Sockets - IP44 / IP67	35
Electra	
> Metal Clad Plugs & Sockets	39
56 Series	
> Plugs and Sockets - IP56 / IP66	40
Wiring Devices	
> Wiser Odace™ Lighting	46
> LIVIA - Switch to the extra-ordinary	47
> Clipsal X - As Stylish As Your World	48
> Opale - Switches with Satin Finish	51
> Unica Pure - Irresistibly Beautiful	53
> ZENcelo India - The Revolutionary Full-Flat Switch	57
> ZENcelo BS - The Revolutionary Full-Flat Switch	59
> AvatarOn - It's also a Switch	61
> NEO - Face the Future	68
> ULTI Impress - The Ultimate Switch	70
> Kavacha - Weather Protected Series	72
> Metal Boxes	73
Control System	
> EzInstall 3 - ULTI ZIGBEE	74
> Hotel Series	75
> Wiser™	77
> Surface and Flush Mount Occupancy Sensors	78
> Dimmable Sensors with Light Regulation	78
> Wall Mount Sensors	79
> Hotel - ELV Dual Motion Sensor	79
> Timers & Time Switches	80
> Analog Timers	81

Acti 9 | Advanced Communication Technology that Inspires

> Protection devices

- Miniature circuit breakers
- Residual current circuit breakers
- Vigi™ residual current devices
- Surge Protection Devices

> Protection monitoring and supervision

- Indication and tripping auxiliaries
- Remote control auxiliaries
- Automatic reclosure auxiliaries



Innovative
Protection monitoring Total control and
Metering @ DB level



Efficient
Manage loads, reduce operating and project
costs, and accurately plan maintenance

> Control and monitoring

- Contactors
- Impulse relays
- Integrated control circuit breakers
- Light indicators
- Push-buttons and selector switches
- Kilowatt hour meters
- Communicating architecture

> Installation system

- IP20B terminals
- Splitter blocks
- Full range of mounting and wiring accessories



Reliable

Dual certifications for one product, 100 percent MCB and RCD coordination, easy ordering and design, error free fast connections

Acti 9 | Advanced Communication Technology that Inspires.....

> Innovative

- Centralized control system including energy metering
- Large and variable data reading and computing through universal Modbus protocol

> Efficient


- One-click, prefabricated wiring for comprehensive communication between your distribution board or panel and any facility management system

> Reliable

- Error proof connection leading to reduction in downtime
- EMC tested for immunity, radiated and conducted safety

NEW

Email Notification upon Event (Devices Status Change, Alarm threshold reached etc.)




- > Status Monitoring - ON / OFF / TRIP
- > Trip Alarm Indication
- > Load Monitoring - No. of tripping cycles, Running Hours

- > Switching Action - ON / OFF
- > Monitoring - No. of Switching running hours



Meets the challenge of all your applications
Detailed load control, reduced downtime and accurately planned maintenance

Ready to connect to any facility management solution



Green Premium Products

100% Recyclable and Recoverable
REACH, RoHS, PEP, EOL compliant

AC Miniature Circuit Breakers - xC60



- Breaking Capacity as per IEC 60898 and IS/IEC 60898-1, Icn = 10kA
- Breaking Capacity as per IEC 60947-2, Icn = 15kA, upto 40A
- Can be used for DC application upto 60V per pole
- Higher system performance with optimized cost: Cascading*
- Increased System Continuity: Discrimination*
- Higher Installation Life: Energy Limitation Class 3, Fast Closure Mechanism
- Ease, Speed and Flexibility of installation - Biconnect, Line-Load Reversible
- Field-fittable auxiliaries for advance protection and monitoring
- Positive Contact Indication for assurance of disconnection

[In] Rated Current (A)	1 Pole Reference	Unit MRP [₹]	2 Pole Reference	Unit MRP [₹]	3 Pole Reference	Unit MRP [₹]	4 Pole Reference	Unit MRP [₹]
Module Width**	1 mod		2 mod		3 mod		4 mod	
MOQ	12 Nos.		6 Nos.		4 Nos.		3 Nos.	

B curve

6	A9N1P06B	399	A9N2P06B	1185	A9N3P06B	1966	A9N4P06B	2649
10	A9N1P10B	399	A9N2P10B	1185	A9N3P10B	1966	A9N4P10B	2795
16	A9N1P16B	399	A9N2P16B	1185	A9N3P16B	1966	A9N4P16B	2649
20	A9N1P20B	399	A9N2P20B	1185	A9N3P20B	1966	A9N4P20B	2649
25	A9N1P25B	399	A9N2P25B	1185	A9N3P25B	1966	A9N4P25B	2649
32	A9N1P32B	399	A9N2P32B	1185	A9N3P32B	1966	A9N4P32B	2649
40	A9N1P40B	867	A9N2P40B	1907	A9N3P40B	2995	A9N4P40B	3814
50	A9N1P50B	867	A9N2P50B	1907	A9N3P50B	2995	A9N4P50B	3814
63	A9N1P63B	878	A9N2P63B	1960	A9N3P63B	3020	A9N4P63B	3849

C curve

1	A9N1P01C	612	A9N2P01C	1641	A9N3P01C	2589	A9N4P01C	3260
2	A9N1P02C	612	A9N2P02C	1641	A9N3P02C	2589	A9N4P02C	3260
3	A9N1P03C	612	A9N2P03C	1641	A9N3P03C	2589	A9N4P03C	3260
4	A9N1P04C	612	A9N2P04C	1641	A9N3P04C	2589	A9N4P04C	3260
6	A9N1P06C	378	A9N2P06C	1185	A9N3P06C	1966	A9N4P06C	2649
10	A9N1P10C	378	A9N2P10C	1185	A9N3P10C	1966	A9N4P10C	2649
16	A9N1P16C	378	A9N2P16C	1185	A9N3P16C	1966	A9N4P16C	2649
20	A9N1P20C	378	A9N2P20C	1185	A9N3P20C	1966	A9N4P20C	2649
25	A9N1P25C	378	A9N2P25C	1185	A9N3P25C	1966	A9N4P25C	2649
32	A9N1P32C	378	A9N2P32C	1185	A9N3P32C	1966	A9N4P32C	2649
40	A9N1P40C	867	A9N2P40C	1907	A9N3P40C	2995	A9N4P40C	3649
50	A9N1P50C	867	A9N2P50C	1907	A9N3P50C	2995	A9N4P50C	3849
63	A9N1P63C	878	A9N2P63C	1925	A9N3P63C	3020	A9N4P63C	3914

D curve

1	A9N1P01D	618	A9N2P01D	1658	A9N3P01D	2630	----	----
2	A9N1P02D	618	A9N2P02D	1658	A9N3P02D	2630	A9N4P02D	3370
3	A9N1P03D	618	A9N2P03D	1658	A9N3P03D	2630	A9N4P03D	3461
4	A9N1P04D	618	A9N2P04D	1658	A9N3P04D	2630	A9N4P04D	3461
6	A9N1P06D	521	A9N2P06D	1242	A9N3P06D	2071	A9N4P06D	2748
10	A9N1P10D	521	A9N2P10D	1242	A9N3P10D	2071	A9N4P10D	2748
16	A9N1P16D	521	A9N2P16D	1242	A9N3P16D	2071	A9N4P16D	2748
20	A9N1P20D	521	A9N2P20D	1242	A9N3P20D	2071	A9N4P20D	2748
25	A9N1P25D	521	A9N2P25D	1242	A9N3P25D	2071	A9N4P25D	2748
32	A9N1P32D	521	A9N2P32D	1242	A9N3P32D	2071	A9N4P32D	2748
40	A9N1P40D	936	A9N2P40D	2016	A9N3P40D	3172	A9N4P40D	3979
50	A9N1P50D	999	A9N2P50D	2016	A9N3P50D	3172	A9N4P50D	3979
63	A9N1P63D	947	A9N2P63D	2040	A9N3P63D	3201	A9N4P63D	4019

Note: * Please contact nearest Schneider Electric Sales Office or Customer Care Center for coordination chart
**18mm/module

Please contact Customer Care Center for Stockable and Non stockable status of references.

☑ NORMAL STOCK ITEMS

W.E.F. June 01, 2021

AC Miniature Circuit Breakers - C120



- Breaking capacity as per IEC 60898, Icn = 10kA/15kA
- Positive Contact Indication for assurance of disconnection
- Degree of pollution: 3 (suitable for industrial environment)
- Operating Temperature: -30 to 70°C
- Terminal connections: Flexible cables up to 35 sq.mm; Rigid cables up to 50 sq.mm

[In] Rated Current (A)	1 Pole Reference	Unit MRP [₹]	2 Pole Reference	Unit MRP [₹]	3 Pole Reference	Unit MRP [₹]	4 Pole Reference	Unit MRP [₹]
Module Width**	1.5 mod		3 mod		4.5 mod		6 mod	
MOQ	12 Nos.		6 Nos.		4 Nos.		3 Nos.	
C120N (10kA)								
80	A9N18357 <input checked="" type="checkbox"/>	3274	A9N18361 <input checked="" type="checkbox"/>	7255	A9N18365 <input checked="" type="checkbox"/>	11398	A9N18372 <input checked="" type="checkbox"/>	14853
100	A9N18358 <input checked="" type="checkbox"/>	3673	A9N18362 <input checked="" type="checkbox"/>	7739	A9N18367 <input checked="" type="checkbox"/>	12148	A9N18374 <input checked="" type="checkbox"/>	15476
125	A9N18359 <input checked="" type="checkbox"/>	4041	A9N18363 <input checked="" type="checkbox"/>	8506	A9N18369 <input checked="" type="checkbox"/>	13474	A9N18376 <input checked="" type="checkbox"/>	17515
C120H (15kA)								
80	A9N18446	4036	A9N18457	8906	A9N18468	13395	A9N18479	18586
100	A9N18447	4453	A9N18458	9130	A9N18469	14593	A9N18480	20606
125	A9N18448	4864	A9N18459	10358	A9N18470	15749	A9N18481	21768

DC Miniature Circuit Breakers - C60H



- Specially designed MCB for enhanced protection in DC installation
- Magnetic Arc Chutes to quick break DC current in event of fault
- Breaking capacity 6kA as per IEC 60947-2
- Voltage Rating: 1P - 250 V DC & 2P - 500 V DC
- Impulse Voltage: 6 kV
- Higher Installation Life: Energy Limiting Class: 3

[In] Rated Current (A)	Module Width 18mm/ module	1 Pole Reference	Unit MRP [₹]	Module Width 18mm/ module	2 Pole Reference	Unit MRP [₹]
MOQ		12 Nos.			6 Nos.	
C60H-DC						
0.5	1	A9N61500	1258	2	A9N61520	3291
1	1	A9N61501 <input checked="" type="checkbox"/>	1113	2	A9N61521 <input checked="" type="checkbox"/>	2299
2	1	A9N61502 <input checked="" type="checkbox"/>	1113	2	A9N61522 <input checked="" type="checkbox"/>	2299
3	1	A9N61503 <input checked="" type="checkbox"/>	1113	2	A9N61523 <input checked="" type="checkbox"/>	2299
4	1	A9N61504 <input checked="" type="checkbox"/>	1113	2	A9N61524 <input checked="" type="checkbox"/>	2299
5	1	A9N61505	1113	2	A9N61525	2299
6	1	A9N61506 <input checked="" type="checkbox"/>	914	2	A9N61526 <input checked="" type="checkbox"/>	1870
10	1	A9N61508 <input checked="" type="checkbox"/>	914	2	A9N61528 <input checked="" type="checkbox"/>	1870
16	1	A9N61511 <input checked="" type="checkbox"/>	914	2	A9N61531 <input checked="" type="checkbox"/>	1870
20	1	A9N61512 <input checked="" type="checkbox"/>	914	2	A9N61532 <input checked="" type="checkbox"/>	1870
25	1	A9N61513 <input checked="" type="checkbox"/>	914	2	A9N61533 <input checked="" type="checkbox"/>	1870
32	1	A9N61515 <input checked="" type="checkbox"/>	1053	2	A9N61535 <input checked="" type="checkbox"/>	1870
40	1	A9N61517 <input checked="" type="checkbox"/>	1253	2	A9N61537 <input checked="" type="checkbox"/>	2759
50	1	A9N61518 <input checked="" type="checkbox"/>	1253	2	A9N61538 <input checked="" type="checkbox"/>	2759
63	1	A9N61519 <input checked="" type="checkbox"/>	1253	2	A9N61539 <input checked="" type="checkbox"/>	2759

Special application MCBs



Solar Application – PV DC

- DC MCB for multi string PV installations
- Operating Voltage: 800V DC
- Current Rating up to 25A
- Complies to IEC / EN 60947-2



Rail Application* (including Rolling Stock)

- Fire & smoke Resistant – Level 2 (NF F 16-101, NF F 16-102)
- Shock & vibration resistant (IEC 61373) – Cat 1, Class B
- Breaking Capacity: up to 25kA
- Complies to IEC / EN 60947-2



UL MCB

- Type: UL1077, UL489
- Breaking Capacity of 10kA
- Complies to IEC 60947-2 / UL1077 / UL489 / CSA

Note:

Please contact nearest Schneider Electric sales office or Customer Care for Reference and prices of Application Specific MCBs

*Rail Application RCDs are also available on demand

**18mm/module

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. June 01, 2021

AC Miniature Circuit Breakers - NG125



- Compliance to IEC / EN 60947-2
- High Breaking Capacity MCBs – up to 50kA
- Current Rating up to 125A
- Trip on fault indication on front face of MCB
- Suitability for isolation in the industrial sector to IEC/EN 60947-2
- Available in B, C, D Curves

[In] Rated Current (A)	1 Pole Reference	Unit MRP [₹]	2 Pole Reference	Unit MRP [₹]	3 Pole Reference	Unit MRP [₹]	4 Pole Reference	Unit MRP [₹]
Module Width**	1.5 mod		3 mod		4.5 mod		6 mod	

NG125N – 25kA Breaking Capacity

10	18610	4810	18621	10582	18632	16051	18649	20389
16	18611	4810	18622	8162	18633	16051	18650	20389
20	18612	4816	18623	10582	18634	16051	18651	20383
25	18613	4810	18624	10582	18635	16057	18652	20389
32	18614	4810	18625	9892	18636	16057	18653	20383
40	18615	6202	18626	13111	18637	20093	18654	26433
50	18616	7739	18627	13625	18638	20994	18655	26693
63	18617	6202	18628	14266	18639	22579	18656	27909
80	18618	6541	18629	15331	18640	23735	18658	29379

NG125H – 36kA Breaking Capacity

10	18705	5560	18714	9414	18723	13419	18732	25543
16	18706	5560	18715	9414	18724	13419	18733	25543
20	18707	5554	18716	9414	18725	19173	18734	25543
25	18708	5657	18717	12421	18726	19166	18735	25550
32	18709	5657	18718	12421	18727	19173	18736	25543
40	18710	6928	18719	14357	18728	19524	18737	31043
50	18711	7061	18720	15524	18729	23977	18738	31884
63	18712	7255	18721	16668	18730	20001	18739	35000
80	18713	7981	18722	21764	18731	25876	18740	36912

NG125H – 50kA Breaking Capacity

10	18777	7054	18788	15415	18799	24285	18810	32355
16	18778	7054	18789	15415	18800	24285	18811	32355
20	18779	7054	18790	16620	18801	24285	18812	32355
25	18780	7054	18791	16613	18802	24279	18813	32355
32	18781	7054	18792	16613	18803	24279	18814	32355
40	18782	8561	18793	19771	18804	30347	18815	38412
50	18783	12023	18794	20770	18805	32495	18816	39537
63	18784	8990	18795	22222	18806	34117	18817	42314
80	18785	13244	18796	24418	18807	37825	18818	43712

**18mm/module

Note: Reference provided above are for C Curve MCBs – B and D Curve details available on request

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. June 01, 2021

Residual Current Devices (RCDs) - For Human and Fire Protection



**30
mA**

Use of **30mA RCDs** is now **mandatory** for all **domestic intallations** in India {CEA Amendment regulation 2015*}



Schneider Electric provides voltage independent RCDs which work on current sensing technology and provide protection from residual current even at extra low voltages (down to zero volts) and in case of break of neutral.

**SI
Type**

Schneider Electric offers SI RCD built to operate in electrically polluted or installation in aggressive environments:

- Flourescent / Variable lighting with Electronic ballast
- Powerful IT / Telecom equipment / Air conditioning
- Severe Atmosphere - High lighting risk / Swimming pools

* for Measures relating to Safety and Electric supply

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. June 01, 2021

AC Residual Current Circuit Breakers - xID



Suitable for
ComReady
Auxiliary



- Complies to standards IEC/EN 61008-1 and IS 12640
- AC Class protection
- Selective range available for time based discrimination
- Easy Monitoring: Earth fault indication and Test Button on front face
- Operating temperature up to +70°C
- Mandatory to use OF-S auxiliary to add any indication or tripping auxiliary

[In] Rated Current (A)	Earth-Leakage Sensitivity (mA)	Module Width 18mm/module	2 Pole Reference	Unit MRP [₹]	Module Width 18mm/module	4 Pole Reference	Unit MRP [₹]
25	30	2	A9N16201	4100	4	A9N16251	5755
	100	2	A9N16203	4551	4	A9N16253	6116
	300	2	A9N16202	4689	4	A9N16252	6295
40	30	2	A9N16204	4825	4	A9N16254	5665
	100	2	A9N16205	5203	4	A9N16255	6150
	300	2	A9N16206	5457	4	A9N16256	6388
63	30	2	A9N16208	5811	4	A9N16258	6560
	100	2	A9N16209	6249	4	A9N16259	7266
	300	2	A9N16210	6376	4	A9N16260	7300
80	30	2	A9N16212	9770	4	A9N16261	11572
	100	2	A9N16213	9933	4	A9N16262	11758
	300	2	A9N16214	10118	4	A9N16263	11822

AC Residual Current Circuit Breakers (RCCBs) - ID



- Complies to standards IEC 61008-1 and VDE 0664
- AC Class protection
- Degree of pollution: 3 (suitable for industrial environment)
- Electrical ON/OFF indication by using OFSP auxiliary

Poles Description	[In] Rated Current (A)	Earth-Leakage Sensitivity (mA)	Module Width 18mm/module	Reference	Unit MRP [₹]
4P	100	30	4	**A9R11491	15336
		100	4	**A9R12491	16155
	125	30	4	16905	46945
		100	4	16906	45708
		300	4	16907	45921

Note: **For 100A RCCB Auxiliary kindly contact Customer Care

AC Residual Current Breaker Overload (RCBO) - DPN N Vigi



Suitable for
ComReady
Auxiliary



- Complies to standards IEC/EN 61009
- AC Class Protection; Tripping characteristics - C curve
- Overvoltage category (IEC 60364): IV
- Suitable for indication & tripping auxiliaries

Poles Description	[In] Rated Current (A)	Earth-Leakage Sensitivity (mA)	Module Width 18mm/module	Reference	Unit MRP [₹]
1P+N	6	30	2	A9N19661	6391
		300	2	A9N19681	6491
	10	30	2	A9N19663	6391
		300	2	A9N19683	6491
	16	30	2	A9N19665	6391
		300	2	A9N19685	6491
	20	30	2	A9N19666	6391
		300	2	A9N19686	6491
	25	30	2	A9N19667	6391
		300	2	A9N19687	6491
	32	30	2	A9N19668	6391
		300	2	A9N19688	6815
	40	30	2	A9N19669	8086
		300	2	A9N19689	8227

Note: Application specific RCDs also available with 10mA, 500mA and 1000mA sensitivities | Please contact nearest Schneider Electric Sales Office or Customer Care Center for Reference and Prices

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. June 01, 2021

SI Type Residual Current Circuit Breakers (RCCBs) - xID SI



- Complies to standard IEC/EN 61008-1
- SI RCDs offer enhanced immunity against Electrical Disturbances; Polluted and Corrosive environments - Guaranteed performance in harsh operating conditions
- Ensures continuity of supply in networks with:
 - Transient overvoltages
 - Loads generating HF leakage current i.e. harmonics
 - Loads generating continuous leakage current
- Ensures tripping on genuine earth fault in networks with:
 - Pulsating DC components
 - HF applications which "Blinds" (non-tripping) the conventional RCDs

[In] Rated Current (A)	Earth-Leakage Sensitivity (mA)	Module Width 18mm/module	2 Pole Reference	Unit MRP [₹]	Module Width 18mm/module	4 Pole Reference	Unit MRP [₹]
25	30	2	A9N16234	9363	4	A9N16321	10435
40	30	2	A9N16237	9834	4	A9N16324	10764
63	30	2	A9N16240	10117	4	A9N16327	11052
	300	2	A9N16246	10193	4	A9N16334	11499

Vigi Block for xC60 (Add-on RCD Module, 2 & 4 Pole)



- Flexibility to use MCB of any tripping curve to suit applications, ensuring best 3 in 1 protection
- No auxiliary supply required
- AC Class protection
- Degree of pollution: 3 (suitable for industrial environment)
- Immune to nuisance tripping due to transient over voltages

[In] Rated Current (A)	Earth-Leakage Sensitivity (mA)	Module Width 18mm/module	2 Pole Reference	Unit MRP [₹]	Module Width 18mm/module	4 Pole Reference	Unit MRP [₹]
25	30	1.5	A9N26581	6621	3	A9N26595	7951
	100	1.5	A9N26582	8422	3	A9N26596	8575
	300	1.5	A9N26583	8905	3	A9N26597	9228
63	30	2	A9N26611	9258	3.5	A9N26643	9293
	100	2	A9N26612	9804	3.5	A9N26644	9651
	300	2	A9N26613	10270	3.5	A9N26645	10099

Note: Vigi Block for High Rating up to 125A (C120) and High Breaking Capacity (NG125) available on demand

SI Type Residual Current Breaker Overload (RCBO) - DPN N Vigi SI



- Complies to standard IEC/EN 61009
- Ensures continuity of supply in networks with:
 - Transient overvoltages
 - Loads generating HF leakage current i.e. harmonics
 - Loads generating continuous leakage current
- Ensures tripping on genuine earth fault in networks with :
 - Pulsating DC components
 - HF applications which "Blinds" (non-tripping) the conventional RCDs

Poles Description	[In] Rated Current (A)	Earth-Leakage Sensitivity (mA)	Module Width 18mm/module	Reference	Unit MRP [₹]
1P+N	6	30	2	A9N19631	12724
	10	30	2	A9N19632	12724
	16	30	2	A9N19634	12724
		300	2	A9N19644	12724
	20	30	2	A9N19635	12724
		300	2	A9N19645	12724
	25	30	2	A9N19636	12724
		300	2	A9N19646	12724
	32	30	2	A9N19637	12724
		300	2	A9N19647	15143
	40	30	2	A9N19638	15066
		300	2	A9N19648	16766

*For Prices, please contact nearest Schneider Electric Sales Office or Customer Care Center are Center for Reference and Prices


Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. June 01, 2021

Common Auxiliaries for xC60 / C120 / RCDs Range

- Field-fittable auxiliaries (clip fitted) mounted on left side with maximum width of 54mm
- Order: Tripping Auxiliaries (MN first) followed by Indication Auxiliaries (SD first)



Type	Module Width 18mm/module	Reference	Unit MRP [₹]
Indication Auxiliaries			
OF Auxiliary Switch: for ON/OFF indications	0.5	A9N26924	1247
SD Alarm Switch: for Trip on fault indications	0.5	A9N26927	1465
OF + SD/OF Auxiliary switch	0.5	A9N26929	3890
OF+SD24 auxiliary contact (ComReady)	0.5	A9N26899	3260
Protection Auxiliaries – Trip Indication on front face			
MN Under-voltage Release 220-240V AC	1	A9N26960	5238
MSU Over-voltage Release 275V AC	1	A9N26500	6203
Tripping Auxiliaries – Trip Indication on front face			
MX + OF Shunt Release 110-415V AC: for Remote tripping of Circuit Breaker	1	A9N26946	3408
MX + OF Shunt Release 12-24V AC/DC: for Remote tripping of Circuit Breaker	1	A9N26948	3408
Auxiliary Switch for RCCBs – Mandatory for use of Auxiliaries with RCCBs			
Auxiliary switch for RCCB up to 80A (OF-S)	0.5	A9N26923	1665
Auxiliary switch for RCCBs 125A (OFSP)	0.5	16940	2531

Accessories



Type	Description	Reference	Unit MRP [₹]
Rotary Handle*	Breaker Switching Sub-Assembly	27046	4650
	Extended, Disconnectable handle	27047	2878
Padlock** (bag of 2)		26970	1119
Multicable terminal for 3 copper cables**		19096	8998
Aluminum cable terminal**		27060	683
Spacer		A9N27062	288

* for xC60, C120, DPN N Vigi, C60H-DC, xSW - Multi poles only

**for xC60, xID, DPN N Vigi, C60H-DC, xSW, C60PV-DC

Note: For all above Reference MOQ = 1

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. June 01, 2021

Protection Against Lightning Strikes And Switching Surges



For all low voltage switchboards and electrical enclosures:

Comprehensive range

- To ensure the protection of equipment connected to:
- Low voltage networks,
- Telecommunications networks,
- Computer networks.
- Easy to implement and use.
- Compatibility with all earthing systems (TT, TNS, TNC, IT).
- Technical and aesthetic consistency

Continuity of service and certified safety

Schneider Electric certified coordination between the surge arrester and its disconnection circuit breaker.

Compliance with standards: IEC/EN 61643-11.



More and more electrical equipment today is sensitive to overvoltages caused by lightning.



90%

of power outlets supply equipment incorporating electronic devices.



iQuick PRD “built-in” technology surge arresters, a Schneider Electric innovation, incorporate their own disconnection circuit breaker: easy to choose and simple to install for greater effectiveness.



Up to **30%** of installation time saved.

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. June 01, 2021

Surge Arresters - Type 1+ 2



- Complies to IEC 61643-1 and EN 61643-11
- Withdrawable type: Easy Replacement
- Inbuilt SPD health Indicator: Also available with remote signaling
- For protection against Direct lightning surge, Indirect lightning surge, Switching surge
- Iimp up to 25kA & Imax upto 40kA
- **Always use a Back-up MCB with your SPD**
- Maximum Operating Voltage [Uc]: 350V

Type	Pole Description	Module Width 18mm/module	Reference	Unit MRP [₹]
PRD1 25r	1P	2	16329	16878
	1P + N	4	16330	37128
	3P	6	16331	55678
	3P + N	8	16332	69178

Surge Arresters iPRD- Type 2 (Withdrawable type) (TT, TN-S, TN-C Systems)



- In conformance with standards IEC 61643-11/2011 T2 and EN 61643-11 Type 2
- For protection against Indirect lightning surge and Switching surge
- Inbuilt health Indicator
- Response time < 25ns
- Imax (8/20 s): 65/40/15/8kA
- Maximum Operating Voltage [Uc]: 340V
- Level of protection,Up: 1.0 - 2.0 kV
- Remote indication contact with 8r/20r/40r/65r
- **Always use a Back-up MCB with your SPD**

Type	Rated Voltage (V)	Pole Description	Module Width 18mm/module	Reference	Unit MRP [₹]
iPRD8	230	1P	1	A9L08100	5067
	230	1P+N	2	A9L08500	9475
	230/400	3P	3	A9L08300	12789
	230/400	3P+N	4	A9L08600	19303
iPRD8r	230	1P+N	2	A9L08501	11359
	230/400	3P+N	4	A9L08601	23164
	230	1P	1	A9L20100	5679
iPRD20	230	1P+N	2	A9L20500	11911
	230/400	3P	3	A9L20300	15248
	230/400	3P+N	4	A9L20600	21557
iPRD20r	230	1P+N	2	A9L20501	14165
	230/400	3P+N	4	A9L20601	26359
	230	1P	1	A9L40100	6714
iPRD40	230	1P+N	2	A9L40500	13718
	230/400	3P	3	A9L40300	19691
	230/400	3P+N	4	A9L40600	27459
iPRD40r	230	1P	1	A9L40101	8051
	230	1P+N	2	A9L40501	17685
	230/400	3P	3	A9L40301	26500
iPRD65r	230/400	3P+N	4	A9L40601	32956
	230	1P	1	A9L65101	10764
	230	1P+N	2	A9L65501	22540
	230/400	3P	3	A9L65301	29413
	230/400	3P+N	4	A9L65601	38165

Spare Cartridges for iPRD



- Spare Cartridges for iPRD8r, iPRD20r, iPRD40r and iPRD65r
- End of life indication available on front face
- These Cartridges are not compatible with Old SPD range (A9L16...)**

Type	Spare Cartridges for	Reference	Unit MRP [₹]
iPRD 65-350	iPRD65r	A9L65102	6739
iPRD 40-350	iPRD40, iPRD40r	A9L40102	5184
iPRD 20-350	iPRD20, iPRD20r	A9L20102	4155
iPRD 8-350	iPRD8, iPRD8r	A9L08102	3637
iPRD Neutral	All products (1P+N, 3P+N)	A9L00002	5455

**Spare Cartridges for Old SPD Range (A9L16...) are available on demand - please contact nearest Schneider Electric Sales Office or Customer Care for Reference and prices

Note: Note: For all above Reference MOQ = 1

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. June 01, 2021

iQuick PRD - Type 2 with inbuilt MCB



- Compact SPD with in-built back up MCB - saving on space, MCB selection, wiring time
- Compliance to EN 61643-11
- Withdrawable Type - Cost Efficient - Allows damaged Cartridges to be replaced without having to replace entire SPD
- Inbuilt SPD Health Indicator on front face of device; Remote signaling functionality also available
- Incoming Protection: iQuick PRD 40r (High Risk level) and iQuick PRD 20r (Moderate Risk level)
- Secondary Protection: iQuick PRD 8r is cascade mounted with incoming surge arresters

Type	Pole Description	Module Width 18mm/module	Reference	Unit MRP [₹]
iQuick PRD 8r	1P+N	4	A9L16298	14554
	3P	6.5	A9L16299	20786
	3P+N	7.5	A9L16300	25864
iQuick PRD 20r	1P+N	4	A9L16295	16972
	3P	6.5	A9L16296	24952
	3P+N	7.5	A9L16297	31038
Quick PRD 40r	1P+N	4	A9L16292	19821
	3P	6.5	A9L16293	29696
	3P+N	7.5	A9L16294	36905

Note: Spare / Replacement Cartridges available - For Reference and prices contact nearest sales office or customer care

Photovoltaic surge arresters



- Protection for photovoltaic panels and the DC input to the inverter from overvoltages due to a lightning strike
- Type 2 surge arresters
- Should be installed in switchboard inside the building. If switchboard is located outside, it must be weatherproof
- Withdrawable surge arrester allows damaged Cartridges to be replaced quickly
- Inbuilt SPD Health Indicator on front face of device; Remote signaling functionality also available

Type	U (cpv) Maximum Operating Voltage (V)	Module Width 18mm/module	Reference	Unit MRP [₹]
iPRD 40r	800	3	A9L40271	11287
	1000	3	A9L40281	12900

Note: Spare / Replacement Cartridges available - For Reference and prices contact nearest sales office or customer care

Surge Arresters for Communication Networks



- Analogue telephone line protection: iPRC surge arrester wired in series to the private installation input, protects the telephones, the modems (including ADSL) etc
- Protection for 2 low-current lines without common potential or 4 lines with common reference potential
- iPRI protects measuring instrument and PLC sensor inputs and the DC power supply inputs up to 53 V and AC power supply inputs up to 37 V

Type	[Ue] Operational Voltage (V)	Module Width 18mm/module	Reference	Unit MRP [₹]
PRI	48 V DC	1	A9L16339	20132
PRC	130 V AC	1	A9L16337	12311

Note: For all above Reference MOQ = 1

Isolator - xSW



- Complies to IEC/EN 60947-3
- Switching duty: AC-22
- Impulse voltage: 6kV
- DC application: 48V (110V with 2 poles in series)
- Short circuit withstand 20 In for 1 second
- Upto 80A Bi connect terminals & 100A to 125A with mono connect terminals

Poles Description	[In] Rated Current (A)	Module Width 18mm/module	MOQ	Reference	Unit MRP [₹]
2	40	2	6	A9S2P040	769
	63	2	6	A9S2P063	1016
3	40	3	4	A9S3P040	1343
	63	3	4	A9S3P063	1573
4	40	4	3	A9S4P040	1701
	63	4	3	A9S4P063	1851
	100	4	3	A9S4P100	3098
	125	4	3	A9S4P125	3424

Selector Switch - iSSW



- Complies to IEC 60947-5-1 and IEC 60669-1
- Rating 20A, 250V AC
- Electrical life (AC22): 30,000 cycles
- Connection: tunnel terminals cables up to 10 sq. mm

No. of positions	Poles Description	Contacts	Module Width 18mm/module	MOQ	Reference	Unit MRP [₹]
2	1	1 C/O	1	12	A9E18070	1645
	2	2 C/O	2	6	A9E18071	2261
		1NO + 1NC	1	12	A9E18072	1318
3	1	1 C/O	1	12	A9E18073	1585
	2	2 C/O	2	6	A9E18074	2729

iRO Buzzers



- Audible indication in housing and the tertiary sector
- Sound level of 70dBA at a distance of 60cm

Voltage	Module Width 18mm/module	Reference	Unit MRP [₹]
230V AC	1	A9A15322	2042
8..12V AC	1	A9A15323	1112

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. June 01, 2021

iCT Contactors



- Complies with standards IEC 1095, E N 61095
- 4 operating modes switch on front face :
 - Automatic mode
 - Temporary "ON" mode
 - Permanent "ON" mode
 - Shutdown
- Mechanical contact position Indicator
- Safe installation maintenance: lock the contactor in ON position
- Silent operation (20dB) for entire range

Type	Rating (A)	No. of Contacts	Module Width 18mm/module	Reference	Unit MRP [₹]
1P	25	1NO	1	A9C20731	2424
	16	2NO	1	A9C22712	2495
2P	25	2NO	1	A9C20732	2983
	40	2NO	2	A9C20842	6080
3P	63	2NO	2	A9C20862	6521
	25	3NO	2	A9C20833	3843
	40	3NO	2	A9C20843	8534
4P	63	3NO	3	A9C20863	9275
	25	4NO	2	A9C20834	4025
	40	4NO	2	A9C20844	9940
	63	4NO	3	A9C20864	10487
	63	2NO + 2NC	3	A9C20868	11682

Note: 100A Contactor in 2P / 4P - available on request

iTL Impulse Relays



- Complies with standards IEC/EN 60669-2-2
- Safe maintenance: disconnection of remote control by selector switch
- Manual Controls on front face: 0-I toggle
- Mechanical contact position Indicator
- Maximum 5 operations/min. and 100 switching operations/day
- Degree of pollution: 3 (suitable for industrial environment)

Type	Rating (A)	Control Voltage	No. of Contacts	Module Width	Reference	Unit MRP [₹]
1P	16	230-240 VAC	1NO	1	A9C30811	1571
	32	230-240 VAC	1NO	1	A9C30831	1978
2P	16	230-240 VAC	2NO	1	A9C30812	2577
	32	230-240 VAC	2NO	1	A9C30831 + A9C32836	6115
3P	16	230-240 VAC	1NO+1NO/NC+1NO	2	A9C30811 + A9C32816	4890
	32	230-240 VAC	1NO+1NO/NC+1NO	2	A9C30831 + 2* x A9C32836	10252
4P	16	230-240 VAC	4NO	2	A9C30814	5337
	32	230-240 VAC	4NO	2	A9C30831 + 3* x A9C32836	14389

iIL Indicator Lights



- Complies with standard IEC 60947-5-1
- Indicator light with LED technology
- Service life 100,000 hours with constant luminous efficiency

Type	Colour	Module Width 18mm/module	Reference	Unit MRP [₹]
Single Indicator light	Red	1	A9E18320	1625
	Green	1	A9E18321	1625
	Blue	1	A9E18323	1625
	Orange	1	A9E18324	1625
3 phase voltage presence light	Red/Red/Red	1	A9E18327	4696
Single Push Button (1 NO+ 1NC)	Grey	1	A9E18033	2189

Note: For all above Reference MOQ = 1

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. June 01, 2021

Smartlink



- Compliance to IEC/EN 61131-2
- Protection Monitoring – Device Status and alarm notifications
- Load Control / Switching through Contactors and Impulse Relays
- Energy Monitoring through pulse meters
- Alarm over email and analog sensors (temperature / humidity) with Smartlink Ethernet
- Plug & Play – Pre fabricated cables and in built web pages
- Rated Voltage: 24V DC

Description	Reference	Unit MRP [₹]
Smartlink EL-D	A9XELC10	27254
Wiser Energy Module IP	EER31800	27254

Communication Auxiliaries



Auxiliary for Protection Devices (OF+SD24)

Auxiliary for Contactors (iACT24)

Auxiliary for Impulse Relays (iATL24)

Description	Module Width	Reference	Unit MRP [₹]
OF+SD24	0.5	A9N26899	3260
iACT24	1	A9C15924	16220
iATL24	1	A9C15424	17079

Acti 9

Description	Reference	Pack	Unit MRP [₹]
Distribloc 63A			
Distribution from the top (4 Module)	04040	1	14155
Distribution through the bottom (4 Module)	04041	1	14155

Reflex iC60 - Integrated Control & Overcurrent Protection Device



- All in One Solution: MCB + Contactor + Impulse Relay + Auxiliary
- 10kA Breaking capacity as per IEC/EN 60947-2,
- Ti24 interface: Connection to PLC, Smartlink
- 3 operating modes to cater to a variety of applications
- Safe lock down with Integrated Padlocking
- Simplified maintenance: Front face Indicator allows better reliability

[In] Rated Current (A)	2 Pole Reference	Unit MRP [₹]	3 Pole Reference	Unit MRP [₹]	4 Pole Reference	Unit MRP [₹]
Module Width **	4.5 mod		5.5 mod		6.5 mod	2275
B Curve						
10	A9C61210	44620	A9C61310	46597	A9C61410	49952
16	A9C61216	44614	A9C61316	46597	A9C61416	49952
25	A9C61225	44614	A9C61325	46597	A9C61425	49952
40	A9C61240	46091	A9C61340	49834	A9C61440	53042
63	A9C61263	49023	A9C61363	51776	A9C61463	56055
C Curve						
10	A9C62210	45120	A9C62310	48022	A9C62410	50976
16	A9C62216	45120	A9C62316	48027	A9C62416	50976
25	A9C62225	45114	A9C62325	48022	A9C62425	50976
40	A9C62240	47516	A9C62340	49858	A9C62440	53077
63	A9C62263	50070	A9C62363	51776	A9C62463	56060
D Curve						
10	A9C63210	46138	A9C63310	48998	A9C63410	53024
16	A9C63216	46138	A9C63316	48998	A9C63416	53024
25	A9C63225	46138	A9C63325	48998	A9C63425	53024

Note: **18mm/module

Please contact Customer Care Center for Stockable and Non stockable status of references.


NORMAL STOCK ITEMS

W.E.F. June 01, 2021

EcoStruxure™

Innovation At Every Level

From sensors to services, our Innovation At Every Level approach improves energy and operational efficiency by tapping the true business value of IoT advancements. We've made mobility, sensing, cloud, analytics, and cyber security technologies meaningful to customers, helping them compete in our IoT economy.



70% of decision-makers see the business value of IoT*

*Schneider Electric IoT 2020 Business Report

Connected Products:


The Internet of Things starts with the best things. Our IoT-enabled best-in-class connected products include breakers, drives, UPSs, relays, sensors, and more. Devices with embedded intelligence drive better decision-making throughout operations.

Edge Control:

Mission-critical scenarios can be unpredictable, so control of devices at the edge of the IoT network is a must. This essential capability provides real-time solutions that enable local control at the edge, protecting safety and uptime.

Applications, Analytics, and Services:

Interoperability is imperative to supporting the diverse hardware and systems in building, data center, industry, and grid end markets. EcoStruxure™ enables a breadth of agnostic applications, analytics, and services for seamless enterprise integration.



Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. June 01, 2021

Connectivity built in

Acti9 Isobar harnesses the connectivity of the Acti9 range enabling distribution boards to become smart and connected.



1. Enable asset management on all outgoing ways with PowerTag



2. Smartlink SiD for wireless data concentration



3. Enable further asset and energy management through PowerTag for Compact NSX



4. Monitor and control your assets with SiB Smartlink



5. See the power and optimise the use of your assets with Facility Expert our simple on-line services platform




Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. June 01, 2021

Acti 9

Isobar Pan Assembly



- Fully type tested conditional short circuit rating of 25kA to BS EN 61439-3
- High performance MCB 10kA BS EN 60898 15kA BS EN 60947-2 in B, C or D curve 1, 2, 3, 4 pole
- 250A busbar rating
- Isobar disconnection to BS EN 60947-3 ensuring unused outgoing ways are isolated
- Option of switching outgoing neutral on all boards using distributed neutral kit
- Range of incomers: switch disconnectors, residual current devices, terminal blocks, mccb
- Single pole RCBO for new or retrofit maintaining device density
- Full range of device accessories and auxiliaries
- Shrouded neutral

Please contact nearest Schneider Electric sales office or Customer care center for more information.

NORMAL STOCK ITEMS

W.E.F. June 01, 2021

Acti 9

Distribution Boards

Spectacular Design

Blends seamlessly with interiors



Unique Rounded Corners | Color - RAL 9003 white | Designer Rotary Knob

Maximized Wiring Space

Convenient and Safe wiring



Side mounted N-bar and E-bar

Removed all injurious sharp corners

15% more wiring area | Reduced U-box Collar | Removable Frame, Centre plate & Gland plate

Adaptable

Total Flexibility for ease of installation and usage



Unique 5 holes mounting with positioning hole

Surface and Flush installation | Field fittable key lock provision | Reversible Door

Robust Architecture

Perfect blend of Strength & Weight



High Strength-to-Weight ratio | RoHS and REACH Compliance – ideal solution for GREEN Buildings

NEW

Base Material used - Galvanized Iron

4X Rust Resistance



1. Powder Coating
- 2. Galvanized Iron**
3. Base Iron

Galvanized Iron | Gives 4X rust resistance
No Rusting | Even if the powder coating is scratched
No Propagation Of Rust | Even If base material is chipped off
No Hassle | of repainting due to rusting

Inspiring the **S.M.A.R.T.** choice!!!

Technically Proven

Safety Guaranteed



Designed and Manufactured as per IS 8623 - 1 & 3 | IP and IK test by ERDA & CPRI | Glow wire tested

Type Tested as per IEC 61439 - 1 & 3

NEW



IEC 61439 - 3* Fully Compliant

*Tested at NABL and ASTA accredited testing facility



Salt Spray



IP43



IK09



Reliable Door



Earthing



Temp@
Max Curr

Mechanical Tests

Electrical Tests



Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. June 01, 2021

Acti 9

Distribution Boards



Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. June 01, 2021

Metal Enclosures



- Metal Enclosure to mount individual Modular Device feeding directly to the load or final distribution board

Description	Total Module Cutout	Single Door (IP30) Reference	Unit MRP [₹]	Double Door Metal (IP43) Reference	Unit MRP [₹]
2 way	1 / 2	A9HMES02 <input checked="" type="checkbox"/>	917	-	-
4 way	3 / 4	A9HMES04 <input checked="" type="checkbox"/>	917	-	-

SPN DBs



- SPN DB for distribution of Single Phase Neutral supply to respective load MCBs
- Incomer - DP RCCB/RCBO/Isolator/MCB
- Outgoing - SP MCBs

Description	Total Module Cutout (Incomer + Outgoing)	Single Door (IP30) Reference	Unit MRP [₹]	Double Door Metal (IP43) Reference	Unit MRP [₹]
6 way	6	A9HSNS06	1776	A9HSND06 <input checked="" type="checkbox"/>	2552
8 way	8	A9HSNS08 <input checked="" type="checkbox"/>	2106	A9HSND08 <input checked="" type="checkbox"/>	2781
12 way	12	A9HSNS12	2493	A9HSND12 <input checked="" type="checkbox"/>	3345
18 way	18	A9HSNS18	3428	A9HSND18 <input checked="" type="checkbox"/>	4481

TPN DBs



- Standard TPN DBs for distribution of Three Phase and Neutral supply
- Incomer - FP RCCB/RCBO/Isolator/MCB
- Outgoing - SP MCBs
- TPN DBs can be converted to PPI DB using 'PPI Kit' provided on next page

Description	Total Module Cutout (Incomer + Outgoing)	Single Door (IP30) Reference	Unit MRP [₹]	Double Door Metal (IP43) Reference	Unit MRP [₹]
4 way eco	4 + 12	-	-	A9HTND04E <input checked="" type="checkbox"/>	5486
4 way	8 + 12	A9HTNS04	5093	A9HTND04 <input checked="" type="checkbox"/>	5533
6 way	8 + 18	A9HTNS06	*	A9HTND06 <input checked="" type="checkbox"/>	6815
8 way	8 + 24	A9HTNS08	6944	A9HTND08 <input checked="" type="checkbox"/>	8404
12 way	8 + 36	A9HTNS12	10466	A9HTND12 <input checked="" type="checkbox"/>	12831

Flexi Tier DBs



- Flexi DBs give total flexibility to mount any type and size of Modular devices as per load requirement
- Provided with N-Bar and E-Bar
- Flexi Tier DBs can be converted to PPI DB using 'PPI Kit' provided on next page

Description	Total Module Cutout (Incomer + Outgoing)	Single Door (IP30) Reference	Unit MRP [₹]	Double Door Metal (IP43) Reference	Unit MRP [₹]
2 Tier 24 Modules	2 x 12	-	-	A9HFD224	7197
3 Tier 36 Modules	3 x 12	-	-	A9HFD336	8644
4 Tier 40 Modules	4 x 10	-	-	A9HFD440 <input checked="" type="checkbox"/>	9131
4 Tier 56 Modules	4 x 14	-	-	A9HFD456 <input checked="" type="checkbox"/>	9544

Note: For all above Reference MOQ = 1

* - Price on Request

Please contact Customer Care Center for Stockable and Non stockable status of references.


NORMAL STOCK ITEMS

W.E.F. June 01, 2021

Acti 9

Distribution Boards

New Phase Segregated DBs



Key highlights

- 1 New compact design
- 2 Robust architecture
- 3 Type-tested system
- 4 4 piece construction
- 5 Built-in 8th segment
- 6 Split door for all variants
- 7 Clean alignment of doors, centerplates
- 8 Improved door locking
- 9 High rust resistance with GI
- 10 Increased incomer DIN space

Please Contact nearest Schneider Electric Sales Office and Customer Care Center for your reference.

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. June 01, 2021

Per Phase Isolation DBs

- PPI DBs to mount DP Residual Current Device (RCD) at an individual phase level to isolate the faulty phase in case of earth leakage and ensure continuity of supply to other healthy phases
- Incomer - Modular (FP MCB/Isolator) using PPI Kit / MCCB100A (TP/FP Compact NSX or EasyPact CVS)
- Sub-Incomer - DP RCCB/RCBO
- Outgoing - SP MCBs

Description	Total Module Cutout (Incomer + Outgoing)	Single Door (IP30) Reference	Unit MRP [₹]	Double Door Metal (IP43) Reference	Unit MRP [₹]
12 way	100A MCCB + 6 + 30	-	-	A9HPID12M	19033

PPI Kit (to convert TPN and Flexi Tier DBs to PPI DB)



- Set of accessories to convert TPN DBs and 4 tier Flexi DBs to PPI DB
- Kit is provided with additional required quantity of N-Bar, wire set, Busbars (only for Flexi Tier) and Mounting Kit (only for TPN)

Description	Reference	Unit MRP [₹]
PPI Kit for 6way TPN DB (2+4w PPI DB)	A9HKIT04 <input checked="" type="checkbox"/>	3740
PPI Kit for 8way TPN DB (2+6w PPI DB)	A9HKIT06 <input checked="" type="checkbox"/>	4380
PPI Kit for 12way TPN DB (2+10w PPI DB)	A9HKIT10 <input checked="" type="checkbox"/>	4827
PPI Kit for 4T40M Flexi DB (2+8w PPI DB)	A9HKIT08 <input checked="" type="checkbox"/>	7744
PPI Kit for 4T56M Flx DB (2+12w PPI DB)	A9HKIT12 <input checked="" type="checkbox"/>	8574

Phase Segregated DBs



- Phase Segregated DBs to provide total safety for installer and maintenance personnel, by compartmentalizing each Phase and separating Incomer, Sub-Incomer and Outgoing
- Offers better continuity of supply in case of faults during maintenance at DB level.
- Incomer - Modular (FP MCB/Isolator) / MCCB 100A (TP/FP during maintenance Compact NSX or EasyPact CVS)
- Sub-Incomer - DP RCCB/RCBO
- Outgoing - SP MCBs
- GI sheet ensures improved rust resistance
- Type-tested system conforming IEC 61439-3
- Built-in 8th segment (for modular incomer only)
- Increased incomer DIN space of 12M for 6 ways to 12 ways
- Split door for all variants
- New design ensures clean alignment of doors, centerplates
- 4 piece architecture with removable frame
- Improved, intuitive door lock design with clear indication of lock and unlock positions

Description	Total Module Cutout (Incomer + Sub-incomer + Outgoing)	Single Door (IP30) Reference	Double Door Metal (IP43) Reference	Unit MRP [₹]
4 way	8 + 12 + 12 + 4	-	A9HPSG04	13500
6 way	8 + 12 + 18 + 4	-	A9HPSG06	15094
8 way	8 + 12 + 24 + 4	-	A9HPSG08	16853
12 way	8 + 12 + 36 + 4	-	A9HPSG12	21158
12 way with MCCB I/c	100A MCCB + 12 + 36	-	A9HPSG12M	28550

Note: For all above Reference MOQ = 1

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. June 01, 2021

VTPN DBs for Modular Incomer



- Ideal solution to distribute power supply to both 3 Phase and 1 Phase loads in the same DB
- Incomer - FP RCCB/RCBO/Isolator/MCB
- Outgoing - SP MCBs / TP MCBs

Description	Total Module Cutout (Incomer + Outgoing)	Single Door (IP30) Reference	Unit MRP [₹]	Double Door Metal (IP43) Reference	Unit MRP [₹]
4 way	12 + 12	-	-	A9HVTD04 <input checked="" type="checkbox"/>	14306
8 way	12 + 24	-	-	A9HVTD08 <input checked="" type="checkbox"/>	18199
12 way	12 + 36	-	-	A9HVTD12 <input checked="" type="checkbox"/>	24356

VTPN DBs for MCCB Incomer



- DBs for higher incoming current distribution up to 250A
- Incomer - TP/FP Compact NSX or EasyPact CVS MCCB up to 250A
- Outgoing - SP MCBs / TP MCBs

Description	Total Module Cutout (Incomer + Outgoing)	Single Door (IP30) Reference	Unit MRP [₹]	Double Door Metal (IP43) Reference	Unit MRP [₹]
4 way	100A MCCB + 12	-	-	A9HVD04L	15670
8 way	100A MCCB + 24	-	-	A9HVD08L	19856
12 way	100A MCCB + 36	-	-	A9HVD12L	26402
4 way	160A MCCB + 12	-	-	A9HVD04M	17246
8 way	160A MCCB + 24	-	-	A9HVD08M	21486
12 way	160A MCCB + 36	-	-	A9HVD12M	28676
8 way	250A MCCB + 24	-	-	A9HVD08H	37127
12 way	250A MCCB + 36	-	-	A9HVD12H	39137

ComReady DBs



- Designed to house Acti 9 communication system
- Supplied with Double DIN rail, E-Bar and Wire channel.
- Accessories to convert Flexi Tier DB into ComReady DB available on request

Description	Total Module Cutout (Incomer + Outgoing)	Single Door (IP30) Reference	Unit MRP [₹]	Double Door Metal (IP43) Reference	Unit MRP [₹]
1 Tier 24 Modules	24	-	-	A9HCRD124	10608
2 Tier 48 Modules	48	-	-	A9HCRD248	16398

Metal Clad P&S Units



- Plug & Socket Unit with Electra Plug & Socket and provision to mount modular protection devices to feed the end load directly

Description	Total Module Cutout	Single Door (IP30) Reference	Unit MRP [₹]	Double Door Metal (IP43) Reference	Unit MRP [₹]
10A 1P+N+E P&S	2	A9HMS210	2334	-	-
20A 1P+N+E P&S	2	A9HMS220	2499	-	-
30A 3P+E P&S	3	A9HMS330	5469	-	-

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. June 01, 2021

Industrial P&S Units (provision to mount PratiKa Sockets)



- Plug & Socket Unit with provision to mount PratiKa straight / angled* socket and modular protection devices to feed the end load directly

Description	Total Module Cutout	Single Door (IP30) Reference	Unit MRP [₹]	Double Door Metal (IP43) Reference	Unit MRP [₹]
16A 3P PK P&S	2	A9HKS316	2158	-	-
32A 3P PK P&S	2	A9HKS332	3564	-	-
32A 5P PK P&S	4	A9HKS532	4222	-	-
63A 5P PK P&S	4	A9HKS563	8527	-	-

Locks for Acti 9 DBs



Key Lock

Description	Reference	Unit MRP [₹]
Rotary lock	A9HRL801	645
Key Lock	A9HRL802	810
New Rotary Lock**	A9HRL901	645

Note: **Use New Rotary lock reference A9HRL901 for:
Acti9 DBs manufactured September 2020 onwards
Acti9 DBs with lock & unlock symbol on door .

Accessories for Distribution Boards

Description	Reference	Unit MRP [₹]
Busbars		
Fork Busbar 1P 12MOD. 63A	R9XFH112	873
Fork Busbar 1P 57MOD. 63A	R9XFH157	1942
Fork Busbar 2P 12MOD. 63A	R9XFH212	1006
Fork Busbar 2P 57MOD. 63A	R9XFH257	3726
Fork Busbar 3P 12MOD. 63A	R9XFH312	2271
Fork Busbar 3P 57MOD. 63A	R9XFH357	8128
Fork Busbar 4P 12MOD. 63A	R9XFH412	2094
Fork Busbar 4P 57MOD. 63A	R9XFH457	8748
Busbar Accessories		
Set of 10 End Caps 1P	R9XE110	*
Set of 10 End Caps 2P	R9XE210	*
Set of 10 End Caps 3P	R9XE310	918
Set of 10 End Caps 4P	R9XE410	*
Set of 4 Connector Fork 63A	R9XFC04	*
Set of 20 Tooth Caps	R9XT20	1176
Blanking Plate	13229B	45

Note: Blanking Plate MOQ = 10, All other MOQ = 1

* - Price on Request

Customized Distribution Boards to Suit Your Need - Available on Request*

- TV/Telephone DBs
- Pre-Wired DBs
- 8 Segment DBs
- Acrylic Door DBs
- IP54 DBs
- DBs with Phase Indication Lamps

*upto 32A socket only

Note: For all above Reference MOQ = 1

Note: * Please contact nearest Schneider Electric Sales Office or Customer Care Center for coordination chart

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. June 01, 2021

Kaedra enclosures for PratiKa industrial sockets are part of a complete system of Watertight enclosures from 16A to 125A providing solutions for protection, control and electrical distribution for tertiary and industrial applications



- Degree of protection - IP65
- Impact strength - IK09
- Resistant to chemical and atmospheric agents, UVs etc.
- Self extinguishing class 2 insulating material
- Flame and abnormal heat resistance: 650°C
- Reversible front face for opening of door to left/right
- Combining of enclosures horizontally/vertically while still maintaining IP
- DIN channel can be positioned in 2 depths & 2 heights for cabling purpose

Mini Enclosures for modular devices



Description	Reference	Unit MRP [₹]
4 module	13441 <input checked="" type="checkbox"/>	3289
6 module	13442	3744
8 module	13443	4409
12 module	13444	7084

Enclosures for modular devices (with terminal blocks)



Description	Reference	Unit MRP [₹]
1 row 12 module	13431	7818
1 row 18 module	13432	10304
2 row 24 module	13433	11701
2 row 36 module	13434	14813
3 row 36 module	13435	15446
4 row 72 module	13437	29481

Mini Enclosure (suitable to mount modular devices and PratiKa 16A socket)



Description	Reference	Unit MRP [₹]
4 module 1 vertical opening	13175 <input checked="" type="checkbox"/>	1569
4 module 2 horizontal opening	13176	1935
4 module 3 horizontal opening	13177	2436

Note: For all above Reference MOQ = 1

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. June 01, 2021

Enclosure (suitable to mount modular devices and PratiKa 16A / 32A sockets)



Description	Reference	Unit MRP [₹]
5 module 2 opening	13178 <input checked="" type="checkbox"/>	3777
8 module 4 horizontal opening	13179	5155
13 module 3 opening	13180	6813
13 module 6 opening	13181	7489
19 module 8 opening	13182	9652

Functional Plaques



Description	Reference	Unit MRP [₹]
Blank - marked for 1 socket 50x50	13135	488
Blank - marked for 1 socket 65x65 or 75x75	13137	488
Intermediate with 65x85 opening	13136	595
Intermediate with one opening for 65x85 & 90x100	13142	987

Note: For all above Reference MOQ = 1

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. June 01, 2021

Wander Plugs



PKE16M423



PKE16M723



81383

- Conforms to IEC 60309-1 & IEC 60309-2
- PK PratiKa Screw Connect: same orientation of clamp's screws
- External impact strength: IK08
- Glow wire test: 850°C

[In] Rated Current (A)	[Ue] Rated Operational Voltage (V)	Poles Description	Reference	Unit MRP [₹]
PratiKa Screw				
IP44				
16	200...250	2P + E	PKE16M423 <input checked="" type="checkbox"/>	509
		2P + E	PKX16M423 <input type="checkbox"/>	1030
	380...415	3P + E	PKE16M434 <input checked="" type="checkbox"/>	645
		3P + N + E	PKE16M435 <input checked="" type="checkbox"/>	672
32	200...250	2P + E	PKE32M423 <input checked="" type="checkbox"/>	802
	380...415	3P + E	PKE32M434	930
		3P + N + E	PKE32M435 <input checked="" type="checkbox"/>	917
IP67				
16	200...250	2P + E	PKE16M723 <input checked="" type="checkbox"/>	1113
		2P + E	PKX16M723 <input type="checkbox"/>	1637
	380...415	3P + E	PKE16M734	1257
		3P + N + E	PKE16M735	1344
32	200...250	2P + E	PKE32M723	1575
	380...415	3P + E	PKE32M734 <input checked="" type="checkbox"/>	1699
		3P + N + E	PKE32M735 <input checked="" type="checkbox"/>	1711
PK (63A & 125A available in IP67 only)				
63	200...250	2P + E	81378	4464
	380...415	3P + E	81382 <input checked="" type="checkbox"/>	4256
		3P + N + E	81383 <input checked="" type="checkbox"/>	4262
125	200...250	2P + E	81390	11399
	380...415	3P + E	81394	13018
		3P + N + E	81395	13018

Note: * Fast Connection

Small Wall Mounted Sockets



PKF16W423



PKF16W723



PKF32W735

- Conforms to IEC 60309-1 & IEC 60309-2
- External impact strength: IK08
- Glow wire test: 850°C

[In] Rated Current (A)	[Ue] Rated Operational Voltage (V)	Poles Description	Reference	Unit MRP [₹]
IP44				
16	200...250	2P + E	PKF16W423	892
	380...415	3P + E	PKF16W434	1035
		3P + N + E	PKF16W435	1130
32	200...250	2P + E	PKF32W423	1165
	380...415	3P + E	PKF32W434	1399
		3P + N + E	PKF32W435	1477
IP67				
16	200...250	2P + E	PKF16W723	1417
	380...415	3P + E	PKF16W734	1779
		3P + N + E	PKF16W735	1840
32	200...250	2P + E	PKF32W723	1772
	380...415	3P + E	PKF32W734	2589
		3P + N + E	PKF32W735	3434

Note: For all above Reference MOQ = 1

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. June 01, 2021

Wall Mounted Sockets



- Conforms to IEC 60309-1 & IEC 60309-2
- Rated operational voltage upto 415V
- Rated operational current upto 125A
- External impact strength: IK08
- Glow wire test: 850°C
- Available only in IP67

[In] Rated Current (A)	[Ue] Rated Operational Voltage (V)	Poles Description	Reference	Unit MRP [₹]
63	200...250	2P + E	81178	5499
		3P + E	81182 ●	5660
	380...415	3P + N + E	81183	5740
125	200...250	2P + E	81190	19653
		3P + E	81194	19832
	380...415	3P + N + E	81195	19929

Wander Sockets



- PK PratiKa Screw Connect: same orientation of clamp's screws.
- PK PratiKa: 16A & 32A; IP44 & IP67
- External impact strength: IK08
- Glow wire test: 850 °C
- Conforms to IEC 60309-1 & IEC 60309-2

[In] Rated Current (A)	[Ue] Rated Operational Voltage (V)	Poles Description	Reference	Unit MRP [₹]
PratiKa Screw				
IP44				
16	200...250	2P + E	PKF16M423 ☑	706
		2P + E	PKY16M423	778
	380...415	3P + E	PKF16M434	814
		3P + N + E	PKF16M435	888
32	200...250	2P + E	PKF32M423 ☑	970
		3P + E	PKF32M434	1177
	380...415	3P + N + E	PKF32M435 ☑	1185
IP67				
16	200...250	2P + E	PKF16M723	1306
		2P + E	PKY16M723 ●	1589
	380...415	3P + E	PKF16M734	1637
		3P + N + E	PKF16M735	1711
32	200...250	2P + E	PKF32M723	1796
		3P + E	PKF32M734	1987
	380...415	3P + N + E	PKF32M735	2006
PK (63A & 125A available in IP67 only)				
63	200...250	2P + E	81478	4862
		3P + E	81482	4905
	380...415	3P + N + E	81483	4984
125	200...250	2P + E	81490	15324
		3P + E	81494	15349
	380...415	3P + N + E	81495	15649

Also Available on Request:

- Patented FAST connect Plugs & Sockets - innovative cabling system that enables connection without stripping the conductor and with absolutely no screws required
- Extra Low Voltage Plugs & Sockets down to 50V

Please contact nearest Schneider Electric Sales Office or Customer Care for Reference and Prices

Note: For all above Reference MOQ = 1

Please contact Customer Care Center for Stockable and Non stockable status of references.

☑ NORMAL STOCK ITEMS

W.E.F. June 01, 2021

Panel Mounted Sockets - Angled



PKF16F423



PKF32F723



81283

- PK PratiKa Screw Connect: same orientation of clamp's screws
- External impact strength: IK08
- Glow wire test: 850°C
- Conforms to IEC 60309-1 & IEC309-2

[In] Rated Current (A)	[Ue] Rated Operational Voltage (V)	Poles Description	Reference	Unit MRP [₹]
PratiKa Screw				
IP44				
16	200...250	2P + E	PKF16F423 <input checked="" type="checkbox"/>	546
		2P + E	PKY16F423 ●	589
	3P + E	PKF16F434	814	
32	380...415	3P + N + E	PKF16F435 <input checked="" type="checkbox"/>	867
		2P + E	PKF32F423 <input checked="" type="checkbox"/>	970
	3P + E	PKF32F434	1125	
	200...250	3P + N + E	PKF32F435	1121
		3P + N + E	PKF32F723	1028
16	200...250	2P + E	PKY16F723 ●	1245
		2P + E	PKF16F734	1171
	3P + E	PKF16F735 <input checked="" type="checkbox"/>	1185	
32	380...415	2P + E	PKF32F723	1337
		3P + E	PKF32F734	1564
	3P + N + E	PKF32F735	1589	
PK (63A & 125A available in IP67 only)				
63	200...250	2P + E	81278	4390
		3P + E	81282 <input checked="" type="checkbox"/>	4397
	3P + N + E	81283 <input checked="" type="checkbox"/>	4483	
125	200...250	2P + E	81290	14435
		3P + E	81294	14809
	3P + N + E	81295	14882	

Panel Mounted Sockets - Straight



PKF16G423



PKF16G723



81683

- PK PratiKa Screw Connect: same orientation of clamp's screws
- External impact strength: IK08
- Glow wire test: 850°C
- Conforms to IEC 60309-1 & IEC309-2

[In] Rated Current (A)	[Ue] Rated Operational Voltage (V)	Poles Description	Reference	Unit MRP [₹]
PratiKa Screw				
IP44				
16	200...250	2P + E	PKF16G423	618
		2P + E	PKY16G423	635
	3P + E	PKF16G434	888	
32	380...415	3P + N + E	PKF16G435	930
		2P + E	PKF32G423	981
	3P + E	PKF32G434	1130	
	200...250	3P + N + E	PKF32G435	1224
		3P + N + E	PKF32G723	1035
16	200...250	2P + E	PKY16G723 ●	1165
		2P + E	PKF16G734	1171
	3P + E	PKF16G735	1185	
32	380...415	3P + N + E	PKF16G735	1185
		2P + E	PKF32G723	1319
	3P + E	PKF32G734	1485	
125	200...250	3P + N + E	PKF32G735	1540
		3P + N + E	PKF32G735	1540
	3P + N + E	PKF32G735	1540	
PK (63A & 125A available in IP67 only)				
63	200...250	2P + E	81678	4372
		3P + E	81682	4440
	3P + N + E	81683	4440	
125	200...250	2P + E	81690	14717
		3P + E	81694	14809
	3P + N + E	81695	14882	

*Fast Connection

Note: For all above Reference MOQ = 1

Please contact Customer Care Center for Stockable and Non stockable status of references.

 NORMAL STOCK ITEMS

W.E.F. June 01, 2021

Sockets with Interlock Switches - for guaranteed safety of operation

- Allows closure of main switch only when the plug is fully inserted in socket - when complete mechanical & electrical connection has occurred
- Plug removal is possible only when the switch is in "off" position

Wall Mounted Sockets with Interlock Switch Unika (w/o protection)



83047

83081

- Switch designed for use in AC 22A class applications
- Conforms to IEC 60309-1 & IEC 60309-2
- Rated operational voltage upto 415V
- Rated operational current upto 32A
- External impact strength: IK08
- Available in IP44 / IP65 versions
- Glow wire test: 750°C

[In] Rated Current (A)	[Ue] Rated Operational Voltage (V)	Poles Description	Reference	Unit MRP [₹]
IP44				
16	200...250	2P + E	83031	7421
	380...415	3P + E	83035	10272
32		3P + N + E	83036	10473
	200...250	2P + E	83042 <input checked="" type="checkbox"/>	9634
	380...415	3P + E	83046	11229
		3P + N + E	83047	11351
IP65				
16	200...250	2P + E	83081	7678
	380...415	3P + E	83085	10572
		3P + N + E	83086	10787
32	200...250	2P + E	83092	10062
	380...415	3P + E	83096	12081
		3P + N + E	83097	12081

Socket with Interlock Switch & DIN Rail Isoblock (4.5 modules)



82754

83796

- Switch designed for use in AC- 22A class applications
- Conforms to IEC 60309-1 & IEC 60309-2
- Provision to DIN mount 4.5 module device
- External impact strength: IK10
- Available in IP65 version
- Glow wire test: 850°C

[In] Rated Current (A)	[Ue] Rated Operational Voltage (V)	Poles Description	Reference	Unit MRP [₹]
16	200...250	2P + E	82754 <input checked="" type="checkbox"/>	9198
	380...415	3P + E	82758	11204
		3P + N + E	82759	11578
32	200...250	2P + E	83791 <input checked="" type="checkbox"/>	10891
	380...415	3P + E	83795	12891
		3P + N + E	83796	12975

Socket with Interlock Switch & DIN Rail Isoblock (6 modules)



82766

82771

- Switch designed for use in AC- 22A class applications
- Conforms to IEC 60309-1 & IEC 60309-2
- Provision to DIN mount 6 module device
- External impact strength: IK10
- Available in IP65 version
- Glow wire test: 850°C

[In] Rated Current (A)	[Ue] Rated Operational Voltage (V)	Poles Description	Reference	Unit MRP [₹]
32	200...250	2P + E	82766	14367
	380...415	3P + E	82770	16845
		3P + N + E	82771	17355
63	380...415	3P + E	82782	19359
		3P + N + E	82783	19421

Note: For all above Reference MOQ = 1

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. June 01, 2021

ELECTRA Metal Clad Plugs & Sockets are specially designed incorporating the latest safety, quality and user friendly features.

Construction

- The casting is made from non-corroding die-cast aluminum alloy combining exceptional compactness with high strength
- The design/construction eliminates the possibility of mismatch in fitting of plugs in corresponding sockets
- The floating contacts in the sockets are self aligning and facilitates smooth plugging in without undue pressure (These can be easily removed for wiring)
- A provision for pilot pin facilitates mechanical interlocking in case of 63A ratings

Human Safety

Specially designed shroud to avoid accidental finger contact with plug-pins while inserting/removing the plug
Similarly, the contact tubes in sockets are deeply recessed to avoid human contact

- The earthing pins ensure that earth connection is made first and broken last, being longer than conducting pins
- The visible earth terminals facilitate easy checking of earth connection
- The cable grip to the plug is made very strong by providing a compression gland and by protecting it at the point of entry by a strong rubber guard

Applications

Industrial, Commercial & Domestic portable equipments like Hand/Power Tools, Industrial Ovens, Welding Sets, Mobile Generators, Furnaces, Ships, Office Machines, Refrigerators, Coolers, Air-Conditioners, Overhead Cranes, Chilling Cabinets, Tile Polishers and Sewing Machines

Plug



Rating (A)	Poles Description	Voltage (V)	MOQ	Reference	Unit MRP [₹]
10	2P	250	30	AP10 <input checked="" type="checkbox"/>	247
20	2P	250	30	AP20 <input checked="" type="checkbox"/>	259
20	3P	440	30	BP20 <input checked="" type="checkbox"/>	345
30	3P	440	20	BP30 <input checked="" type="checkbox"/>	629
63	3P+N+E	440	4	CP63 <input checked="" type="checkbox"/>	2844

Socket



Rating (A)	Poles Description	Voltage (V)	MOQ	Reference	Unit MRP [₹]
10	2P	250	30	AS10 <input checked="" type="checkbox"/>	259
20	2P	250	30	AS20 <input checked="" type="checkbox"/>	276
20	3P	440	30	BS20 <input checked="" type="checkbox"/>	388
30	3P	440	20	BS30 <input checked="" type="checkbox"/>	666
63	3P+N+E	440	4	CS63 <input checked="" type="checkbox"/>	3125

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. June 01, 2021

Complete range of switches & sockets suitable for both indoor & outdoor applications like Kitchens, Swimming Pools, Landscape Gardens, Exterior Walls and Other Environmentally Challenged Locations.



56SW116LE-GY



56SW216LE-GY



56SW332LE-GY

Description	IP Rating	Reference	Unit MRP [₹]
Surface Switches			
Single Pole Switches Less Enclosure			
1 Pole 250V 10A	IP66	56SW110LE-GY	3333
1 Pole 250V 16A	IP66	56SW116LE-GY	3123
1 Pole 250V 20A	IP66	56SW120LE-GY	4729
1 Pole 250V 32A	IP66	56SW132LE-GY	5586
Double Pole Switches Less Enclosure			
2 Pole 500V 16A	IP66	56SW216LE-GY	5397
2 Pole 500V 20A	IP66	56SW220LE-GY	5397
2 Pole 500V 32A	IP66	56SW232LE-GY	6266
2 Pole 500V 50A	IP66	56SW250LE-GY	6681
2 Pole 500V 63A	IP66	56SW263LE-GY	7348
Triple Pole Switches Less Enclosure			
3 Pole 500V 10A	IP66	56SW310LE-GY	4991
3 Pole 500V 16A	IP66	56SW316LE-GY	5207
3 Pole 500V 20A	IP66	56SW320LE-GY	5481
3 Pole 500V 32A	IP66	56SW332LE-GY	6391
3 Pole 500V 50A	IP66	56SW350LE-GY	7374
3 Pole 500V 63A	IP66	56SW363LE-GY	8559
Four Pole Switches Less Enclosure			
4 Pole 500V 20A	IP66	56SW420LE-GY	7236



66CV563-RG



66P563-EO

Description	IP Rating	Reference	Unit MRP [₹]
IP66 Industrial Combination Switch Sockets with Enclosure			
Single Pole Switches Less Enclosure			
500V, 63A with 4 pole switch and 63A 5 Pin Socket	IP66	66CV563-RG	97008
Plug Top 5 Pin 500V 63A	IP66	66P563-EO	29117

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. June 01, 2021



56SO316RP-LE-GY-EX

56SO432LE-GY

56SO532LE-GY

Description	IP Rating	Reference	Unit MRP [₹]
Surface Socket Outlets			
3 Pin Sockets Less Enclosure			
3 Pin 250V 16A Indian Standard	IP66	56SO316RP-LE-GY-EX	3143
3 Pin 250V 20A Round Pin	IP66	56SO320LE-GY	4564
3 Pin 250V 32A Round Pin	IP66	56SO332LE-GY	5036
4 Pin Sockets Less Enclosure			
4 Pin 500V 20A Round Pin	IP66	56SO420LE-GY	6752
4 Pin 500V 32A Round Pin	IP66	56SO432LE-GY	8074
4 Pin 500V 40A Round Pin	IP66	56SO440LE-GY*	9384
4 Pin 500V 50A Round Pin	IP66	56SO450LE-GY	12423
5 Pin Sockets Less Enclosure			
5 Pin 500V 10A Round Pin	IP66	56SO510LE-GY	7296
5 Pin 500V 20A Round Pin	IP66	56SO520LE-GY	7296
5 Pin 500V 32A Round Pin	IP66	56SO532LE-GY	8665
5 Pin 500V 40A Round Pin	IP66	56SO540LE-GY	12501
5 Pin 500V 50A Round Pin	IP66	56SO550LE-GY	12836

*Alternate reference 56SO440-GY (coming soon)



56PA316RP-GY-EX

56PA420-EO

56PA532-EO

56CV-1520-GY

Description	IP Rating	Reference	Unit MRP [₹]
Plugs			
3 Pin Angle Plugs			
3 Pin 250V 16A Indian Standard	IP66	56PA316RP-GY-EX	2364
3 Pin 250V 20A Round Pin	IP66	56PA320-EO	4729
3 Pin 250V 32A Round Pin	IP66	56PA332-EO	5411
4 Pin Angle Plugs			
4 Pin 500V 20A Round Pin	IP66	56PA420-EO	5763
4 Pin 500V 32A Round Pin	IP66	56PA432-EO	5999
4 Pin 500V 40A Round Pin	IP66	56PA440-EO	7052
4 Pin 500V 50A Round Pin	IP66	56PA450-EO	7119
5 Pin Angle Plugs			
5 Pin 500V 10A Round Pin	IP66	56PA510-EO	5665
5 Pin 500V 20A Round Pin	IP66	56PA520-EO	5665
5 Pin 500V 32A Round Pin	IP66	56PA532-EO	6544
5 Pin 500V 40A Round Pin	IP66	56PA540-EO	6922
5 Pin 500V 50A Round Pin	IP66	56PA550-EO	7086
Combination Switch Socket Outlet			
IP66 Interlocked Switch Socket with Enclosure			
4 Pin 500V 20A Round Pin	IP66	56CVI420-GY	17499
4 Pin 500V 32A Round Pin	IP66	56CVI432-GY	18756
5 Pin 500V 20A Round Pin	IP66	56CVI520-GY	21382
5 Pin 500V 32A Round Pin	IP66	56CVI532-GY	21578

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. June 01, 2021



56DB2-GY



56DB4-GY



56CB4N-GY

Description	IP Rating	Reference	Unit MRP [₹]
-------------	-----------	-----------	--------------

Adaptable Enclosures with Gear Tray

2 Gangpoints, 198X101X140mm	IP66	56DB2-GY	5900
3 Gangpoints, 294X101X140mm	IP66	56DB3-GY	7859
6 Gangpoints, 294X198X140mm	IP66	56DB6-GY	12987

Junction Boxes

1 Gangpoint, 107X101X90mm	IP66	56JB1-GY	2689
2 Gangpoints, 204X101X90mm	IP66	56JB2-GY	4323
3 Gangpoints, 300X101X90mm	IP66	56JB3-GY	6484
4 Gangpoints, 204X198X90mm	IP66	56JB4-GY	8696

Description	Module Width	Reference	Unit MRP [₹]
-------------	--------------	-----------	--------------

Switchgear Cover Assembly

For 1,2,3 Pole MCB with 4 Pole RCD (max. 4M Width)	4	56CB4N-GY	5134
--	---	-----------	------

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. June 01, 2021



56FA2-GY



56E2-GY



56E1-GY-EX



56E3-GY

Description	No. of Gangs	Reference	Unit MRP [₹]
Flush Surrounds			
Flush Surround	1	56FA1-GY	1755
Flush Surround	2	56FA2-GY	2529
Flush Surround	3	56FA3-GY	3982
Flush Surround	4	56FA4-GY	3982
Mounting Enclosures (Back Boxes)			
101X101X63mm	1	56E1-GY	1176
198X101X63mm	2	56E2-GY	2822
294X101X63mm	3	56E3-GY	4480
198X198X63mm	4	56E4-GY	5763
294X198X63mm	6	56E6-GY	9215
391X198X63mm	8	56E8-GY	12090
294X294X63mm	9	56E9-GY	13445
391X391X63mm	16	56E16-GY	21906

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. June 01, 2021

SWITCH TO STYLE



Perfect solutions for the perfect you



Unica Pure



Clipsal X



Opale



LIVIA
Life. Style.



ZENcelo



Avatar On



Neo




Ulti

Switch more than just lights. #Switch The Mood




Wiser Odace™ LIGHTING. One Light, Many Moods!


White kit
Smart LED



Color kit
Smart LED colors



Aroma kit
Sensorial light



Change the mood?
There's also an app for that!

Your mood is now at your fingertips, with the 'Wiser Lighting' app.



Bluetooth connectivity:
Take control of the mood, wirelessly

Schedules: Set a wake-up light or a night light or presence simulator

Unlimited Colour Options:
Choose from up to 16 million colours

Disco mode: Let your lights flash and flicker to music

Aroma diffuser: Soak in the energy of therapeutic scents


Light grouping: Several lights can be group-activated by the same preset



Wiser Odace™ LIGHTING Product	Reference	Unit MRP [₹]
White Kit	S527578W	8277
Colour Kit	S527578C	8269
Aroma Kit	S527578A	10474
White Switch	S520578	6367
Aluminium Switch	S530578	6064
Anthracite Switch	S540578	6064

*Contact Schneider Electric Sales Representative for more details

W.E.F. June 01, 2021



- **Sleek Design** - 2.7mm thin plate with curved body to minimize dust accumulation
- **Stylish Looks** - Soft white texture with glossy finish
- **Robust & Strong** - Innovative honeycomb designed grid plate for extra rigidity
- **Reliable** - High grade heat-resistant polycarbonate and laser marked wiring diagrams. Tested for 4Mn clicks
- **Easy to Install** - Snap-In / Snap-Out front loading modules and Bigger terminal holes
- **Green & Eco Friendly** - RoHS compliant range



P1001



P1081



P1002



P1025



P2005



P2106



P3012



P3200



P6005



P5001



P0703



P0704

Description	Reference for White	Unit MRP [₹]	Box Qty	Reference for Pebble Grey	Unit MRP [₹]	Box Qty
Switches						
10AX 1 way switch	P1001	121	20	P1001_DG	168	20
10AX 1 way switch with Indicator lamp	P1081	243	20	P1081_DG	284	20
10AX 2 way switch	P1002	195	20	P1002_DG	230	20
16AX 1 way switch	P1101	211	20	P1101_DG	257	20
16AX 1 way switch with Indicator lamp	P1181	296	20	P1181_DG	342	20
16AX 1 way switch (2M)	P1121	308	10	P1121_DG	360	10
16AX 2 way switch	P1102	284	10	P1102_DG	331	1
20A 1 way switch (1M) with indicator lamp	P11201	262	20	P11201_DG	287	20
20A DP switch with Indicator lamp	P1120	471	20	P1120_DG	554	20
32A DP switch with Indicator lamp	P1132	689	10	P1132_DG	839	10
Motor Starter Switch						
25A Motor Starter switch	P1186MS	1139	1	P1186MS_DG	1331	1
Bell Push						
10A Bell Push switch	P1005	218	20	P1005_DG	252	10
10A Bell Push switch (2M)	P1025	288	10	P1025_DG	336	10
10A bell push switch with Indicator	P1085	260	20	P1085_DG	304	20
10A bell push switch with Indicator (2M)	P1086	336	10	P1086_DG	393	10
Sockets						
6A 3Pin socket Outlet with shutter (BIS)	P2005NS	233	10	P2005NS_DG	279	10
10A 3pin Socket Outlet with Shutter	P2005	233	10	P2005_DG	279	10
10A/16A 3-pin Socket Outlet with Shutter	P2106	350	10	P2106_DG	417	10
10A/25A 3 Pin Socket Outlet with Shutter	P2207	482	10	P2207_DG	565	10
13A Multi Pin Socket Outlet with Shutter	P2010	386	10	P2010_DG	461	10
Fan Regulators & Dimmers						
Step type fan regulator (1M)	P3100	662	10	P3100_DG	792	10
Step type fan regulator (2M)	P3200	784	6	P3200_DG	937	10
Dimmer 400W (1M)	P3004	1166	6	P3004_DG	1406	6
Dimmer 1000W (2M)	P3012	1527	6	P3012_DG	1788	6
USB Charger						
USB Charger	P7002	1546	10	P7002_DG	1788	10
Accessories						
RJ 11 Telephone outlet with shutter	P4011	193	20	P4011_DG	230	20
RJ 45 Cat 5e Data outlet with shutter	P4045	657	20	P4045_DG	769	20
RJ 45 Cat6 Data outlet with shutter	P4046	717	20	P4046_DG	866	20
TV socket	P4500	185	20	P4500_DG	220	20
Blank off unit (1M)	P0001	52	40	P0001_DG	64	40
Foot Lamp with LED	P7001	778	1	P7001_DG	909	1
Cord Outlet	P4550	200	20	P4550_DG	237	20
LED Phase Indicator	P5001	322	20	-	-	-
Hotel Series						
DND Switch	P6002	226	20	P6002_DG	261	20
MMR Switch	P6004	226	20	P6004_DG	261	20
DND & MMR Indicator	P6013	722	20	P6013_DG	846	20
20A Key Card Switch - Electronic (3M)	P6005	4133	1	P6005_DG	4838	1
Cover Plates						
1-2 M Grid & 1 M Cover Frame	P0701	131	15	P0701_DG	150	15
1-2 M Grid & 2 M Cover Frame	P0702	131	15	P0702_DG	156	15
3 M Grid & 3 M Cover Frame	P0703	167	10	P0703_DG	194	10
4 M Grid & 4 M Cover Frame	P0704	194	8	P0704_DG	226	8
6 M Grid & 6 M Cover Frame	P0706	243	5	P0706_DG	298	5
8 M Grid & 8 M Cover Frame - Horizontal	P0708	320	5	P0708_DG	389	5
8 M Grid & 8 M Cover Frame - Square	P0709	379	5	P0709_DG	446	5
9 M Grid & 9M Cover Frame	P07010	357	5	P07010_DG	462	5
12 M Grid & 12 M Cover Frame	P0712	459	5	P0712_DG	539	5
16 M Grid & 16M Cover Frame	P07016	546	5	P07016_DG	651	5
18 M Grid & 18 M Cover Frame	P0718	661	5	P0718_DG	777	5

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. June 01, 2021

Clipsal X - As Stylish As Your World



Xtra STYLE


- Trendy Dual tone colour and finish
- Contemporary sloped design that blends seamlessly with the wall
- Vibrant and youthful colours and textured finishes that can stand out or blend in
- Textured finishes to match most Indian decors – Wood, Slate & Leather

Xtra STRONG

- Made to last for more than 1 Million Clicks
- 10A rated switches to enable Grouping – add as many loads as you want
- UV Stabilized to avoid decoloring

Xtra COMFORT

- Least noise level for unobtrusive switching
- Smooth finish which avoids light reflection off the surface
- Glossy Band making it Easy to Clean
- Large plate overhang to hide wall & paint imperfections



CPX101SW1M_ WE



CPX161SWL1M_ WE



CPX20DP2M_ WE



CPX6BP2M_ WE



CPX6SK3PNS_ WE



CPX13INSK_ WE



CPX5STFAN2M_ WE



CPX21USB1P1M_ WE



CPXRJ11_1M_ WE



CPXTVCOAX1M_ WE



CPXCORD1M_ WE



CPXDNDIN1M_ WE



CPXMMRIN1M_ WE



CPXKEYCARDSW_ WE

Description	Reference for White	Unit MRP (₹)	Pack	Reference for Coke Grey	Unit MRP (₹)	Pack
Switches						
10AX 1 Way Switch	CPX101SW1M_WE	150	20	CPX101SW1M_GY	190	20
10A X1 Way Switch with Indicator	CPX101SWL1M_WE	241	20	CPX101SWL1M_GY	286	1
10AX 2 Way Switch	CPX102SW1M_WE	214	20	CPX102SW1M_GY	259	20
16AX 1 Way Switch	CPX161SW1M_WE	259	1	CPX161SW1M_GY	305	1
16AX 1 Way Switch with Indicator	CPX161SWL1M_WE	340	20	CPX161SWL1M_GY	403	20
16AX 2 Way Switch	CPX162SW1M_WE	329	1	CPX162SW1M_GY	388	20
10AX 1 Way Switch (2M)	CPX101SW2M_WE	271	1	CPX101SW2M_GY	324	10
16AX 1 Way Switch (2M)	CPX161SW2M_WE	348	1	CPX161SW2M_GY	414	10
10AX 1W Switch with Indicator (2M)	CPX101SWL2M_WE	329	1	CPX101SWL2M_GY	393	10
16AX 1W Switch with Indicator (2M)	CPX161SWL2M_WE	401	1	CPX161SWL2M_GY	474	10
20A DP Switch with Indicator (2M)	CPX20DP2M_WE	576	1	CPX20DP2M_GY	672	1
32A DP Switch with Indicator (2M)	CPX32DP2M_WE	838	1	CPX32DP2M_GY*	1269	10
Motor Starter Switch						
25A Motor Starter Switch	CPXMTSTART2M_WE	950	10	CPXMTSTART2M_GY	1760	10
Bell Press						
6A Bell Push	CPX6BP1M_WE	241	20	CPX6BP1M_GY	276	1
6A Bell Push (2M)	CPX6BP2M_WE	350	10	CPX6BP2M_GY	409	1
6A Bell Push with Indicator	CPX6BPL1M_WE	319	1	CPX6BPL1M_GY	381	20
6A Bell Push with Indicator (2M)	CPX6BPL2M_WE	381	1	CPX6BPL2M_GY	433	10
Sockets						
6A 2/3P Socket with Shutter*	CPX6SK3P_WE	262	10	CPX6SK3P_GY	310	10
6A 3P Socket Outlet with Shutter (BIS Std.)	CPX6SK3PNS_WE	262	10	CPX6SK3PNS_GY	310	10
6A Uni Socket with Shutter*	CPX6USK3P_WE	324	10	CPX6USK3P_GY	372	10
6A/16A 3P Socket with Shutter	CPX616SK_WE	414	10	CPX616SK_GY	468	10
13A Multi Pin Socket with Shutter*	CPX13INSK_WE	393	10	CPX13INSK_GY	470	10
13A BS Socket with Shutter*	CPX13FPSK_WE	552	10	CPX13FPSK_GY	662	10
20A 3P Socket with Shutter*	CPX20SK3P2M_WE	496	10	CPX20SK3P2M_GY	595	10
25A 3P Socket with Shutter*	CPX25SK3P2M_WE	534	10	CPX25SK3P2M_GY	608	10
2 Pin Socket with Shutter*	CPX6SK2P1M_WE	212	20	CPX6SK2P1M_GY	245	20
Fan Regulators and Dimmers						
5-Step Fan Regulator (2M)	CPX5STFAN2M_WE	920	1	CPX5STFAN2M_GY	1101	5
4-Step Fan Regulator (1M), White	CPX4STFAN1M_WE	802	10	CPX4STFAN1M_GY	961	10
400W Dimmer (1M)	CPXDIM1M_WE	866	1	CPXDIM1M_GY	989	1
400W Dimmer (2M)	CPXDIM2M_WE	1282	1	CPXDIM2M_GY	1537	1
1200W Dimmer	CPXDIM2M_1200_WE	1650	1	CPXDIM2M_1200_GY	1979	5
USB Chargers						
2.1A USB Charger (1M)	CPX21USB1P1M_WE	1490	1	CPX21USB1P1M_GY	1760	1
2.1A USB Charger (2M)	CPX21USB2P2M_WE	2098	15	CPX21USB2P2M_GY	2885	15
Accessories						
RJ11 Tel Outlet, No Shutter	CPXRJ11NS1M_WE	214	5	CPXRJ11NS1M_GY	259	5
RJ11 Tel Outlet with Shutter	CPXRJ11_1M_WE	217	5	CPXRJ11_1M_GY	259	5
Twin RJ11 Tel Outlets (1M)	CPXRJ11TW1M_WE	322	12	CPXRJ11TW1M_GY	393	12
RJ45 Data Outlet with Shutter	CPXRJ451M_WE	741	12	CPXRJ451M_GY	869	12
TV Socket	CPXTVCOAX1M_WE	203	5	CPXTVCOAX1M_GY	247	5
RJ45 Cover for Keystone Type	CPXRJ45KS1M_WE	243	5	CPXRJ45KS1M_GY	298	5
Grippled Cord Outlet	CPXCORD1M_WE	231	5	CPXCORD1M_GY	265	10
Foot Light with LED	CPXFTLP2M_WE	Coming Soon	-	CPXFTLP2M_GY	Coming soon	-
Buzzer	CPXBUZZ2M_WE	950	-	CPXBUZZ2M_GY	996	2
Blank Off Unit (1M)	CPXBLANK1M_WE	57	-	CPXBLANK1M_GY	76	5
Neon Phase Indicator						
Neon Phase Indicator (Green)	CPXPHASEG1M	340	12	-	-	-
Neon Phase Indicator (Red)	CPXPHASER1M	340	12	-	-	-
Neon Phase Indicator (Red)	CPXPHASEY1M	340	12	-	-	-
Hotel Series						
DND Indicator	CPXDNDIN1M_WE	528	12	-	-	-
DND Switch	CPXDNDSW1M_WE	414	1	CPXDNDSW1M_GY	489	1
MMR Indicator	CPXMMRIN1M_WE	528	12	-	-	-
MMR Switch	CPXMMRSW1M_WE	414	1	CPXMMRSW1M_GY	489	20
16A Electronic Keypad Switch	CPXKEYCARDSW_WE	4601	1	CPXKEYCARDSW_GY	5427	1
Shaver Socket Horizontal	CPXSHAVER_WE	4756	1	CPXSHAVER_GY	5611	1

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. June 01, 2021

Clipsal X - As Stylish As Your World



White



Coke Grey



Metallic Copper



Charcoal Black

Description	Reference for White	Unit MRP [₹]	Pack	Reference for Coke Grey	Unit MRP [₹]	Pack	Reference for Metallic Copper	Unit MRP [₹]	Pack	Reference for Charcoal Black	Unit MRP [₹]	Pack
Cover Plates												
1M or 2M Grid & 1M Cover Frame	CPXCP1M_WE	140	1	CPXCP1M_GY	240	10	CPXCP1M_MC	267	10	CPXCP1M_CB	267	10
1M or 2M Grid & 2M Cover Frame	CPXCP2M_WE	140	10	CPXCP2M_GY	259	10	CPXCP2M_MC	289	10	CPXCP2M_CB	289	10
3M Grid & 3M Cover Frame	CPXCP3M_WE	174	10	CPXCP3M_GY	295	10	CPXCP3M_MC	330	10	CPXCP3M_CB	330	10
3M Uni Grid & 3M Cover Frame	CPXCP3MU_WE	198	10	CPXCP3MU_GY	336	10	CPXCP3MU_MC	376	1	CPXCP3MU_CB	376	1
4M Grid & 4M Cover Frame	CPXCP4M_WE	205	1	CPXCP4M_GY	348	10	CPXCP4M_MC	389	10	CPXCP4M_CB	389	10
6M Grid & 6M Cover Frame	CPXCP6M_WE	298	5	CPXCP6M_GY	505	5	CPXCP6M_MC	566	1	CPXCP6M_CB	566	1
8M Grid & 8M Cover Frame, Horizontal	CPXCP8ML_WE	369	1	CPXCP8ML_GY	627	5	CPXCP8ML_MC	701	5	CPXCP8ML_CB	701	5
8M Grid & 8M Cover Frame, Square	CPXCP8MSQ_WE	381	1	CPXCP8MSQ_GY	741	1	CPXCP8MSQ_MC	828	1	CPXCP8MSQ_CB	828	1
9M Cover Frame	CPXCP9M_WE	393	5	CPXCP9M_GY	634	5	-	-	-	-	-	-
9M Grid & 9M Cover Frame	-	0	-	-	0	-	-	-	-	CPXCP9M_CB	959	5
12M Grid & 12M Cover Frame	CPXCP12M_WE	431	1	CPXCP12M_GY	870	1	CPXCP12M_MC	973	5	CPXCP12M_CB	973	5
16M Cover Frame	CPXCP16M_WE	519	5	CPXCP16M_GY	846	5	-	-	-	-	-	-
18M Grid & 18M Cover Frame	CPXCP18M_WE	666	5	-	-	-	-	-	-	-	-	-

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. June 01, 2021

Clipsal X - As Stylish As Your World



Navy Blue



Butterscotch



Terracota



Blue Sapphire

Description	Reference for Navy Blue	Unit MRP [₹]	Pack	Reference for Butterscotch	Unit MRP [₹]	Pack	Reference for Terracota	Unit MRP [₹]	Pack	Reference for Blue Sapphire	Unit MRP [₹]	Pack
Cover Plates												
1M or 2M Grid & 1M Cover Frame	CPXCP1M_NB	267	10	CPXCP1M_BT	267	10	CPXCP1M_TC	267	10	CPXCP1M_BS	352	10
1M or 2M Grid & 2M Cover Frame	CPXCP2M_NB	289	10	CPXCP2M_BT	289	10	CPXCP2M_TC	289	10	CPXCP2M_BS	381	10
3M Grid & 3M Cover Frame	CPXCP3M_NB	330	10	CPXCP3M_BT	330	10	CPXCP3M_TC	330	10	CPXCP3M_BS	434	10
3M Uni Grid & 3M Cover Frame	CPXCP3MU_NB	376	1	CPXCP3MU_BT	376	1	CPXCP3MU_TC	376	1	CPXCP3MU_BS	495	10
4M Grid & 4M Cover Frame	CPXCP4M_NB	389	10	CPXCP4M_BT	389	10	CPXCP4M_TC	389	10	CPXCP4M_BS	513	10
6M Grid & 6M Cover Frame	CPXCP6M_NB	566	1	CPXCP6M_BT	566	1	CPXCP6M_TC	566	1	CPXCP6M_BS	744	1
8M Grid & 8M Cover Frame, Horizontal	CPXCP8ML_NB	701	5	CPXCP8ML_BT	701	5	CPXCP8ML_TC	701	5	CPXCP8ML_BS	923	5
8M Grid & 8M Cover Frame, Square	CPXCP8MSQ_NB	828	1	CPXCP8MSQ_BT	828	1	CPXCP8MSQ_TC	828	1	CPXCP8MSQ_BS	1090	1
12M Grid & 12M Cover Frame	CPXCP12M_NB	973	5	CPXCP12M_BT	973	5	CPXCP12M_TC	973	5	CPXCP12M_BS	1280	1



Sheesham



Rich Leather



Slate



Pink Flamingo

Description	Reference for Sheesham	Unit MRP [₹]	Pack	Reference for Metallic Rich Leather	Unit MRP [₹]	Pack	Reference for Slate	Unit MRP [₹]	Pack	Reference for Pink Flamingo	Unit MRP [₹]	Pack
Cover Plates												
1M or 2M Grid & 1M Cover Frame	CPXCP1M_SH	422	10	CPXCP1M_RL	422	10	CPXCP1M_SL	422	10	CPXCP1M_PF	352	10
1M or 2M Grid & 2M Cover Frame	CPXCP2M_SH	457	1	CPXCP2M_RL	457	1	CPXCP2M_SL	457	1	CPXCP2M_PF	381	10
3M Grid & 3M Cover Frame	CPXCP3M_SH	522	10	CPXCP3M_RL	522	10	CPXCP3M_SL	522	10	CPXCP3M_PF	434	10
3M Uni Grid & 3M Cover Frame	CPXCP3MU_SH	593	1	CPXCP3MU_RL	593	1	CPXCP3MU_SL	593	1	CPXCP3MU_PF	495	10
4M Grid & 4M Cover Frame	CPXCP4M_SH	615	1	CPXCP4M_RL	615	1	CPXCP4M_SL	615	1	CPXCP4M_PF	513	10
6M Grid & 6M Cover Frame	CPXCP6M_SH	893	1	CPXCP6M_RL	893	1	CPXCP6M_SL	893	1	CPXCP6M_PF	744	1
8M Grid & 8M Cover Frame, Horizontal	CPXCP8ML_SH	1108	5	CPXCP8ML_RL	1108	5	CPXCP8ML_SL	1108	5	CPXCP8ML_PF	923	5
8M Grid & 8M Cover Frame, Square	CPXCP8MSQ_SH	1308	1	CPXCP8MSQ_RL	1308	1	CPXCP8MSQ_SL	1308	1	CPXCP8MSQ_PF	1090	1
12M Grid & 12M Cover Frame	CPXCP12M_SH	1537	5	CPXCP12M_RL	1537	5	CPXCP12M_SL	1537	5	CPXCP12M_PF	1280	1

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. June 01, 2021

Opale - Switches with Satin Finish



- **Patented Smooth Satin Finish** - Scratch Resistant, Easy to Clean & Prevents light reflection off surface
- **Safe to Use** - High grade flame retardant polycarbonate material & Child Proof sockets with unique shutter design
- **Hassle Free Operation** - 'Soft sound' switches with Gold plated Data Socket contacts for better connection
- **Easy to Install** - Snap-In / Snap-Out front loading modules and terminals with indented screws
- **Green & Eco Friendly** - RoHS compliant range



X1001WH



X1286WH



X1186WH



X1005WH



X1085WH



X2005WH



X2106WH



X2010WH



X3200WH



X3104WH



X4010WH



X7003WH



X5001



X5002

Description	Reference for White	Unit MRP [₹]	Pack	Reference for Coke Grey	Unit MRP [₹]	Pack
Switches						
6AX 1 way switch	X1001WH	186	20	AAKY1001	235	20
6AX 1 way switch with Indicator lamp	X1081WH	295	20	AAKY1081	350	20
6AX 2 way switch	X1002WH	256	20	AAKY1002	318	20
16AX 1 way switch	X1101WH	298	20	AAKY1101	373	20
16AX 1 way switch with Indicator lamp	X1181WH	418	20	AAKY1181	493	20
16AX 2 way switch	X1102WH	402	20	AAKY1102	476	20
6AX 1 way switch (2M)	X1021WH	325	10	AAKY1021	394	10
16AX 1 way switch (2M)	X1121WH	425	10	AAKY1121	506	10
6AX 1 way switch with Indicator (2M)	X1028WH	400	10	AAKY1028	481	10
16AX 1 way switch with Indicator (2M)	X1128WH	490	10	AAKY1128	581	10
20A DP switch with Indicator (2M)	X1286WH	691	10	AAKY1286	822	10
32A DP switch (2M)	AAKY1232	1028	10	-	-	-
Motor Starter Switch						
25A Motor Starter switch	X1186WH	1798	10	AAKY1186	2160	10
Bell Push						
6A Bell Push	X1005WH	288	20	AAKY1005	354	20
6A Bell Push (2M)	X1025WH	413	10	AAKY1025	502	10
6A Bell Push with Indicator	X1085WH	384	20	AAKY1085	468	20
6A Bell Push with Indicator (2M)	X1086WH	437	10	AAKY1086	529	10
Sockets						
6A 2/3 Pin Socket Outlet with Shutter	X2005WH	313	10	AAKY2005	379	10
6A 3Pin Socket outlet with Shutter (BIS)	X2005WHNS	313	10	AAKY2005NS	379	10
6A "Uni Socket" Outlet with Shutter	X2007WH	389	10	AAKY2007	452	10
6A/16A 3-Pin Socket Outlet with Shutter	X2106WH	480	10	AAKY2106	572	10
13A Multi Pin Socket Outlet with Shutter	X2010WH	473	10	AAKY2010	575	10
16A 3-Pin Socket Outlet with Shutter	X2103WH	540	10	AAKY2103	649	10
13A BS flat Pin Socket Outlet with Shutter	X2403WH	677	10	AAKY2403	810	10
20A 3 Pin Socket Outlet with Shutter	X2206WH	606	10	AAKY2206	728	10
25A 3 Pin Socket Outlet with Shutter	X2207WH	654	10	AAKY2207	785	10
Fan Regulators & Dimmers						
Step Fan Regulator (1M)	X3100WH	805	10	AAKY3100	985	10
Step type fan regulator (2M)	X3200WH	1128	5	AAKY3200	1349	5
Dimmer 400W (1M)	X3104WH	1010	10	AAKY3104	1212	10
Dimmer 400W (2M)	X3004WH	1571	5	AAKY3004	1883	5
Dimmer 1200W	X3012WH	2024	5	AAKY3012	2428	5
USB Chargers						
2 Gang USB Charger - 2.1A (2M)	X7003WH	2970	15	AAKY7003	3539	15
Accessories						
RJ11 Telephone outlet (no shutter)	X4010WH	260	10	AAKY4010	318	10
RJ11 Telephone outlet with shutter	X4011WH	258	10	AAKY4011	318	10
Twin RJ11 Telephone outlets (no shutter) (1M)	X4020WH	394	10	AAKY4020	481	20
RJ45 Data Outlet with shutter	X4045WH	889	20	AAKY4045	1064	20
TV Socket	X4500WH	242	10	AAKY4500	302	10
RJ45 Cover for Key Stone Type	X4050WH	298	10	AAKY4050	362	10
Gripped Cord Outlet	X4550WH	269	10	AAKY4550	323	10
Buzzer	X3300WH	1105	2	AAKY3300	1219	2
Blank off unit (1M)	X0001WH	68	10	AAKY0001	90	20
Neon Phase Indicator (Red)	X5001	418	20	-	-	-
Neon Phase Indicator (Green)	X5002	418	20	-	-	-
Neon Phase Indicator (Yellow)	X5003	418	20	-	-	-

Please contact Customer Care Center for Stockable and Non stockable status of references.

☑ NORMAL STOCK ITEMS

W.E.F. June 01, 2021

Opale - Switches with Satin Finish



AAKX6002 + AAKX6004 + X0702



AAKX6006 + X0703



AAKX6005

Description	Reference	Unit MRP [₹]	Pack
Hotel Series*			
DND Panel	AAKX6001	649	20
DND Switch	AAKX6002	506	20
MMR Panel	AAKX6003	613	20
MMR Switch	AAKX6004	506	20
Key Tag Switch (Mechanical Type 20 A)	AAKX6005	1321	1
Shaver Socket	AAKX6006	5831	1

*Available in white colour only



X0733WH



AAKX0744



AAKX0754

Description	Reference for White	Unit MRP [₹]	Pack	Reference for Coke Grey	Unit MRP [₹]	Pack	Reference for Matt Silver	Unit MRP [₹]	Pack	Reference for Matt Gold	Unit MRP [₹]	Pack
Cover Plates												
1-2 M Grid & 1 M Cover Frame	X0701	169	10	AAKY0801	206	10	AAKX0741	400	10	AAKX0751	400	10
1-2 M Grid & 2 M Cover Frame	X0702	179	10	AAKY0802	216	10	AAKX0742	430	10	AAKX0752	430	10
3 M Grid & 3 M Cover Frame	X0703	212	10	AAKY0803	258	10	AAKX0743	514	10	AAKX0753	514	10
3 M Universal Grid & 3 M Cover Frame	X0733WH	281	10	AAKY0833	335	10	AAKX0744	514	10	AAKX0754	514	10
4 M Grid & 4 M Cover Frame	X0704	248	10	AAKY0804	306	10	AAKX0745	613	10	AAKX0755	613	10
6 M Grid & 6 M Cover Frame	X0706	346	5	AAKY0806	410	5	AAKX0746	760	5	AAKX0756	760	5
8 M Grid & 8 M Cover Frame - Horizontal	X0708	450	5	AAKY0808	534	5	AAKX0747	990	5	AAKX0757	990	5
8 M Grid & 8 M Cover Frame - Square	X0709	532	5	AAKY0809	637	5	AAKX0748	990	5	AAKX0758	990	5
12 M Grid & 12 M Cover Frame	X0712	626	5	AAKY0812	748	5	AAKX0749	1,354	5	AAKX0759	1354	5
18 M Grid & 18 M Cover Frame	AAKX0718	815	5	-	-	-	-	-	-	-	-	

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. June 01, 2021

Unica Pure - Irresistibly Beautiful



Wood



Glass



Metal Rhodium Black

Irresistibly Beautiful

- Authentic finishes - developed from the high quality natural material
- Ingenious Design - Demarcated dolly depicting clear on/off mode of the switch
- Modish Colors - perfectly gel with neutral, accent wall colors and blends perfectly with any decor

Irresistibly Safe & Sturdy

- Self Piercing Terminal - ensuring completely safe, robust and fast installation
- Facile & Guarded Technology - reduces tension in the switch rocker & increases the longevity of the switch
- Binate & Insulated Gridplate - Robust, rigid & shock proof gridplate,

Irresistibly Easy

- Key Hole Feature - Angular and linear adjustments of the gridplate can be easily achieved
- Revolutionary Ease of Mounting with Indicators & Markings

Irresistibly Sustainable

- Green Premium - Complies to HIGHEST INTERNATIONAL STANDARD of Green
- Certification for manufactured products (RoHS, REACH, PEP, EoLI) and is 100% Recyclable

Irresistibly Innovative

- Future Ready - Features of Voice & Mobile control to fit with smart homes

Irresistibly Versatile

- One Stop Shop - Extensive range covering residential, office, commercial or hospitality

Description	Reference for Polar White	Unit MRP [₹]	Pack	Reference for Volcanic Grey	Unit MRP [₹]	Pack
6A Switches						
6AX 1 Way Switch	UNS61SW1M_WE	200	20	UNS61SW1M_GY	230	20
6AX 1 Way Switch With Indicator	UNS61SWL1M_WE	308	20	UNS61SWL1M_GY	360	20
6AX 2 Way Switch	UNS62SW1M_WE	264	10	UNS62SW1M_GY	295	10
6A Intermediate Switches						
10AX Intermediate Switch	UNS10SW1M_WE	1125	1	UNS10SW1M_GY	1308	1
16AX Switches						
16AX 1 Way Switch	UNS161SW1M_WE	308	20	UNS161SW1M_GY	360	20
16AX 1 Way Switch With Indicator	UNS161SWL1M_WE	369	20	UNS161SWL1M_GY	429	20
16AX 2 Way Switch, Polar White	UNS162SW1M_WE	390	10	UNS162SW1M_GY	459	10
16A Master Switch, 2 Way, With Locator & Label	UNS162MSWL1M_WE	900	20	UNS162MSWL1M_GY	1063	1
16AX 2 Way 2M Switch	UNS162SW2M_WE	376	10	UNS162SW2M_GY	439	10
Double Pole Switches						
20A Double Pole Switch With Indicator	UNS20DP2M_WE	730	10	UNS20DP2M_GY	859	1
32A Double Pole Switch With Indicator	UNS32DP2M_WE	1116	10	UNS32DP2M_GY	1331	10
Motor Starter Switch						
Motor Starter	UNSMSTART2M_WE	1529	10	UNSMSTART2M_GY	1809	10
Bell Switches						
6A Bellpress, 1M	UNS6BP1M_WE	274	20	UNS6BP1M_GY	320	20
6A Bellpress With Indicator, 1M	UNS6BPL1M_WE	361	20	UNS6BPL1M_GY	429	1
6A Bellpress, 2M, Polar White	UNS6BP2M_WE	358	10	UNS6BP2M_GY	421	1
6A Bellpress With Indicator, 2M	UNS6BPL2M_WE	442	10	UNS6BPL2M_GY	518	1
6A Sockets						
6A 3 Pin Universal Socket	UNS6SK3P2M_WE	372	10	UNS6SK3P2M_GY	429	10
6A 2 Pin Socket	UNS6SK2P1M_WE	354	20	UNS6SK2P1M_GY	407	20
6A 3PIN Sockets outlet with Shutter (BIS)	UNS6SK3P2MNS_WE	372	10	UNS6SK3P2MNS_GY	429	10
6A 5 Pin Socket	UNS6SK5P2M_WE	393	10	UNS6SK5P2M_GY	459	10
6/16A Sockets						
6/16A Socket	UNS616SK2M_WE	456	10	UNS616SK2M_GY	567	10
20A & 25A Sockets						
20A 3 Pin Socket	UNS20SK3P2M_WE	584	10	UNS20SK3P2M_GY	676	1
25A 3 Pin Socket	UNS25SK3P2M_WE	614	10	UNS25SK3P2M_GY	716	1
International Sockets						
13A International Socket with Shutter	UNS13INTSK2M_WE	558	10	UNS13INTSK2M_GY	649	10



UNS61SW1M_WE



UNS161SWL1M_WE



UNS162MSWL1M_WE



UNS20DP2M_WE



UNS6SK3P2MNS_WE



UNS616SK2M_WE



UNS20SK3P2M_WE



UNS13INTSK2M_WE

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. June 01, 2021

Unica Pure - Irresistibly Beautiful



UNS21USB2P2M_WE



UNS21USB1P1M_WE



UNS5STFAN2M_WE



UNSLEDDIM1M_WE



UNSEMERGENCY2M_WE



UNSHDMI_WE



UNSCPTVDIG1M_WE



UNSSKTLT2M_WE



UNSDM1M



UNSKEYCARDSW_WE



UNSCURTAINSW2M_WE



UNSSHAYER_WE



UNSPIR_WE



UNS1SK1SW3M_WE



UNS4SK1SW9M_WE

Description	Reference for Polar White	Unit MRP [₹]	Pack	Reference for Volcanic Grey	Unit MRP [₹]	Pack
USB Chargers						
2.1A 5V USB Charger, 2 Module	UNS21USB2P2M_WE	2547	10	UNS21USB2P2M_GY	3011	1
2.1A 5V USB Charger, 1 Module	UNS21USB1P1M_WE	1914	20	UNS21USB1P1M_GY	2268	20
Blank Plates						
Single Module Blank Plate	UNSBANK1M_WE	66	20	UNSBANK1M_GY	74	20
Fan Regulators						
4 Steps 360 Deg Fan Regulator, 1M	UNS4STFAN1M_WE	800	20	UNS4STFAN1M_GY	927	20
5 Steps 360 Deg Fan Regulator, 2M	UNS5STFAN2M_WE	1268	10	UNS5STFAN2M_GY	1431	10
Dimmers						
400W Dimmer for Incandescent, 1M	UNSDIM1M_WE	1119	10	UNSDIM1M_GY	1674	10
100W Dimmer for LED, 1M	UNSLEDDIM1M_WE	3963	1	UNSLEDDIM1M_GY	4565	10
Emergency Light Indicator						
Emergency Light Module*	UNSEMERGENCY2M_WE	8328	1		-	-
Network, Connectivity & Media Series						
RJ 11 (WITH Shutter)	UNSRJ11_1M_WE	254	20	UNSRJ11_1M_GY	299	20
RJ 45 (WITH Shutter), Cat 6	UNSRJ45_1M_WE	927	20	UNSRJ45_1M_GY	1074	20
TV Socket Coaxial	UNSTVCOAX1M_WE	263	20	UNSTVCOAX1M_GY	313	20
Volume Control	UNSVOLCTRL2M_WE	1972	10	UNSVOLCTRL2M_GY	2308	10
HDMI	UNSHDMI_WE	1621	20	UNSHDMI_GY	1895	20
TV Socket Digital (F-Connector)	UNSCPTVDIG1M_WE	278	1	UNSCPTVDIG1M_GY	329	10
Hotel Series*						
Skirt Light with LED, 2M	UNSSKTLT2M_WE	1084	10	UNSSKTLT2M_GY	1268	10
Buzzer	UNSBUZZER1M_WE	1,670	10	UNSBUZZER1M_GY	1830	10
Cord Outlet	UNSCORD1M_WE	321	20	UNSCORD1M_GY	357	20
Door Chime	UNSCHIME2M_WE	437	10		-	-
DND/MMR Indicator*	UNSDM1M	1226	20		-	-
DND/MMR Indicator v.2	UNSDM1M_WE	1305		UNSDM1M_GY	1491	
DND Switch	UNSDNDSW1M_WE	488	10	UNSDNDSW1M_GY	595	10
MMR Switch	UNSMMRSW1M_WE	488	10	UNSMMRSW1M_GY	595	10
Electronic Key Card Switch	UNSKEYCARDSW_WE	6544	5	UNSKEYCARDSW_GY	7565	5
Curtain Control Switch	UNSCURTAINSW2M_WE	754	10	UNSCURTAINSW2M_GY	874	10
Shaver Socket with Cover Plate (3M)	UNSSHAYER_WE	6476	1	UNSSHAYER_GY	7063	1
PIR Motion Sensor*	UNSPIR_WE	8258	4		-	-
4 Sockets + 1 Switch Prewired, 9M	UNS4SK1SW9M_WE	2,331	1		-	-
1 Socket + 1 Switch Prewired, 3M,	UNS1SK1SW3M_WE	1473	1		-	-
Polar White		-	-		-	-
LED Phase Indicator						
LED Phase Indicator, Red				UNSPHASER1M	407	20
LED Phase Indicator, Green				UNSPHASEG1M	407	20
LED Phase Indicator, Yellow				UNSPHASEY1M	407	20

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. June 01, 2021

Unica Pure - Irresistibly Beautiful



UNPCP3M_GW



UNPCP6M_GW



UNPCP3M_GB



UNPCP6M_GB

Description	Reference for Aqua Glass	Unit MRP [₹]	Pack	Reference for Pearl Black Glass	Unit MRP [₹]	Pack
Cover Plates						
1 Module Glass Surround and Gridplate	UNPCP1M_GW	1359	6	UNPCP1M_GB	1581	6
2 Module Glass Surround and Gridplate	UNPCP2M_GW	1510	6	UNPCP2M_GB	1757	6
3 Module Glass Surround and Gridplate	UNPCP3M_GW	1715	6	UNPCP3M_GB	1932	6
4 Module Glass Surround and Gridplate	UNPCP4M_GW	1812	6	UNPCP4M_GB	2107	6
6 Module Glass Surround and Gridplate	UNPCP6M_GW	3173	3	UNPCP6M_GB	3689	3
8 Module Glass Surround and Gridplate, Linear	UNPCP8ML_GW	3575	3	UNPCP8ML_GB	4156	3
8 Module Glass Surround and Gridplate, Square	UNPCP8MSQ_GW	4532	3	UNPCP8MSQ_GB	5270	6
12 Module Glass Surround and Gridplate	UNPCP12M_GW	5590	6	UNPCP12M_GB	6498	6



UNPCP3M_ML



UNPCP6M_ML



UNPCP3M_MD



UNPCP6M_MD

Description	Reference for Pewter Grey Metal	Unit MRP [₹]	Pack	Reference for Rhodium Black Metal	Unit MRP [₹]	Pack
Cover Plates						
1 Module Metal Surround and Gridplate	UNPCP1M_ML	2250	6	UNPCP1M_MD	2250	6
2 Module Metal Surround and Gridplate	UNPCP2M_ML	2481	6	UNPCP2M_MD	2481	6
3 Module Metal Surround and Gridplate	UNPCP3M_ML	2836	6	UNPCP3M_MD	2836	6
4 Module Metal Surround and Gridplate	UNPCP4M_ML	3000	6	UNPCP4M_MD	3000	6
6 Module Metal Surround and Gridplate	UNPCP6M_ML	5223	3	UNPCP6M_MD	5223	3
8 Module Metal Surround and Gridplate, Linear	UNPCP8ML_ML	5857	3	UNPCP8ML_MD	5857	3
8 Module Metal Surround and Gridplate, Square	UNPCP8MSQ_ML	7443	3	UNPCP8MSQ_MD	7443	3
12 Module Metal Surround and Gridplate	UNPCP12M_ML	9202	6	UNPCP12M_MD	9202	6

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. June 01, 2021

Unica Pure - Irresistibly Beautiful



UNPCP3M_WD



UNPCP6M_WD

Description	Reference for Oak Wood	Unit MRP [₹]	Pack
Real Material Cover Plates			
1 Module Wood Surround and Gridplate	UNPCP1M_WD	2108	6
2 Module Wood Surround and Gridplate	UNPCP2M_WD	2231	6
3 Module Wood Surround and Gridplate	UNPCP3M_WD	2759	6
4 Module Wood Surround and Gridplate	UNPCP4M_WD	3191	6
6 Module Wood Surround and Gridplate	UNPCP6M_WD	4540	3
8 Module Wood Surround and Gridplate, Linear	UNPCP8ML_WD	5467	3
8 Module Wood Surround and Gridplate, Square	UNPCP8MSQ_WD	6547	6
12 Module Wood Surround and Gridplate	UNPCP12M_WD	8690	6



UNSCP3M_CL




UNSCP6M_CL



UNSCP3M_CD



UNSCP6M_CD



UNSCP3M_WE



UNSCP6M_WE



UNSCP3M_GY



UNSCP6M_GY

Description	Reference for Painted Sandy Biege	Unit MRP [₹]	Pack	Reference for Painted Mocha Brown	Unit MRP [₹]	Pack	Reference for Molded Polar White	Unit MRP [₹]	Pack	Reference for Molded Volcanic Grey	Unit MRP [₹]	Pack
Cover Plates												
1 Module Plastic Surround and Gridplate	UNSCP1M_CL	357	20	UNSCP1M_CD	357	20	UNSCP1M_WE	196	20	UNSCP1M_GY	279	20
2 Module Plastic Surround and Gridplate	UNSCP2M_CL	398	20	UNSCP2M_CD	398	20	UNSCP2M_WE	218	20	UNSCP2M_GY	311	20
3 Module Plastic Surround and Gridplate	UNSCP3M_CL	454	10	UNSCP3M_CD	456	10	UNSCP3M_WE	250	10	UNSCP3M_GY	355	10
4 Module Plastic Surround and Gridplate	UNSCP4M_CL	477	14	UNSCP4M_CD	477	14	UNSCP4M_WE	263	14	UNSCP4M_GY	379	14
6 Module Plastic Surround and Gridplate	UNSCP6M_CL	833	5	UNSCP6M_CD	836	5	UNSCP6M_WE	459	5	UNSCP6M_GY	654	5
8 Module Plastic Surround and Gridplate, Linear	UNSCP8ML_CL	943	5	UNSCP8ML_CD	943	5	UNSCP8ML_WE	517	5	UNSCP8ML_GY	731	5
8 Module Plastic Surround and Gridplate, Square	UNSCP8MSQ_CL	1194	10	UNSCP8MSQ_CD	1194	10	UNSCP8MSQ_WE	626	10	UNSCP8MSQ_GY	932	10
9 Module Plastic Surround and Gridplate*	-	-	-	-	-	-	UNSCP9M_WE	795	5	UNSCP9M_GY	1243	5
12 Module Plastic Surround and Gridplate	UNSCP12M_CL	1491	5	UNSCP12M_CD	1494	5	UNSCP12M_WE	882	5	UNSCP12M_GY	1552	5
16 Module Plastic Surround and Gridplate	UNSCP16M_CL	2023	5	UNSCP16M_CD	2023	5	UNSCP16M_WE	1087	5	UNSCP16M_GY	1874	5
18 Module Plastic Surround and Gridplate	UNSCP18M_CL	2167	1	UNSCP18M_CD	2167	1	UNSCP18M_WE	1106	1	UNSCP18M_GY	1965	5

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. June 01, 2021

ZENcelo India - The Revolutionary Full-Flat Switch



- **World's First and only Full-Flat Mechanical Switch**
- **Patented Iso-Motion Technology** - Ensures switch stays in the same position whether On or Off
- **Robust & Strong** - Made of corrosion-resistant, heat-resistant and impact-resistant polycarbonate
- **Safe to Use** - Electric arc encapsulated switches and Data Sockets with patented integrated shutter
- **Designed to Last** - Switches tested to 80,000 times; Sockets tested to 15,000 cycles.
- **Green & Eco Friendly** - RoHS compliant range
- **Dust Proof Cover**



Description	Reference for White	Unit MRP [₹]	Pack	Reference for Dark Grey	Unit MRP [₹]	Pack
Switches						
6AX 1 Way switch	IN8401	355	10	IN8401(BZ)	446	10
6AX 1 Way switch (2M)	IN8421	550	10	IN8421(BZ)	662	10
6AX 2 Way switch	IN8402	433	10	IN8402(BZ)	519	10
6AX 1 Way switch with Neon	IN8481	539	10	IN8481(BZ)	645	10
16AX~20A 1 Way switch	IN8401/16	522	10	IN8401/16(BZ)	636	10
16AX~20A 1 Way switch (2M)	IN8421/16	733	10	IN8421/16(BZ)	866	10
16AX~20A 1 Way switch with Neon	IN8481/16	735	10	IN8481/16(BZ)	872	10
16AX~20A 1 Way switch with Neon (2M)	IN8482/16	866	10	IN8482/16(BZ)	1020	10
16AX~20A 2 Way switch	IN8402/16	729	10	IN8402/16(BZ)	860	10
16AX~20A 2 Way switch (2M)	IN8422/16	872	10	IN8422/16(BZ)	1024	10
16AX~20A 1 Way 2G switch (1M)	IN8444/16	846	10	IN8444/16(BZ)	1020	10
10AX Intermediate switch	IN8430/IM	1221	10	IN8430/IM(BZ)	1381	1
20A DP Switch with Neon (2M)	IN8486/20	1134	5	IN8486/20(BZ)	1339	5
32A DP Switch with Neon (2M)	IN8486/32	1781	5	IN8486/32(BZ)	2119	5
Motor Starter Switch						
25A Motor Starter switch (2M)	IN8425MS	2887	10	IN8425MS(BZ)	3072	10
Bell Push						
6A Bell Push switch	IN8405	491	10	IN8405(BZ)	593	10
6A Bell Push switch (2M)	IN8425	717	10	IN8425(BZ)	848	10
6A Bell Push switch with Neon	IN8485	638	10	IN8485(BZ)	753	10
6A Bell Push switch with Neon (2M)	IN8486	793	10	IN8486(BZ)	933	10
Sockets						
2~3 Pin Universal Socket with Shutter	IN8426U	565	10	IN8426UNS(BZ)	684	10
6A 3PIN Socket Outlet with Shutter (BIS)	IN8426UNS	565	10	IN8426UNS_BZ	684	10
6A/16A 3 Pin Socket with Shutter	IN8426/16	842	10	IN8426/16(BZ)	1030	10
13A Flat Pin Socket with Shutter	IN84213	1152	10	IN84213(BZ)	1363	10
International Socket with Shutter	IN84213IS	994	10	IN84213IS(BZ)	1243	10
Universal 2 Pin Socket with Shutter	IN84226U	593	10	IN84226U(BZ)	696	10
20A 3 Pin Socket with Shutter	IN84220	1074	10	IN84220(BZ)	1263	10
25A 3 Pin Socket with Shutter	IN84225	1148	10	IN84225(BZ)	1352	10
Fan Regulators & Dimmers						
Fan Control (5 Speeds)	IN84SFR	2000	5	IN84SFR(BZ)	2400	5
Full Flat 400W Dimmer Module (1 Gang)	IN8404D	1800	10	IN8404D(BZ)	2132	10
USB Chargers						
1 Gang USB Charger - 2.1A (1M)	IN8431USB_WE	3244	10	IN8431USB_BZ	3721	10
2 Gang USB Charger - 2.1A (2M)	IN8432USB_WE	4744	1	IN8432USB_BZ	5459	10
Accessories						
RJ11 Telephone Outlet with shutter (1 Gang)	IN8431RJS4	541	10	IN8431RJS4(BZ)	660	10
RJ45 Cat6 Data Outlet with shutter	IN8431RJ6	1881	10	IN8431RJ6(BZ)	2298	10
Data Outlet Wall Plate (for RJ45 key stone jack)	IN8431RJC	534	10	IN8431RJC(BZ)	629	10
TV Socket	IN8431TV	409	10	IN8431TV(BZ)	494	10
Cord Outlet	IN8445CO	470	10	IN8445CO(BZ)	571	10
Foot Lamp with White LED (2M)	IN8490FLW	3781	10	-	-	-
Foot Lamp with Yellow LED (2M)	IN8490FLY	3686	10	-	-	-
Blank off unit (1M)	IN8430X	126	10	IN8430X(BZ)	156	10
Hotel Series						
Do Not Disturb Panel	INH8451	2614	10	INH8451(BZ)	3096	10
Make My Room Panel	INH8454	2376	10	INH8454(BZ)	2805	10
Do Not Disturb Switch	INH8452	1298	10	INH8452(BZ)	1529	10
Do Not Disturb Switch (2M)	INH8453	1322	10	INH8453(BZ)	1561	10
Make My Room Switch	INH8455	1268	10	INH8455(BZ)	1495	10

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. June 01, 2021

ZENcelo India - The Revolutionary Full-Flat Switch



IN8403C



IN8406C



IN8402C(BZ)



IN8404C(SZ)



IN84012C(SA)

Description	Reference for White	Unit MRP [₹]	Pack	Reference for Dark Grey	Unit MRP [₹]	Pack	Reference for Silver Bronze	Unit MRP [₹]	Pack	Reference for Satin Silver	Unit MRP [₹]	Pack
Cover Plates												
1M Grid & 1M Cover Frame	IN8401C	324	10	IN8401C(BZ)	384	10	IN8401C(SZ)	893	10	IN8401C(SA)	893	10
2M Grid & 2M Cover Frame	IN8402C	337	10	IN8402C(BZ)	402	10	IN8402C(SZ)	883	10	IN8402C(SA)	883	10
3M Grid & 3M Cover Frame	IN8403C	397	10	IN8403C(BZ)	474	10	IN8403C(SZ)	1085	10	IN8403C(SA)	1085	10
4M Grid & 4M Cover Frame	IN8404C	432	10	IN8404C(BZ)	557	10	IN8404C(SZ)	1305	10	IN8404C(SA)	1305	10
6M Grid & 6M Cover Frame	IN8406C	659	5	IN8406C(BZ)	784	5	IN8406C(SZ)	1791	5	IN8406C(SA)	1791	5
8M Grid & 8M Cover Frame - Horizontal	IN8408HC	784	5	IN8408HC(BZ)	937	5	IN8408HC(SZ)	2420	5	IN8408HC(SA)	2420	5
8M Grid & 8M Cover Frame - Square	IN8408SC	1036	5	IN8408SC(BZ)	1305	5	IN8408SC(SZ)	2939	5	IN8408SC(SA)	2939	5
9M Grid & 9M Cover Frame	IN8409C	1287	5	IN8409C(BZ)	1609	5	IN8409C(SZ)	3879	5	IN8409C(SA)	3879	5
12M Grid & 12M Cover Frame	IN84012C	1703	5	IN84012C(BZ)	2095	5	IN84012C(SZ)	5414	5	IN84012C(SA)	5414	5
18M Grid & 18M Cover Frame	IN84018C	2402	5	IN84018C(BZ)	2826	5	IN84018C(SZ)	7167	5	IN84018C(SA)	7167	5

Blister Pack - Dust proof cover

All Zencelo India cover plates comes with free blister pack to prevent from dust during installation



Description	Reference	Unit MRP [₹]	Pack
Additional Blister Pack - Reusable Dust Proof Cover for Zencelo INDIA			
2M RE-USABLE BLISTER DUST / PAINT COVER	IN8402DC	35	15
3M RE-USABLE BLISTER DUST / PAINT COVER	IN8403DC	43	8
4M RE-USABLE BLISTER DUST / PAINT COVER	IN8404DC	48	11
6M RE-USABLE BLISTER DUST / PAINT COVER	IN8406DC	64	5
8ML RE-USABLE BLISTER DUST / PAINT COVER	IN8408HDC	69	5
8MSQ RE-USABLE BLISTER DUST/PAINT COVER	IN8408SDC	72	6
9M RE-USABLE BLISTER DUST / PAINT COVER	IN8409DC	68	4
12M RE-USABLE BLISTER DUST / PAINT COVER	IN84012DC	93	8
18M RE-USABLE BLISTER DUST / PAINT COVER	IN84018DC	148	5

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. June 01, 2021

ZENcelo BS - The Revolutionary Full-Flat Switch



- **British Standard** - Consistent Plate Size across functions
- World's First and only **Full-Flat Mechanical Switch**
- **Patented Iso-Motion Technology** - Ensures switch stays in the same position whether On or Off
- **Robust & Strong** - Made of corrosion-resistant, heat-resistant and impact-resistant polycarbonate
- **Designed to Last** - Switches tested to 80,000 times; Sockets tested to 15,000 cycles.
- **Green & Eco Friendly** - RoHS compliant range



E8432/1>SZ-OS



E8433/1-OS



E8415_10_WE



E8431D20-OS



E431RJS4-OS

Description	Reference for White	Unit MRP [₹]	Pack	Reference For Silver Brozne	Unit MRP [₹]	Pack
Switches						
16AX/20A 1 Gang 1 Way switch with Ondicator	E8431/1-OS	506	1	E8431/1>SZ-OS	629	1
16AX/20A 2 Gang 1 Way switch with Ondicator	E8432/1-OS	783	1	E8432/1>SZ-OS	979	1
16AX/20A 3 Gang 1 Way switch with Ondicator	E8433/1-OS	1280	1	E8433/1>SZ-OS	1599	1
16AX/20A 4 Gang 1 Way switch with Ondicator	E8434/1-OS	1846	1	E8434/1>SZ-OS	2307	1
16AX/20A 1 Gang 2 Way switch	E8431/2-OS	542	1	E8431/2>SZ-OS	674	1
16AX/20A 2 Gang 2 Way switch	E8432/2-OS	950	1	E8432/2>SZ-OS	1185	1
16AX/20A 3 Gang 2 Way switch	E8433/2-OS	1378	1	E8433/2>SZ-OS	1733	1
16AX 1 Gang Intermediate Switch	E8431/I-OS	1503	1	E8431/I>SZ-OS	1879	1
Double Pole Switches						
20A 1 Gang Double Pole switch with Neon	E8431D20-OS	1437	1	E8431D20>SZ-OS	1879	1
32A 1 Gang Double Pole switch with Neon	E8431D32-OS	1907	1	E8431D32>SZ-OS	2509	1
Bell Push						
10A Full-Flat Bell Switch	E8431BP1-OS	551	1	E8431BP1>SZ-OS	679	1
Sockets						
5A 1 Gang 3 Round Pin Switched Socket with Shutter and Ondicator	E8415/5-OS	999	1	E8415/5>SZ-OS	1245	1
5A 1 Gang 3 Round Pin Switched Socket with Neon and Shutter	E8415/5N-OS	1403	1	E8415/5N>SZ-OS	1761	1
15A 1 Gang 3 Round Pin Switched Socket with Shutter and Ondicator	E8415/15-OS	1180	1	E8415/15>SZ-OS	1475	1
15A 1 Gang 3 Round Pin Switched Socket with Shutter and Neon	E8415/15N-OS	1733	1	E8415/15N>SZ-OS	2145	1
16A 1 Gang International Socket with Shutter	E84426/16IS-OS	1255	1	E84426/16IS>SZ-OS	1565	1
13A 1 Gang Switched Socket with Ondicator	E8415-OS	1475	1	E8415>SZ-OS	1846	1
13A 1 Gang Switched Socket with Neon	E8415N-OS	1245	1	E8415N>SZ-OS	1552	1
10/16A Switched Socket Outlet - Shuttered	E8415_16_10_WE	1315	1	E8415_16_10_SZ	1538	1
10A 2-3 pin Switched Socket Outlet - Shuttered	E8415_10_WE	1045	1	E8415_10_SZ	1304	1
Fan Regulators & Dimmers						
350VA 50Hz 1 Gang Full-Flat Universal Dimmer with LED	E8431EPD4-OS	3264	1	E8431EPD4>SZ-OS	4074	1
Accessories						
1 Gang TV Socket Master	E8431TVM-OS	633	1	E8431TVM>SZ-OS	788	1
1 Gang Telephone Socket on Shuttered Wallplate	E8431RJS4-OS	806	1	E8431RJS4>SZ-OS	1009	1
2 Gang Telephone Socket on Shuttered Wallplate	E8432RJS4-OS	1879	1	E8432RJS4>SZ-OS	2334	1
1 Gang Data Outlet Category 5E with Integrated Shutter	E8431RJ/5-OS	1255	8	E8431RJ/5>SZ-OS	1565	1
1 Gang Data Outlet Category 6 with Integrated Shutter	E8431RJ/6-OS	1503	1	E8431RJ/6>SZ-OS	1879	1
1 Gang Data Outlet Category 5E on Shuttered Wallplate	E8431RJS/5-OS	1565	1	E8431RJS/5>SZ-OS	1964	1
1 Gang Data Outlet Category 6 on Shuttered Wallplate	E8431RJS/6-OS	1879	1	E8431RJS/6>SZ-OS	2342	1
2 Gang Data Outlet Category 5E with Integrated Shutter	E8432RJ/5-OS	2195	1	E8432RJ/5>SZ-OS	2732	1
2 Gang Data Outlet Category 6 with Integrated Shutter	E8432RJ/6-OS	2817	1	E8432RJ/6>SZ-OS	3500	1
2 Gang Data Outlet Category 5E on Shuttered Wallplate	E8432RJS/5-OS	2195	1	E8432RJS/5>SZ-OS	2732	1
2 Gang Data Outlet Category 6 on Shuttered Wallplate	E8432RJS/6-OS	2817	1	E8432RJS/6>SZ-OS	3500	1
2 Gang Telephone + Data Outlet Category 5E with Integrated Shutter	E8432TDRJ/5-OS	1879	1	E8432TDRJ/5>SZ-OS	2342	1
2 Gang Telephone + Data Outlet Category 5E on Shuttered Wallplate	E8432TDRJS/5-OS	2334	1	E8432TDRJS/5>SZ-OS	2914	1
2 Gang Telephone + Data Outlet Category 6 on Shuttered Wallplate	E8432TDRJS/6-OS	2657	1	E8432TDRJS/6>SZ-OS	3313	1
TV + Cat 6 shutter outlet	E8432TVRJ6_WE_G1	2334	1	E8432TVRJ6_SZ_G1	2551	1
25A Connection Unit	E8431TB-OS	1255	1	E8431TB>SZ-OS	1565	1
Blank off unit (1M)	E8430X-OS	336	1	E8430X>SZ-OS	420	1

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. June 01, 2021

ZENcelo BS - The Revolutionary Full-Flat Switch



E8431USB_WE



E8431USB_SZ



E8431USB_SA

Description	Reference For White	Unit MRP [₹]	Pack	Reference For Silver Bronze	Unit MRP [₹]	Pack	Reference For Satin Silver	Unit MRP [₹]	Pack
USB Chargers									
1 Gang 2.1A USB Charger	E8431USB_WE	4107	1	E8431USB_SZ	4581	1	E8431USB_SA	5039	1
1 Gang 2.1A USB Charger(ISI)	E8431USB_WE_G8	4732	10	E8431USB_SZ_G8	5279	10	E8431USB_SA_G8	5279	10



E8431EKT-OS



E8432DMS>SZ-OS



E84T727H-OS



E84T727V>SZ-OS

Description	Reference for White	Unit MRP [₹]	Pack	Reference For Silver Bronze	Unit MRP [₹]	Pack
Hotel Series						
Illuminated "Do Not Disturb" & "Please Clean Up" Symbols	E8432DM-OS	4143	1	E8432DM>SZ-OS	5178	1
Illuminated "Do not Disturb" Symbol	E8431D-OS	1208	1	E8431D>SZ-OS	1503	1
1 Gang Full-Flat Switch with Illuminated "Do not Disturb" Symbol	E8431DS-OS	651	1	E8431DS>SZ-OS	811	1
2 Gang Full-Flat Switch with Illuminated "Do not Disturb" & "Please Clean Up" Symbols	E8432DMS-OS	4563	1	E8432DMS>SZ-OS	5696	1
1 Gang Full-Flat Bell Switch with Illuminated "Do Not Disturb" Symbol	E8431BPD-OS2870	3473	1	E8431BPD>SZ-OS	4214	1
1 Gang Full-Flat Bell Switch with Illuminated "Do Not Disturb" & "Please Clean Up" Symbols	E8431BPDM-OS	4431	1	E8431BPDM>SZ-OS	5528	1
16A Electronic Key Card Time Delay Switch	E8431EKT-OS	8854	1	E8431EKT>SZ-OS	11069	1
Universal Shaver Unit, Vertical	E84T727V-OS	5009	1	E84T727V>SZ-OS	6240	1
Universal Shaver Unit, Horizontal	E84T727H-OS	5009	1	E84T727H>SZ-OS	6240	1

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. June 01, 2021

AvatarOn - It's also a Switch



White (WE)



Wine Gold (WG)



Dark Grey (DG)



Dark Wood (WD)



Gold Hairline (GH)



Light Wood (LW)



Award-winning Designs: In 2017, AvatarOn gained international recognition for its innovative design and quality excellence and was awarded the iF Design Award

Ingenious Beauty

- The ground-breaking AvatarOn series is a true marriage of aesthetics and practicality, making it a perfect choice for all home or office designs.

Safe and Reliable

- Our patented "Slim Rocker, Sure Click" SS technology not only gives AvatarOn a greater thinness overall, but also a near-zero contact jitter that reduces sparks, thus ensuring a safe and reliable use.

Customisable Covers for True Adaptability

- AvatarOn switches are available in an array of replaceable covers for full customisation and integration into any home decor. The customised pattern covers of AvatarOn provides you with an extra canvas to showcase your creativity in a subtle yet apparent way.

Modern Look

- The stylish and streamlined design of AvatarOn switch covers are finished in white, soft wood, dark wood and gold hairline materials for a classic look and universal elegance.

Tech-chic Design that Shines

- The AvatarOn soft LED locators merges seamlessly with its sleek giant dolly, creating a stylish and streamlined design and glow with a soft luminescent in the dark, indicating the exact location of each switch at night.

Multifunctional Accessories for Every Day Conveniences

Product Description	Color	Product Ref. No.	Unit MRP [₹]	Pack
16A Switches (Base + Cover Plate)				
16AX 250V 1 Gang 1 Way Switch	White	E8331L1_WE_G8	485	1
	Wine Gold	E8331L1_WG_G8	728	10
	Dark Grey	E8331L1_DG_G8	728	1
	Metal Gold Hairline	E8331L1_GH_G8	728	10
	Light Wood	E8331L1_LW_G8	728	10
	Dark Wood	E8331L1_WD_G8	728	10
16AX 250V 1 Gang 1 Way Switch with LED Indicator	White	E8331L1LED_WE_G8	728	1
	Wine Gold	E8331L1LED_WG_G8	1090	10
	Dark Grey	E8331L1LED_DG_G8	1090	1
	Metal Gold Hairline	E8331L1LED_GH_G8	1090	10
	Light Wood	E8331L1LED_LW_G8	1090	10
	Dark Wood	E8331L1LED_WD_G8	1090	10
16AX 250V 1 Gang 2 Way Switch	White	E8331L2_WE_G8	518	1
	Wine Gold	E8331L2_WG_G8	778	10
	Dark Grey	E8331L2_DG_G8	778	1
	Metal Gold Hairline	E8331L2_GH_G8	778	10
	Light Wood	E8331L2_LW_G8	778	10
	Dark Wood	E8331L2_WD_G8	778	10
16AX 250V 1 Gang 2 Way Switch with LED Indicator	White	E8331L2LED_WE_G8	778	10
	Wine Gold	E8331L2LED_WG_G8	1167	10
	Dark Grey	E8331L2LED_DG_G8	1167	1
	Metal Gold Hairline	E8331L2LED_GH_G8	1167	10
	Light Wood	E8331L2LED_LW_G8	1167	10
	Dark Wood	E8331L2LED_WD_G8	1167	10
16AX 250V 2 Gang 1 Way Switch	White	E8332L1_WE_G8	749	1
	Wine Gold	E8332L1_WG_G8	1125	10
	Dark Grey	E8332L1_DG_G8	1125	1
	Metal Gold Hairline	E8332L1_GH_G8	1,125	10
	Light Wood	E8332L1_LW_G8	1125	10
	Dark Wood	E8332L1_WD_G8	1125	10
16AX 250V 2 Gang 1 Way Switch with LED Indicator	White	E8332L1LED_WE_G8	1125	1
	Wine Gold	E8332L1LED_WG_G8	1687	10
	Dark Grey	E8332L1LED_DG_G8	1687	1
	Metal Gold Hairline	E8332L1LED_GH_G8	1687	10
	Light Wood	E8332L1LED_LW_G8	1687	10
	Dark Wood	E8332L1LED_WD_G8	1687	10
16AX 250V 2 Gang 2 Way Switch	White	E8332L2_WE_G8	911	1
	Wine Gold	E8332L2_WG_G8	1367	10
	Dark Grey	E8332L2_DG_G8	1367	1
	Metal Gold Hairline	E8332L2_GH_G8	1367	10
	Light Wood	E8332L2_LW_G8	1367	10
	Dark Wood	E8332L2_WD_G8	1367	10

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. June 01, 2021

AvatarOn - It's also a Switch









		Product Description	Color	Product Ref. No.	Unit MRP ₹	Pack
16A Switches (Base + Cover Plate)						
 E8332L2LED_WE_G8	 E8332L2LED_WD_G8	16AX 250V 2 Gang 2 Way Switch with LED Indicator	White	E8332L2LED_WE_G8	1367	10
			Wine Gold	E8332L2LED_WG_G8	2052	10
			Dark Grey	E8332L2LED_DG_G8	2052	1
			Metal Gold Hairline	E8332L2LED_GH_G8	2052	10
			Light Wood	E8332L2LED_LW_G8	1958	10
			Dark Wood	E8332L2LED_WD_G8	2052	10
 E8333L1LED_WE_G8	 E8333L1LED_WD_G8	16AX 250V 3 gang 1 Way Switch	White	E8333L1_WE_G8	1229	1
			Wine Gold	E8333L1_WG_G8	1844	10
			Dark Grey	E8333L1_DG_G8	1844	1
			Metal Gold Hairline	E8333L1_GH_G8	1844	10
			Light Wood	E8333L1_LW_G8	1844	10
			Dark Wood	E8333L1_WD_G8	1844	10
 E8333L2_WE_G8	 E8333L2_WD_G8	16AX 250V 3 gang 1 Way Switch with LED Indicator	White	E8333L1LED_WE_G8	1844	10
			Wine Gold	E8333L1LED_WG_G8	2765	10
			Dark Grey	E8333L1LED_DG_G8	2765	1
			Metal Gold Hairline	E8333L1LED_GH_G8	2765	10
			Light Wood	E8333L1LED_LW_G8	2765	10
			Dark Wood	E8333L1LED_WD_G8	2765	10
 E8333L2LED_WE_G8	 E8333L2LED_WD_G8	16AX 250V 3 gang 2 Way Switch	White	E8333L2_WE_G8	1323	1
			Wine Gold	E8333L2_WG_G8	1986	10
			Dark Grey	E8333L2_DG_G8	1986	1
			Metal Gold Hairline	E8333L2_GH_G8	1986	10
			Light Wood	E8333L2_LW_G8	1986	10
			Dark Wood	E8333L2_WD_G8	1986	10
 E8333L2LED_WE_G8	 E8333L2LED_WD_G8	1 16AX 250V 3 gang 2 Way Switch with LED Indicator	White	E8333L2LED_WE_G8	1986	10
			Wine Gold	E8333L2LED_WG_G8	2978	10
			Dark Grey	E8333L2LED_DG_G8	2978	1
			Metal Gold Hairline	E8333L2LED_GH_G8	2978	10
			Light Wood	E8333L2LED_LW_G8	2842	10
			Dark Wood	E8333L2LED_WD_G8	2978	10
 E8334L1_WE_G8	 E8334L1_WD_G8	16AX 250V 4 Gang 1 Way Switch	White	E8334L1_WE_G8	1769	1
			Wine Gold	E8334L1_WG_G8	2653	10
			Dark Grey	E8334L1_DG_G8	2653	1
			Metal Gold Hairline	E8334L1_GH_G8	2653	10
			Light Wood	E8334L1_LW_G8	2653	10
			Dark Wood	E8334L1_WD_G8	2653	10
 E8334L1LED_WE_G8	 E8334L1LED_WD_G8	16AX 250V 4 Gang 1 Way Switch with LED Indicator	White	E8334L1LED_WE_G8	2653	10
			Wine Gold	E8334L1LED_WG_G8	3979	10
			Dark Grey	E8334L1LED_DG_G8	3979	1
			Metal Gold Hairline	E8334L1LED_GH_G8	3979	10
			Light Wood	E8334L1LED_LW_G8	3979	10
			Dark Wood	E8334L1LED_WD_G8	3979	10
 E8334L2_WE_G8	 E8334L2_WD_G8	16AX 250V 4 Gang 2 Way Switch	White	E8334L2_WE_G8	2034	1
			Wine Gold	E8334L2_WG_G8	3050	10
			Dark Grey	E8334L2_DG_G8	3050	1
			Metal Gold Hairline	E8334L2_GH_G8	3050	10
			Light Wood	E8334L2_LW_G8	3050	10
			Dark Wood	E8334L2_WD_G8	3050	10
 E8334L2LED_WE_G8	 E8334L2LED_WD_G8	16AX 250V 4 Gang 2 Way Switch with LED Indicator	White	E8334L2LED_WE_G8	3050	10
			Wine Gold	E8334L2LED_WG_G8	4576	10
			Dark Grey	E8334L2LED_DG_G8	4576	1
			Metal Gold Hairline	E8334L2LED_GH_G8	4576	10
			Light Wood	E8334L2LED_LW_G8	4576	10
			Dark Wood	E8334L2LED_WD_G8	4576	10

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. June 01, 2021

AvatarOn - It's also a Switch













		Product Description	Color	Product Ref. No.	Unit MRP ₹	Pack
16A Intermediate Switches						
 E8331M_WE_G8	 E8331M_WD_G8	16AX 250V 1 Gang Intermediate Switch	White	E8331M_WE_G8	1439	1
			Wine Gold	E8331M_WG_G8	2158	1
			Dark Grey	E8331M_DG_G8	2158	1
			Metal Gold Hairline	E8331M_GH_G8	2060	1
			Light Wood	E8331M_LW_G8	2060	1
			Dark Wood	E8331M_WD_G8	2060	1
10A Momentary Switches						
 E8331PRL1_WE_G8	 E8331PRL1_WD_G8	10A 250V 1 Gang Momentary Switch	White	E8331PRL1_WE_G8	528	10
			Wine Gold	E8331PRL1_WG_G8	791	10
			Dark Grey	E8331PRL1_DG_G8	791	1
			Metal Gold Hairline	E8331PRL1_GH_G8	791	10
			Light Wood	E8331PRL1_LW_G8	755	10
			Dark Wood	E8331PRL1_WD_G8	755	10
 E8332PRL1_WE_G8	 E8332PRL1_WD_G8	10A 250V 2 Gang Momentary Switch	White	E8332PRL1_WE_G8	633	10
			Wine Gold	E8332PRL1_WG_G8	949	10
			Dark Grey	E8332PRL1_DG_G8	949	1
			Metal Gold Hairline	E8332PRL1_GH_G8	949	10
			Light Wood	E8332PRL1_LW_G8	949	10
			Dark Wood	E8332PRL1_WD_G8	949	10
Double Pole Switches						
 E8331D20N_WE_G8	 E8331D20N_WD_G8	20A 250V 1 Gang Double Pole Switch with LED Indicator	White	E8331D20N_WE_G8	1241	10
			Wine Gold	E8331D20N_WG_G8	1861	10
			Dark Grey	E8331D20N_DG_G8	1861	1
			Metal Gold Hairline	E8331D20N_GH_G8	1861	10
			Light Wood	E8331D20N_LW_G8	1777	10
			Dark Wood	E8331D20N_WD_G8	1861	10
 E8331D32N_WE_G8	 E8332D20N_WD_G8	20A 250V 2 Gang Double Pole Switch with LED Indicator	White	E8332D20N_WE_G8	1581	10
			Wine Gold	E8332D20N_WG_G8	2233	10
			Dark Grey	E8332D20N_DG_G8	2233	1
			Metal Gold Hairline	E8332D20N_GH_G8	2233	10
			Light Wood	E8332D20N_LW_G8	2233	10
			Dark Wood	E8332D20N_WD_G8	2233	10
 E8332D20N_WE_G8	 E8331D32N_WD_G8	32A 250V 1 Gang Double Pole Switch with LED Indicator	White	E8331D32N_WE_G8	1647	10
			Wine Gold	E8331D32N_WG_G8	2470	10
			Dark Grey	E8331D32N_DG_G8	2470	1
			Metal Gold Hairline	E8331D32N_GH_G8	2470	10
			Light Wood	E8331D32N_LW_G8	2470	10
			Dark Wood	E8331D32N_WD_G8	2470	10
 E8331D45N_WE_G8	 E8331D45N_WD_G8	45A 250V 1 Gang Double Pole Switch with LED Indicator	White	E8331D45N_WE_G8	2058	10
			Wine Gold	E8331D45N_WG_G8	3088	10
			Dark Grey	E8331D45N_DG_G8	3088	1
			Metal Gold Hairline	E8331D45N_GH_G8	3088	10
			Light Wood	E8331D45N_LW_G8	3088	10
			Dark Wood	E8331D45N_WD_G8	2947	10

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. June 01, 2021

AvatarOn - It's also a Switch

		Product Description	Color	Product Ref. No.	Unit MRP ₹	Pack
		10A 250V Door Bell Push Switch	White	E8331BPL1_WE_G8	528	1
E8331BPL1_WE_G8	E8331BPL1_WD_G8		Wine Gold	E8331BPL1_WG_G8	791	10
			Dark Grey	E8331BPL1_DG_G8	791	1
			Metal Gold Hairline	E8331BPL1_GH_G8	791	10
			Light Wood	E8331BPL1_LW_G8	791	10
			Dark Wood	E8331BPL1_WD_G8	791	10
Sockets						
		10A International Socket for India	White	E83426TSI_WE	1414	1
E83426TSI_WE	E83426TSI_WG		Wine Gold	E83426TSI_WG	2123	1
			Dark Grey	E83426TSI_DG	2123	1
		6A 2/3 Pin Switched Socket	White	E8315_6_WE	1066	8
E8315_16_WE	E8315_16_WD		Wine Gold	E8315_6_WG	1355	8
			Dark Grey	E8315_6_DG	1355	1
			Metal Gold Hairline	E8315_6_GH	1355	8
			Light Wood	E8315_6_LW	1355	8
			Dark Wood	E8315_6_WD	1355	8
		6/16A Switched Socket	White	E8315_16_WE	1338	8
E8315_16_WE	E8315_16_WD		Wine Gold	E8315_16_WG	1701	8
			Dark Grey	E8315_16_DG	1701	1
			Metal Gold Hairline	E8315_16_GH	1701	8
			Light Wood	E8315_16_LW	1701	8
			Dark Wood	E8315_16_WD	1701	8
Fan Regulators						
		5 Steps 360 Deg Fan Regulator	White	E8331FR350_WE_G8	2540	1
E8331FR350_WE_G8	E8331FR350_WD_G8		Wine Gold	E8331FR350_WG_G8	3348	1
			Dark Grey	E8331FR350_DG_G8	3348	1
			Metal Gold Hairline	E8331FR350_GH_G8	3348	1
			Light Wood	E8331FR350_LW_G8	3348	1
			Dark Wood	E8331FR350_WD_G8	3348	1
Switch & Socket Covers (Additional)						
		1 Gang Switch Cover	White	E8331_WE	133	1
E8331_WE	E8331_WD		Wine Gold	E8331_WG	333	1
			Dark Grey	E8331_DG	333	1
			Metal Gold Hairline	E8331_GH	333	1
			Light Wood	E8331_LW	318	1
			Dark Wood	E8331_WD	333	1
		1 Gang Switch Cover with Keyholder	White	E8331KH_WE	249	1
E8331KH_WE	E8331KH_WD		Wine Gold	E8331KH_WG	449	1
			Dark Grey	E8331KH_DG	449	1
			Metal Gold Hairline	E8331KH_GH	428	1
			Light Wood	E8331KH_LW	428	1
			Dark Wood	E8331KH_WD	449	1
		2 Gang Switch Cover	White	E8332_WE	202	1
E8332_WE	E8332_WD		Wine Gold	E8332_WG	454	1
			Dark Grey	E8332_DG	454	1
			Metal Gold Hairline	E8332_GH	454	1
			Light Wood	E8332_LW	454	1
			Dark Wood	E8332_WD	454	1
		3 Gang Switch Cover	White	E8333_WE	312	1
E8333_WE	E8333_WD		Wine Gold	E8333_WG	668	1
			Dark Grey	E8333_DG	668	1
			Metal Gold Hairline	E8333_GH	668	1
			Light Wood	E8333_LW	668	1
			Dark Wood	E8333_WD	668	1
		3 Gang Switch Cover with Keyholder	White	E8333KH_WE	406	1
E8333KH_WE	E8333KH_WD		Wine Gold	E8333KH_WG	783	1
			Dark Grey	E8333KH_DG	783	1
			Metal Gold Hairline	E8333KH_GH	748	1
			Light Wood	E8333KH_LW	748	1
			Dark Wood	E8333KH_WD	783	1

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. June 01, 2021

AvatarOn - It's also a Switch



E8334_WE



E8334_WD



E8315C_6_WE



E8315C_6_WD



E8315C_16_WE



E8315C_16_WD



E8315USB_WE_G8



E8315USB_WD_G8




E8332USB_WE_G8



E8332USB_WD_G8



E8331_26_WE



E8331_36_WE



E8331_46_WE



E8330TX_WE

Product Description	Color	Product Ref. No.	Unit MRP ₹	Pack	
4G Switch Cover	White	E8334_WE	439	1	
	Wine Gold	E8334_WG	911	1	
	Dark Grey	E8334_DG	911	1	
	Metal Gold Hairline	E8334_GH	911	1	
	Light Wood	E8334_LW	911	1	
	Dark Wood	E8334_WD	911	1	
6A 2/3 Pin Switched Socket Cover	White	E8315C_6_WE	375	12	
	Wine Gold	E8315C_6_WG	636	12	
	Dark Grey	E8315C_6_DG	636	1	
	Metal Gold Hairline	E8315C_6_GH	636	12	
	Light Wood	E8315C_6_LW	636	12	
	Dark Wood	E8315C_6_WD	636	12	
	6/16A Switched Socket Cover	White	E8315C_16_WE	405	12
Wine Gold		E8315C_16_WG	664	12	
Dark Grey		E8315C_16_DG	664	1	
Metal Gold Hairline		E8315C_16_GH	664	12	
Light Wood		E8315C_16_LW	634	12	
Dark Wood		E8315C_16_WD	664	12	
USB Chargers					
13A 250V Switched Socket with 2.1A USB Charger (Compatible with Type G Plugs)	White	E8315USB_WE_G8	7651	10	
	Wine Gold	E8315USB_WG_G8	11476	10	
	Dark Grey	E8315USB_DG_G8	11476	1	
	Metal Gold Hairline	E8315USB_GH_G8	11476	10	
	Light Wood	E8315USB_LW_G8	11476	10	
	Dark Wood	E8315USB_WD_G8	11476	10	
2 Ports Max 2.1A USB Charger with Mobile Holder	White	E83311USB_WE_G8	5000	1	
	Wine Gold	E83311USB_WG_G8	7500	1	
	Dark Grey	E83311USB_DG_G8	7500	1	
2 x 2.1A USB Charger with Mobile Holder (2.1A with 2 outputs used simultaneously)	White	E8332USB_WE_G8	6250	1	
	Wine Gold	E8332USB_WG_G8	9376	1	
	Dark Grey	E8332USB_DG_G8	9376	1	
	Metal Gold Hairline	E8332USB_GH_G8	9376	1	
	Light Wood	E8332USB_LW_G8	9376	1	
Dark Wood	E8332USB_WD_G8	9376	1		
	Bracket/Frame (to ensure alignment of switches on 2/3/4 Gang metal box)				
	2 Gang Bracket/Frame	White	E8331_26_WE	221	1
		Wine Gold	E8331_26_WG	289	1
		Dark Grey	E8331_26_DG	289	1
3 Gang Bracket/Frame	White	E8331_36_WE	243	1	
	Wine Gold	E8331_36_WG	340	1	
	Dark Grey	E8331_36_DG	340	1	
4 Gang Bracket/Frame	White	E8331_46_WE	260	1	
	Wine Gold	E8331_46_WG	365	1	
	Dark Grey	E8331_46_DG	365	1	
Blank Plates					
1 Gang Blank Plate	White	E8330X_WE	320	1	
	Wine Gold	E8330X_WG	481	1	
	Dark Grey	E8330X_DG	481	1	
	Metal Gold Hairline	E8330X_GH	481	1	
	Light Wood	E8330X_LW	481	1	
	Dark Wood	E8330X_WD	481	1	
2 Gang Blank Plate	White	E8330TX_WE	447	10	
	Wine Gold	E8330TX_WG	694	10	
	Dark Grey	E8330TX_DG	694	1	
	Metal Gold Hairline	E8330TX_GH	694	10	
	Light Wood	E8330TX_LW	663	10	
	Dark Wood	E8330TX_WD	694	10	

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. June 01, 2021

AvatarOn - It's also a Switch



E8331BPDMW_ WE_G8



E8331BPDMW_ WD_G8



E8331KPB_WE



E8331KPB_WD



E8332C_WE_G8



E8332C_WD_G8



E83T727V_WE



E83T727V_WD



E8330FSG_WE



E8330FSG_WD



E8330FSGN_WE



E8330FSGN_WD



E8331TB_WE



E8331TB_WD



E8331RJS4_WE



E8331RJS4_WD

Product Description	Color	Product Ref. No.	Unit MRP ₹	Pack
Hotel Series				
DND, PCU, PW Indicator with Bell Switch (Do Not Disturb, Please Clean Up, Please Wait)	White	E8331BPDMW_WE_G8	4551	1
	Wine Gold	E8331BPDMW_WG_G8	6827	10
	Dark Grey	E8331BPDMW_DG_G8	6827	1
	Metal Gold Hairline	E8331BPDMW_GH_G8	6827	10
	Light Wood	E8331BPDMW_LW_G8	6516	10
16AX 3 Gang Switch with PCU, DND, PW Sym (Do Not Disturb, Please Clean Up, Please Wait)	Dark Wood	E8331BPDMW_WD_G8	6827	10
	White	E8333DMWS_WE_G8	4413	1
	Wine Gold	E8333DMWS_WG_G8	6320	10
	Dark Grey	E8333DMWS_DG_G8	6621	1
	Metal Gold Hairline	E8333DMWS_GH_G8	6621	10
250V 16A Electronic Keycard Switch	Light Wood	E8333DMWS_LW_G8	6320	10
	Dark Wood	E8333DMWS_WD_G8	6621	10
	White	E8331EKT_WE	7951	1
	Wine Gold	E8331EKT_WG	11385	1
	Dark Grey	E8331EKT_DG	11927	1
Panic Button with Key Reset	Light Wood	E8331EKT_LW	11385	8
	Dark Wood	E8331EKT_WD	11927	1
	White	E8331KPB_WE	1090	1
	Wine Gold	E8331KPB_WG	1735	1
	Dark Grey	E8331KPB_DG	1735	1
10A 2 Gang Mechanical Curtain Switch	Metal Gold Hairline	E8331KPB_GH	1735	1
	Light Wood	E8331KPB_LW	1735	1
	Dark Wood	E8331KPB_WD	1735	1
	White	E8332C_WE_G8	944	1
	Wine Gold	E8332C_WG_G8	1415	10
115/240V 20VA Universal Version Shaver	Dark Grey	E8332C_DG_G8	1415	1
	Metal Gold Hairline	E8332C_GH_G8	1415	10
	Light Wood	E8332C_LW_G8	1350	10
	Dark Wood	E8332C_WD_G8	1415	10
	White	E83T727V_WE	4495	1
Connection Units	Wine Gold	E83T727V_WG	7148	1
	Dark Grey	E83T727V_DG	7489	1
	Metal Gold Hairline	E83T727V_GH	7489	1
	Light Wood	E83T727V_LW	7148	1
	Dark Wood	E83T727V_WD	7489	1
13A 250V 1 Gang Fused Connection Unit	White	E8330FSG_WE	1190	10
	Wine Gold	E8330FSG_WG	1332	10
	Dark Grey	E8330FSG_DG	1332	1
	Light Wood	E8330FSG_LW	1332	1
	Dark Wood	E8330FSG_WD	1332	10
13A 250V 1 Gang Fused Connection Unit with Neon	White	E8330FSGN_WE	1290	10
	Wine Gold	E8330FSGN_WG	1663	10
	Dark Grey	E8330FSGN_DG	1663	1
	Light Wood	E8330FSGN_LW	1663	1
	Dark Wood	E8330FSGN_WD	1663	10
13A 250V 1 Gang Fused Connection with DP Switch and Neon	White	E8331DFSGN_WE	2329	10
	Wine Gold	E8331DFSGN_WG	3881	10
	Dark Grey	E8331DFSGN_DG	3881	1
	Light Wood	E8331DFSGN_LW	3881	1
	Dark Wood	E8331DFSGN_WD	3881	10
25A 250V 1 Gang Connection Unit	White	E8331TB_WE	1035	10
	Wine Gold	E8331TB_WG	1724	10
	Dark Grey	E8331TB_DG	1806	1
	Metal Gold Hairline Light Wood	E8331TB_GH	1724	10
	Dark Wood	E8331TB_WD	1724	1
Telecom, Network, Connectivity & Media Series	Dark Wood	E8331TB_WD	1806	10
	White	E8331RJS4_WE	694	1
	Wine Gold	E8331RJS4_WG	1157	1
	Dark Grey	E8331RJS4_DG	1157	1
	Metal Gold Hairline	E8331RJS4_GH	1157	1
1 Gang Telephone Socket, Shuttered Wallplate	Light Wood	E8331RJS4_LW	1157	10
	Dark Wood	E8331RJS4_WD	1157	1

Please contact Customer Care Center for Stockable and Non stockable status of references.

☑ NORMAL STOCK ITEMS

W.E.F. June 01, 2021

AvatarOn - It's also a Switch



E8332RJS4_WE



E8331RJS5_WE



E8332RJS5_WE



E8331RJS6_WE



E8332RJS6_WE



E8331TV_WE



E8331TVSF_WE



E8332TVFMM_WE



E8332TDRJS5_WE



E8332TVRJS5_WE



E8332HDUSB_WE



E8332HDRJS5_WE



E8332HDHD_WE



E8331RCA_S_WE



E8332HD15PH_WE



E8331VC_WE



E8331SC_WE



E8332SC_WE



E8331RJS_WE



E8332RJS_WE

Product Description	Color	Product Ref. No.	Unit MRP	Pack
2G Tel Socket, Shuttered Wallplate	White	E8332RJS4_WE	1626	1
	Wine Gold	E8332RJS4_WG	2440	1
	Dark Grey	E8332RJS4_DG	2440	1
1 Gang RJ45 Data Cat5E, Shuttered	White	E8331RJS5_WE	1085	1
	Wine Gold	E8331RJS5_WG	1806	1
	Dark Grey	E8331RJS5_DG	1806	1
	Metal Gold Hairline Light	E8331RJS5_GH	1806	1
	Wood	E8331RJS5_LW	1806	10
	Dark Wood	E8331RJS5_WD	1806	1
	White	E8332RJS5_WE	1893	1
2 Gang RJ45 Data Cat5E, Shuttered	Wine Gold	E8332RJS5_WG	3157	1
	Dark Grey	E8332RJS5_DG	3157	1
	Metal Gold Hairline Light	E8332RJS5_GH	3157	10
	Wood	E8332RJS5_LW	3157	10
	Dark Wood	E8332RJS5_WD	3157	1
1 Gang RJ45 Data Cat6, Shuttered	White	E8331RJS6_WE	1295	1
	Wine Gold	E8331RJS6_WG	1943	1
2 Gang RJ45 Data Cat6, Shuttered	Dark Grey	E8331RJS6_DG	1943	1
	White	E8332RJS6_WE	2429	1
	Wine Gold	E8332RJS6_WG	3643	1
1 Gang TV Socket, 75Ω, Through-Connect	Dark Grey	E8331L1_DG_G8	728	1
	White	E8331TV_WE	547	1
	Wine Gold	E8331TV_WG	911	1
	Dark Grey	E8331TV_DG	911	1
	Metal Gold Hairline Light	E8331TV_GH	911	10
1 Gang TV Socket, Slave 5-1000	Wood	E8331TV_LW	869	10
	Dark Wood	E8331TV_WD	911	1
	White	E8331TVSF_WE	605	10
	Wine Gold	E8331TVSF_WG	911	10
	Dark Grey	E8331TVSF_DG	869	1
2 Gang TV Master/FM Socket	White	E8332TVFMM_WE	2195	10
	Wine Gold	E8332TVFMM_WG	3292	10
1 Gang Tel + RJ45 Data Cat5E, Shuttered	Dark Grey	E8332TVFMM_DG	3292	1
	White	E8332TDRJS5_WE	1626	1
	Wine Gold	E8332TDRJS5_WG	2710	1
	Dark Grey	E8332TDRJS5_DG	2710	1
	Metal Gold Hairline Light	E8332TDRJS5_GH	2710	1
	Wood	E8332TDRJS5_LW	2587	10
	Dark Wood	E8332TDRJS5_WD	2710	1
1 Gang TV+ RJ45 Data Cat5E, Shuttered	White	E8332TVRJS5_WE	2016	1
	Wine Gold	E8332TVRJS5_WG	3363	1
	Dark Grey	E8332TVRJS5_DG	3363	1
	Metal Gold Hairline Light	E8332TVRJS5_GH	3363	1
	Wood	E8332TVRJS5_LW	3210	10
	Dark Wood	E8332TVRJS5_WD	3363	1
	White	E8332TVRJS6_WE	2016	1
1 Gang TV+ RJ45 Data Cat6, Shuttered	Wine Gold	E8332TVRJS6_WG	3363	1
	Dark Grey	E8332TVRJS6_DG	3363	1
	White	E8332HDUSB_WE	4501	1
HDMI + USB Socket	Wine Gold	E8332HDUSB_WG	7500	8
	Dark Grey	E8332HDUSB_DG	7159	1
HDMI + RJ45 Data Cat5E, Shuttered	White	E8332HDRJS5_WE	2739	1
	Wine Gold	E8332HDRJS5_WG	4107	1
	Dark Grey	E8332HDRJS5_DG	4107	1
2 Gang HDMI+HDMI , Keystone on Wallplate	White	E8332HDHD_WE	2468	1
	Wine Gold	E8332HDHD_WG	4114	8
	Dark Grey	E8332HDHD_DG	4114	1
RCA/S-Video Socket	White	E8331RCA_S_WE	1733	1
	Wine Gold	E8331RCA_S_WG	2481	1
	Dark Grey	E8331RCA_S_DG	2481	1
VGA + Mini Audio	White	E8332HD15PH_WE	1733	1
	Wine Gold	E8332HD15PH_WG	2481	1
	Dark Grey	E8332HD15PH_DG	2481	1
Volume control, 5W, 8Ohm	White	E8331VC_WE	1964	1
	Wine Gold	E8331VC_WG	2946	10
	Dark Grey	E8331VC_DG	2946	1
Speaker Connection, One Pair	White	E8331SC_WE	1592	10
	Wine Gold	E8331SC_WG	2503	10
	Dark Grey	E8331SC_DG	2389	1
Speaker Connection, Two Pair	White	E8332SC_WE	2310	1
	Wine Gold	E8332SC_WG	3465	1
	Dark Grey	E8332SC_DG	3308	1
1 Gang S Keystone Wallplate (w/o Mod)	White	E8331RJS_WE	513	10
	Wine Gold	E8331RJS_WG	770	10
	Dark Grey	E8331RJS_DG	770	1
2 Gang S Keystone Wallplate (w/o Mod)	White	E8332RJS_WE	963	10
	Wine Gold	E8332RJS_WG	1445	10
	Dark Grey	E8332RJS_DG	1445	1

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. June 01, 2021

NEO - Face the Future



- **Unique** - Horizontal Switches available for Horizontal Decor
- **Stylish** - Ingenious combination of matt and gloss finish along with a fresh look through use of LED technology
- **Convenient** - Switches with soft, luminiscent “locators” to locate the switch in dark
- **Dual Tone Colours** - Standard colours include Grey and White incorporating Blue and White LED respectively



E3033H1EBGS



E3032H1EWWW



E3032H1FWWW



E3032V1EBGS



E3031V1EWWW



E3032V1FWWW

Description	Horizontal Dolly Reference	Unit MRP [₹]	Pack	Vertical Dolly Reference	Unit MRP [₹]	Pack
Grey Switches with Blue LED Indicator						
10AX 250V 1 Gang 1 Way Switch	E3031H1EBGS	979	1	E3031V1EBGS	979	1
10AX 250V 1 Gang 2 Way Switch	E3031H2EBGS	1144	1	E3031V2EBGS	1144	1
10AX 250V 2 Gang 1 Way Switch	E3032H1EBGS	1531	1	E3032V1EBGS	1531	1
10AX 250V 2 Gang 2 Way Switch	E3032H2EBGS	1804	1	E3032V2EBGS	1804	1
10AX 250V 3 Gang 1 Way Switch	E3033H1EBGS	2243	1	E3033V1EBGS	2243	1
10AX 250V 3 Gang 2 Way Switch	E3033H2EBGS	2642	1	E3033V2EBGS	2642	1
10AX 250V 4 Gang 1 Way Switch	E3034H1EBGS	2790	1	-	-	-
10AX 250V 4 Gang 2 Way Switch	E3034H2EBGS	3299	1	-	-	-
White Switches with White LED Indicator						
10AX 250V 1 Gang 1 Way Switch	E3031H1EWWW	950	1	E3031V1EWWW	950	1
10AX 250V 1 Gang 2 Way Switch	E3031H2EWWW	1096	1	E3031V2EWWW	1096	1
10AX 250V 2 Gang 1 Way Switch	E3032H1EWWW	1516	1	E3032V1EWWW	1516	1
10AX 250V 2 Gang 2 Way Switch	E3032H2EWWW	1755	1	E3032V2EWWW	1768	1
10AX 250V 3 Gang 1 Way Switch	E3033H1EWWW	2145	1	E3033V1EWWW	2145	1
10AX 250V 3 Gang 2 Way Switch	E3033H2EWWW	2488	1	E3033V2EWWW	2488	1
10AX 250V 4 Gang 1 Way Switch	E3034H1EWWW	2726	1	-	-	-
10AX 250V 4 Gang 2 Way Switch	E3034H2EWWW	3230	1	-	-	-
White Switches with White Fluorescent Indicator						
10AX 250V 1 Gang 1 Way Switch	E3031H1FWWW	945	1	E3031V1FWWW	945	1
10AX 250V 1 Gang 2 Way Switch	E3031H2FWWW	1065	1	E3031V2FWWW	1065	1
10AX 250V 2 Gang 1 Way Switch	E3032H1FWWW	1509	1	E3032V1FWWW	1509	1
10AX 250V 2 Gang 2 Way Switch	E3032H2FWWW	1761	1	E3032V2FWWW	1761	5
10AX 250V 3 Gang 1 Way Switch	E3033H1FWWW	2140	1	E3033V1FWWW	2140	5
10AX 250V 3 Gang 2 Way Switch	E3033H2FWWW	2523	5	E3033V2FWWW	2523	5
10AX 250V 4 Gang 1 Way Switch	E3034H1FWWW	2760	1	-	-	-
10AX 250V 4 Gang 2 Way Switch	E3034H2FWWW	3257	1	-	-	-

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. June 01, 2021

NEO - Face the Future



E3031VBP>GS-OS



E3031VD20>EWWW-OS



E3426/10IS>GS-OS



EH3015/6>GS-OS



E3031TV>GS-OS



E3031RJ5E>WW-OS



E3031USB_GS



E3031USB_WW



E3032HDM>GS-OS



E3031EKTH>WW-OS

Description	Horizontal Dolly Reference	Unit MRP [₹]	Pack	Vertical Dolly Reference	Unit MRP [₹]	Pack
Bell Push						
4A 1 Way Horizontal Bell Push Switch	E3031HBP>GS-OS	2041	1	E3031HBP>WW-OS	1999	1
4A 1 Way Vertical Bell Push Switch	E3031VBP>GS-OS	2006	1	E3031VBP>WW-OS	1971	1
DP Switches						
1 Gang Horizontal 20A DP Switch with Blue LED for Grey Switch and White LED for White Switch	E3031HD20EBGS	1698	1	E3031HD20EWWW	1656	1
1 Gang Vertical 20A DP Switch with Blue LED for Grey Switch and White LED for White Switch	E3031VD20>EBGS-OS	1656	1	E3031VD20>EWWW-OS	1599	1
1 Gang 32A DP Rocker Switch with Blue LED for Grey Switch and White LED for White Switch	E3031DR32EBGS	2488	1	E3031DR32EWWW	2397	1
Intermediate Switch						
16AX Intermediate Switch with Blue LED for Grey Switch and White LED for White Switch	E3031VIA>EBGS-OS	2684	1	E3031VIA>EWWW-OS	2578	1
Socket						
15A 1 Gang Switch Socket Outlet Grey with Blue LED for Grey Socket and White LED for White Socket	E3015/15-EBGS-EX	2914	1	E3015/15-EWWW-EX	2830	1
10A International Socket	E3426/10IS>GS-OS	2278	1	E3426/10IS>WW-OS	2180	1
6A 1 Gang Switch Socket Outlet	EH3015/6>GS-OS	1684	1	EH3015/6>WW-OS	1621	1
6/16A 1 Gang Switch Socket Outlet	EH3015/16/6>GS-OS	2355	1	EH3015/16/6>WW-OS	2299	1
Fan Regulators & Dimmers						
1 Gang Fan Control	E3031FRGS	2726	3	E3031FRWW	2466	3
1 Gang Dimmer with Blue LED for Grey Dimmer and White LED for White Dimmer	E3031HD>EBGS-OS	16331	1	E3031HD>EWWW-OS	16170	1
2 Gang Horizontal Dimmer with Blue LED for Grey Dimmer and White LED for White Dimmer	E3032HD>EBGS-OS	28637	1	E3032HD>EWWW-OS	27840	1
Accessories						
1 Gang TV Socket Outlet	E3031TV>GS-OS	1516	1	E3031TV>WW-OS	1478	1
2 Gang TV Socket Outlet	E3032VTV>GS-OS	2956	1	E3032VTV>WW-OS	1525	1
4 Pin 1 Gang Telephone Outlet (CAT 3)	E3031RJ>GS-OS	1761	1	E3031RJ>WW-OS	1671	1
4 Pin 1 Gang 8 Pin Data Outlet (CAT 5E)	E3031RJ5E>GS-OS	4655	1	E3031RJ5E>WW-OS	4487	1
4 Pin 2 Gang Telephone Outlet (CAT 3)	E3032RJ>GS-OS	3145	1	E3032RJ>WW-OS	2956	1
4 Pin Telephone Outlet (CAT 3) + 8 Pin Data Outlet (CAT 5E)	E3032TD>GS-OS	5737	1	E3032TD>WW-OS	5550	1
25A Connection Unit	E3031TB>GS-OS	1333	1	E3031TB>WW-OS	1278	1
1 Gang Blank Plate	E3030X>GS-OS	861	1	E3030X>WW-OS	822	1
2 Gang Blank Plate	ET3030X>GS-OS	1922	1	ET3030X>WW-OS	1851	1
USB Charger						
1 x 2.1A USB Charger	E3031USB_GS	6173	1	E3031USB_WW	5907	1
1 x 2.1A USB Charger(ISI)	E3031USB_GS_G8	6468	10	E3031USB_WW_G8	6188	10
Hotel Series						
2 Gang "Do Not Disturb" & "Please Clean Up" Combined (Horizontal)	E3032HDM>GS-OS	8854	1	E3032HDM>WW-OS	8581	1
1 Gang "Do Not Disturb" & "Please Clean Up" Combined (Vertical)	E3030VDM>GS-OS	8247	1	E3030VDM>WW-OS	7799	1
1 Gang Bell Push with "Please Clean Up" Combined (Vertical)	E3031VBPM>GS-OS	6764	1	E3031VBPM>WW-OS	6520	1
1 Gang Bell Push with "Do not Disturb" Combined (Vertical)	E3031VBPD>GS-OS	6764	1	E3031VBPD>WW-OS	6520	1
1 Gang Bell Push with "Do Not Disturb" & "Please Clean Up" Combined (Vertical)	E3031VBPDM>GS-OS	6764	1	E3031VBPDM>WW-OS	6520	1
Electronic Key Card Switch (Horizontal)	E3031EKTH>GS-OS	18755	1	E3031EKTH>WW-OS	18259	1
115/240V Shaver Outlet (Vertical)	ET3727V>GS-OS	9733	1	ET3727V>WW-OS	9546	1

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. June 01, 2021

ULTI Impress - The Ultimate Switch



- **Super Stylish** - Single piece face plate with maximized space for plate along with soft radiant blue/amber backlight for switches
- **Multiple Finish Options** - Crystal Glass, Champagne Gold, Brushed Silver, Pearl White
- **Technological Marvel** - Mechanical switch with touch and feel of electronic switch with patented impress mechanism
- **Strength & Durability** - Ionized metal grid for back housing plate
- **Automation Alignment** - Lighting Control & Automation available in same finish



1 Gang Switch with Crystal Glass Plate

2 Gang Switch with Pearl White Plate

4 Gang Switch with Brushed Silver Plate

Bell Push with Champagne Gold Plate

6-16A Switched Socket with Crystal Glass Plate

Description	Colour	Reference	Unit MRP [₹]	Pack
Switches				
1 Gang 250V 16AX 1 Way Switch module with Blue LED	Module	U201SPM/1>B00-OS	5548	1
1 Gang 250V 16AX 2 Way Switch module with Blue LED	Module	U201SPM/2>B00-OS	6009	1
Cover Plate for 1 Gang Switch	Brushed Silver	UC21SW/P>XBS-OS	1668	1
	Champagne Gold	UC21SW/P>XCG-OS	1668	1
	Crystal Glass	UC21SW/P>XGL-OS	7161	1
	Pearl White	UC21SW/P>XPW-OS	1668	1
2 Gang 250V 16AX 1 Way Switch module with Blue LED	Module	U202SPM/1>B00-OS	7398	1
2 Gang 250V 16AX 2 Way Switch module with Blue LED	Module	U202SPM/2>B00-OS	8308	1
Cover Plate for 2 Gang Switch	Brushed Silver	UC22SW/P>XBS-OS	2377	1
	Champagne Gold	UC22SW/P>XCG-OS	2377	1
	Crystal Glass	UC22SW/P>XGL-OS	8193	1
	Pearl White	UC22SW/P>XPW-OS	2377	1
4 Gang 250V 16AX, 1 Way Switch module with Blue LED	Module	U204SPM/1>B00-OS	12576	1
4 Gang 250V 16AX 2 Way Switch module with Blue LED	Module	U204SPM/2>B00-OS	14170	1
Cover Plate for 4 Gang Switch	Brushed Silver	UC24SW/P>XBS-OS	3772	1
	Champagne Gold	UC24SW/P>XCG-OS	3772	1
	Crystal Glass	UC24SW/P>XGL-OS	9933	1
	Pearl White	UC24SW/P>XPW-OS	3772	1
Double Pole Switch				
1 Gang 250V 20A Double Pole Switch module with Blue LED	Module	U201SPM/DP>B00-OS	7398	1
Cover Plate for 1 Gang DP Switch	Brushed Silver	UC21DP/P>XBS-OS	2310	1
	Champagne Gold	UC21DP/P>XCG-OS	2310	1
	Crystal Glass	UC21DP/P>XGL-OS	6937	1
	Pearl White	UC21DP/P>XPW-OS	2310	1
Bell Push				
Bell Push Switch Module with Blue LED	Module	US31BPB00	2833	1
Cover Plate for Bell Press Switch	Brushed Silver	UC31BPXBBS	2262	1
	Champagne Gold	UC31BPXCGB	2262	1
	Crystal Glass	UC31BPXGL	7398	1
	Pearl White	UC31BPXPWB	2262	1
Sockets				
6-16A Switched Socket	Module	US15/616000	6574	1
Cover Plate for 6-16A Switched Socket	Brushed Silver	UC15/616XBS	3541	1
	Champagne Gold	UC15/616XCB	3541	1
	Crystal Glass	UC15/616XGL	9241	1
	Pearl White	UC15/616XPWB	3541	1
6A 2/3 Pin Switched Socket	Module	US15/6U000	5561	1
Cover Plate for 6A 2/3 Pin Switched Socket	Brushed Silver	UC15/6UXBS	3032	1
	Champagne Gold	UC15/6UXCB	3032	1
	Crystal Glass	UC15/6UXGL	7847	1
	Pearl White	UC15/6UXPWB	3032	1
International Socket				
International Socket	Module	US426/16IS000	3366	1
Cover Plate for International Socket	Brushed Silver	UC426/16ISXBS	2365	1
	Champagne Gold	UC426/16ISXCB	2365	1
	Crystal Glass	UC426/16ISXGL	6700	1
	Pearl White	UC426/16ISXPWB	2365	1

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. June 01, 2021

ULTI Impress - The Ultimate Switch



Data Socket with Brushed Silver Cover Plate



Twin Data Socket with Crystal Glass Cover Plate



Keycard switch with Brushed Silver Cover Plate



Shaver Socket with Champagne Gold Cover Plate

Description	Colour	Reference	Unit MRP [₹]	Pack	
Accessories					
TV Socket Module	Module	US31TV000	2833	1	
	Brushed Silver	UC31TVXBS	2717	1	
	Champagne Gold	UC31TVXCG	2717	1	
Cover Plate for TV Socket	Crystal Glass	UC31TVXGL	9005	1	
	Pearl White	UC31TVXPW	2717	1	
	Data Socket Module	Module	UD31RJ000	3541	1
	Cover Plate for Data Socket	Brushed Silver	UDC31RJXBS	2717	1
Champagne Gold		UDC31RJXCG	2717	1	
Crystal Glass		UDC31RJXGL	8999	1	
Pearl White		UDC31RJXPW	2717	1	
Twin Data Socket Module	Module	UD32TD000	5414	1	
	Brushed Silver	UDC32TDXBS	2717	1	
Cover Plate for Twin Data Socket	Champagne Gold	UDC32TDXCG	2717	1	
	Crystal Glass	UDC32TDXGL	9120	1	
	Pearl White	UDC32TDXPW	2717	1	
	Blank Module Module	Module	US31X000	3244	1
Cover Plate for Blank Module	Brushed Silver	UC31XXBS	2954	1	
	Champagne Gold	UC31XXCG	2954	1	
	Crystal Glass	UC31XXGL	6021	1	
	Pearl White	UC31XXPW	2954	1	
USB Chargers					
1 Gang 2.1A USB Charger Module	White	US31USB_WE	4153	1	
	Grey	US31USB_GY	4153	1	
1 Gang 2.1A USB Charger Module(ISI)	White	US31USB_WE_G8	4360	1	
	Grey	US31USB_GY_G8	4360	1	
Cover Plate for 1 Gang 2.1A USB Charger	Brushed Silver	UC31USB_XBS	2911	1	
	Champagne Gold	UC31USB_XCG	2911	1	
	Crystal Glass	UC31USB_XGL	8689	1	
	Pearl White	UC31USB_XPW	2911	1	
Hotel Series					
Keycard Switch with Cover Plate	Brushed Silver	U31EKTHBBS	12813	1	
	Champagne Gold	U31EKTHACG	12813	1	
	Crystal Glass	U31EKTHBGL	16870	1	
	Pearl White	U31EKTHBPW	12813	1	
Shaver Socket with Cover Plate	Brushed Silver	US727HXBS	10817	1	
	Champagne Gold	US727HXCG	10817	1	
	Crystal Glass	US727HXGL	15760	1	
	Pearl White	US727HXPW	10817	1	

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. June 01, 2021

Kavacha - Weather Protected Series



WHT20-GY-EX



CSW110-GY-EX



A3031WBP_WE

- Pleasing looks with **IP56 protection**
- Large press switch
- Co-moulded sealing with no risk of gasket damage
- Chemical resistant & UV stabilised

Description	Reference	Unit MRP [₹]	Pack
Kavacha IP56 Surface Mount Switches			
Switches with Looping Terminal			
10A 1 Gang 2 Way Switch	CSW110-GY-EX	2370	1
20A/16A 1 Gang 2 Way Switch	CSW120-GY-EX	2719	1
10 A 2 Gang 2 Way Switch	CSW110/2-GY-EX	3224	1
20A/16A 1 Gang 2 Way Switch	CSW120/2-GY-EX	3612	1
10A 1 Gang 2 Way Bell Press Return Switch	CSW110BPR-GY-EX	2745	1
Switches with Looping Terminal with Neon			
10 A 1 Gang 2 Way surface switch with Looping Terminal with Neon	CSW110N-GY-EX	2698	1
10A 2 Gang 2 Way with Looping Terminal and Neon	CSW110/2N-GY-EX	3425	1
20A 1 Gang 2 Way with Looping Terminal with Neon	CSW120N-GY-EX	4132	1
20A/16A 2 Gang 2 Way with Looping Terminal with Neon	CSW120/2N-GY-EX	3909	1
Double Pole Switches			
20A 1 Gang Double Pole Switch	CSW220-GY-EX	3722	1
20A 2 Gang Double Pole Switch	CSW220/2-GY-EX	3890	1
Kavacha Heavy Duty Isolator Switches			
20A Double Pole	WHB220-RG	4103	1
20A Triple Pole	WHT20-GY-EX	4538	1
35A Triple Pole	WHT35-GY-EX	5102	1
55A Triple Pole	WHT55-GY-EX	5431	1
63A Triple Pole	WHT63-GY-EX	5812	1
Kavacha IP56 Surface Mount Combined Switched Socket Outlets			
Combination Switch Socket Outlets			
16A Single Pole Switched Socket Outlet	CSC316RP-GY-EX	3917	1
16A Single Pole Switched Socket Outlet with Neon	CSC316RPN-GY-EX	4220	1
Kavacha IP56 Surface Mount Socket Outlets			
16A Socket Outlet	CSO316RP-GY-EX	2318	1
Kavacha Full-Time Weatherproof Cover			
Full-Time Weatherproof Single Gang Socket Cover (Transparent) IP55	E223R_TR	954	1

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. June 01, 2021

Metal Boxes



- **Weld free design** to minimize corrosion and rusting without compromising on strength
- Mounting clip and earth pin designed for **easier installation** and to **avoid loss during transportation**
- Removable side plates and optimized knock outs and for **easier wiring**
- Completely tested & validated as per **IS 14772**

Description	Reference	Unit MRP [₹]	Pack
Metal Boxes for Indian Format Ranges (Livia, Opale Clipsal X, Unica Pure & ZENcelo India) NEW			
0.8 mm thickness			
Metal Box 1 & 2 modules	ME0102	96	20
Metal Box 3 modules	ME0103	124	20
Metal Box 4 modules	ME0104	143	20
1 mm thickness			
Metal Box 1 & 2 modules	MR1102	107	20
Metal Box 3 modules	MR1103	140	20
Metal Box 4 modules	MR1104	162	20
Metal Box 6 modules	MR1106	220	10
Metal Box 8 modules - Horizontal	MR1108	285	10
Metal Box 8 modules - Square	MR1109	285	10
Metal Box 12 module	MR1112	367	5
Metal Box 18 modules	MR1118	434	5

Description	Reference	Unit MRP [₹]	Pack
Metal Boxes for BS Format Ranges (AvatarON,ZENcelo BS, NEO, ULTI) - New & Improved Design NEW			
Use Bracket/Frame to ensure alignment of switches on 2/3/4 Gang Metal Box (refer to Avataron section for references)			
1 mm thickness			
2 GANG GI Metal Boxes	MM1102	267	20
3 GANG GI Metal Boxes	MM1103	378	20
4 GANG GI Metal Boxes	MM1104	489	20

- Special Metal Box with Gang Partition to accommodate BS format ranges
- Single Metal Box can accommodate up to 4 units
- Number of Gangs for Metal Box = Number of units that it can accommodate (Eg. 3 GANG Metal Box can accommodate up to 3 BS format Units)

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. June 01, 2021

EzInstall 3 - ULTI ZIGBEE



Crystal Glass



Brushed Silver



Champagne Gold



Pearl White

- 2 wire design, True Retrofit
- Intelligent dimmer with Auto Load Detection feature
- Capability to dim or switch on/off different load types (in case of non dimmable loads connected to dimmer)
- Very high network scalability with Peer to Peer Mesh technology
- Each unit (switch, dimmer) is a repeater – no need for any additional repeater
- Moods created at a touch of a button
- ZigBee protocol is based on the IEEE802.15.4 standard and works on 2.4GHz radio frequency

Description	Catalogue No.	Unit MRP [₹]
1 Gang 2000VA Zigbee Switch	U201SRY2KWZB	25861
1 Gang Switch Coverplate - Brushed Silver	UC21SWXBS	2149
1 Gang Switch Coverplate - Pearl White	UC21SWXPW	2149
1 Gang Switch Coverplate - Champagne Gold	UC21SWXCG	2050
1 Gang Switch Coverplate - Crystal Glass	UC21SWXGL	9950
2 Gang 2X1000VA Zigbee Switch	U202SRY2KWZB	31237
2 Gang Switch Coverplate - Brushed Silver	UC22SWXBS	2987
2 Gang Switch Coverplate - Pearl White	UC22SWXPW	2987
2 Gang Switch Coverplate - Champagne Gold	UC22SWXCG	2852
2 Gang Switch Coverplate - Crystal Glass	UC22SWXGL	10025
1 Gang 550W Zigbee Dimming Switch	U201DST600ZB	27975
1 Gang Dimmer Coverplate - Brushed Silver	UC21DMXBS	3439
1 Gang Dimmer Coverplate - Pearl White	UC21DMXPW	3439
1 Gang Dimmer Coverplate - Champagne Gold	UC21DMXCG	3439
1 Gang Dimmer Coverplate - Crystal Glass	UC21DMXGL	10385
2 Gang 2X300W Zigbee Dimming Switch	U202DST600ZB	32430
2 Gang Dimmer Coverplate - Brushed Silver	UC22DMXBS	3439
2 Gang Dimmer Coverplate - Pearl White	UC22DMXPW	3439
2 Gang Dimmer Coverplate - Champagne Gold	UC22DMXCG	3439
2 Gang Dimmer Coverplate - Crystal Glass	UC22DMXGL	13039
1 Gang 300VA Zigbee Curtain Control Switch	U201SCN300ZB	33884
1 Gang Curtain Coverplate - Brushed Silver	UC21CNXBS	3090
1 Gang Curtain Coverplate - Pearl White	UC21CNXPW	3090
1 Gang Curtain Coverplate - Champagne Gold	UC21CNXCG	3090
Description	Reference	Unit MRP [₹]
1 Gang 16A Zigbee Double Pole	U301SDP16AZB	30726
1 Gang DP Cover Plate – Crystal Glass	UC21DPXGL	10676
1 Gang DP Cover Plate – Pearl White	UC21DPXPW	3369
1 Gang DP Cover Plate – Brushed Silver	UC21DPXBS	3522
1 Gang DP Cover Plate – Champagne Gold	UC21DPXCG	3062

Description	Catalogue No.	Unit MRP [₹]
1 Gang Curtain Coverplate - Crystal Glass	UC21CNXGL	8921
2 Gang 2X300VA Zigbee Curtain Control Switch	U202SCN600ZB	34067
2 Gang Curtain Coverplate - Brushed Silver	UC22CNXBS	3439
2 Gang Curtain Coverplate - Pearl White	UC22CNXPW	3439
2 Gang Curtain Coverplate - Champagne Gold	UC22CNXCG	3439
2 Gang Curtain Coverplate - Crystal Glass	UC22CNXGL	12447
500W ZigBee IND Plug Adaptor Dimmer Wh	U104ND500ZB_WE	26740
Zigbee Handheld Remote Controller	U105RHH001ZB	19047
2Key Zigbee Freelocate Switch, Brushed Silver	U102RWMZB_XBS	12159
2Key Zigbee Freelocate Switch, Champagne Gold	U102RWMZB_XCG	12159
2Key Zigbee Freelocate Switch, Pearl White	U102RWMZB_XPW	12159
6Key Zigbee Freelocate Switch, Brushed Silver	U106RWMZB_XBS	16435
6Key Zigbee Freelocate Switch, Champagne Gold	U106RWMZB_XCG	16435
6Key Zigbee Freelocate Switch, Crystal Glass	U106RWMZB_XGL	24828
6Key Zigbee Freelocate Switch, Pearl White	U106RWMZB_XPW	17150
Zigbee IR Gateway	U301RSDMZB	29103
Zigbee IP Gateway	U301PGWZB	30097
Zigbee Analog Module	U30010V	15346

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. June 01, 2021

Hotel Series

ULTI ELV



- ULTI style, state-of-art lighting control and electrical automation scheme for hotel guest room control, offering sophisticated design
- Light touch buttons equipped with LED backlight enable guest to locate switch in a dark environment
- Comparative with Universal Input/ Output module (Room Logic Gateway -RLG) or third party guestroom control system

Description	MOQ	Reference	Unit MRP [₹]
DND/PCU Control Switch	1	US32DMRJ000	5232
Cover Plate for DND/PCU Switch	1	UC32HDMSXCG	3,634
Cover Plate for DND/PCU Switch	1	UC32HDMSXBS	3634
Cover Plate for DND/PCU Switch	1	UC32HDMSXGL	7475
Cover Plate for DND/PCU Switch	1	UC32HDMSXPW	3634
DND/PCU Indicator w/Bell Press (Blue)	1	US33DMRJ000	4299
Cover Plate for DND/PCU with bell push switch	1	UC33HBPDMSXCG	3634
Cover Plate for DND/PCU with bell push switch	1	UC33HBPDMSXBS	3634
Cover Plate for DND/PCU with bell push switch	1	UC33HBPDMSXGL	7475
Cover Plate for DND/PCU with bell push switch	1	UC33HBPDMSXPW	3468
Cardkey Switch (Low Voltage)	1	U31EKTHLVBBS	11000
1 Gang ELV Switch (Blue)	1	U201SPM_RJ_B00	2940
Coverplate for 1 Gang ELV switch	1	UC21SWXCG	2050
Coverplate for 1 Gang ELV switch	1	UC21SWXBS	2149

Description	MOQ	Reference	Unit MRP [₹]
Coverplate for 1 Gang ELV switch	1	UC21SWXGL	9950
Coverplate for 1 Gang ELV switch	1	UC21SWXPW	2149
2 Gang ELV Switch- BLUE	1	U202SPM_RJ_B00	3629
Coverplate for 2 Gang ELV switch	1	UC22SWXCG	2852
Coverplate for 2 Gang ELV switch	1	UC22SWXBS	2987
Coverplate for 2 Gang ELV switch	1	UC22SWXGL	10025
Coverplate for 2 Gang ELV switch	1	UC22SWXPW	2987
4 Gang ELV Switch- BLUE	1	U204SPM_RJ_B00	5328
Coverplate for 4 Gang ELV switch	1	UC24SW_XCG	2895
Coverplate for 4 Gang ELV switch	1	UC24SW_XBS	2764
Coverplate for 4 Gang ELV switch	1	UC24SW_XGL	10,702
Coverplate for 4 Gang ELV switch	1	UC24SW_XPW	2,895

Colours Available (suffix as in coverplates above)

BS	Brushed Silver
PW	Pearl White
CG	Champagne Gold
GL	Crystal Glass
GL	Crystal Glass

Neo ELV



Description	MOQ	Reference	Unit MRP [₹]
Bell Push with DND and MMR Indicator	1	E3031DMBLVEGGS	5874
DND/MMR Control switch	1	E3032DMLV>EAGS-OS	4901
Key card switch with Amber LED	1	E3031EKTHLVEAGS	9307

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. June 01, 2021

Hotel Series

Zencelo ELV



Description	MOQ	Reference	Unit MRP [₹]
1 Gang Sw W/ LED Indicator	1	E8431LV	3332
2 Gang Sw W/ LED Indicator, SZ	1	E8432LV_SZ	4807
3 Gang Sw W/ LED Indicator	1	E8433LV	5158
3 Gang Sw W/ LED Indicator, SZ	1	E8433LVSZ	7530
Elv Keycard Switch, SZ	1	E8431EKTLVSZ	8494
1 Gang Sw W/ DND, SZ	1	E8431DSLVSZ	3012
2 Gang Sw W/ DND & PCU, SZ	1	E8432DMSLVSZ	3975
Bell Press W/ DND & PCU Indicator, SZ	1	E8431BDMLVSZ	5092
1 GANG SW W/ LED Indicator, SZ	1	E8431LV_SZ	4139

Colours Available (suffix as above)

SZ	Silver Bronze
No suffix after LV	White Colour

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. June 01, 2021



Make your home smart with our Wiser - Smart Homes offering.

- Easy to operate
- Easy to maintain
- Easy to control
- Easy on pocket

A solution which blends with your existing Switches and all this without any change in Wiring.

With the Internet of Things taking over the lives, automation has made lives simpler and homes smarter.

Smart homes are the base to smart cities and a much secure lifestyle. It is a connected home technology that is designed to automate functions and grant you control over the property.

- Set the schedule, and the rest is automated and based on your personal preferences thus providing convenience, control, money savings, and an overall smarter home.
- Alerts about lights still switched on after leaving the house
- Make personalization's to the home using just an app

Once there were smart homes, now there are Wiser™.

Smart homes are about technologies. Wiser Homes evolve around people. It adds a new dimension - being Stylish, Living Well and Eco-friendly Interlinks the electrical, multi-media and telecommunication worlds with a single and user-friendly solution - enabling you to monitor, control and access your home beyond physical boundaries at anytime, anywhere.

Features

- Integrates with any existing switch.
- Interlinks the electrical, multi-media and telecommunications worlds through Wi-Fi, providing
 - True and easy integration for devices from different brands and makes.
- The intuitive graphic user interface with jargon-free language and self-explanatory icons is easy-to-use, while the interface is consistent across different control devices and no need to spend extra time to learn different control interfaces.
- Control and access home anywhere and at any time through the secured wireless connection.
 - With time scheduling, scene control



SE Ref.	Description of reference	Unit MRP ₹
IH14000100	4 Channel Automation Relay	12786
IH101ZWIFI	Automation Gateway	35987
IH12001010	1 Channel Analog Dimmer + 1 Channel Fan Controller	15786
IH11000200	Curtain Controller	14915

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. June 01, 2021

Surface and Flush Mount Occupancy Sensors



PIR, Ultrasonic Sensors & High Frequency sensor suitable for both Surface & Flush Mount

Description	Reference	Unit MRP [₹]
Surface Mount Single-Load 360 degrees PIR	CSS54E_WE	3405
Flush/Surface Mount Single-Load 360 degrees PIR	SAE-UE-MS-CSAWE	4108
ARGUS Presence Dual-Tech PIR & Ultrasonic Sensor - 1ch	CCT551011	16681
ARGUS Presence Dual-Tech - 2ch	CCT551012	14805
ARGUS IR Remote Controller Dual-Tech	CCT556011	9034
ARGUS Presence High Frequency High Bay Sensor - 2ch	CCT551023	16681
ARGUS IR Remote Controller HF	CCT556023	9034
ARGUS Presence Wide Sense - 2ch	CCT551003	13457
ARGUS IR Remote Controller Wide range PIR	SAE-UE-MS-IR-WE	4,719



PIR Flush Mount Sensors

Description	Reference	Unit MRP [₹]
ARGUS Standard min 360° False ceiling indoor movement detector	CCT570005	4902
ARGUS Standard 360° False ceiling indoor movement detector - 2ch	CCT570003	7120
Flush Mount Dual load 360 degrees standalone sensor	SAE-UE-MS-CDBWE	8195



Dimmable Sensors with Light Regulation

0-10V Analogue & Dali Dimmable Sensor

Description	Reference	Unit MRP [₹]
Flush/Surface Mount Dual Load 360° PIR, 0-10V Analogue Dimmable Sensor with remote	SAE-UE-MS-CDDWE	10011
ARGUS Presence DALI 230V - 2 zones	CCT552006	15535
ARGUS Presence DALI 230V - Slave	CCT555006	10308
ARGUS IR Remote Controller DALI	CCT556006	9486
ARGUS Presence Master with IR, DALI	MTN5510-1519	18247

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. June 01, 2021

Wall Mount Sensors



BS Standard & Outdoor IP55 Sensor

Description	Reference	Unit MRP [₹]
Neo C-Metro 200 degrees wall mount sensor, grey colour	E3751MS3C_GS	4622
Neo C-Metro 90 degrees wall mount sensor, grey colour	E3751MS3A_GS	4985
Zencelo 110 degrees wall mount sensor, white colour	E84751MS3B_WE	4561
Zencelo 90 degrees wall mount sensor, white colour	E84751MS3A_WE	4561
Argus 110 Electronic outdoor movement detector, angle of detection 110 degrees, max. range 12 mtrs, IP55 protection	MTN565119	7147
Argus 220 Electronic movement detector for outdoor ceiling mounting angle of detection 220 degrees, max. range 12 mtrs, IP55 protection	MTN565219	11027
Accessories		
Mounting bracket for Argus 110 and Argus 220 Sensors	MTN565291	1000

Hotel - ELV Dual Motion Sensor

Description	Reference	Unit MRP [₹]
ELV DUAL TECH MOTION SENSOR	SAE_UE_MS_CULV_WE	11565

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. June 01, 2021

Timers & Time Switches

Analog Time Switches



- 24H, 7D Programmable switch Voltage Rating: 230V AC +10%, -15%
- Memory: Upto 56 Switching Operations
- Back up of program: Operating reserve for 100, 200 Hours
- Overall dimensions: 5 modules
- Minimum time between two switching operations: 15, 30 min
- Accuracy: $\leq \pm 1$ s/day at +20°C

Description	Module Width 18mm/module	Reference	Unit MRP [₹]
IH 24H 16 A 15 mts interval 1 channel	1	15336	5064
IH 24H 16 A 30 mts interval 1 channel	1	CCT15365	5523
IH 24H + 7 day 10 A 1 channel- Max 16 On, 16 Off and 7 On + 7 Off cycles	3	15366	8499
IH 7 day 16 A 1 channel- Max 21 On and 21 Off cycles	3	CCT15367	7907
IH 24H 16 A 30 mts 1 channel without reserve	3	CCT16364	4487

Digital Time Switches



- 7D, 24H Programmable switch .Voltage Rating: 230V AC +10%, -15%
- Consumption: 1 channel - max. 4VA; 2 channels - max. 7VA
- Memory: Upto 56 Switching Operations
- Back up of program & time by lithium battery: Operating reserve: 6 Years
- Overall dimensions: 5 modules
- Cable length: 100m
- Minimum time between two switching operations: 1 min

Description	Module Width 18mm/module	Reference	Unit MRP [₹]
IHP 1C w (24h/7d) programmable time switch	2.5	CCT15441	10883
IHP+ 1C (24h/7d) SMARTw programmable time switch	2.5	CCT15551	13427
IHP 2C w (24h/7d) programmable time switch	2.5	CCT15443	14039
IHP DCF (24h/7d) SMART programmable time switch	2.5	CCT15858	23206
IHP+ 2C (24h/7d) SMARTw programmable time switch	2.5	CCT15553	15835

Timers



- Switching capacity 16 A, max
- Delay range from 30 sec to 20 min
- Capacity for lighted pushbutton 150 mA
- Electric distribution busbar compatibility
- Output power capacity CCT15232-2300W
- Output power capacity CCT15223-3600W

Description	Module Width 18mm/module	Reference	Unit MRP [₹]
MINs - electronic timer - 0.5 to 20 min	1	CCT15232	6148
MINs - electronic timer - 0.5 to 20 min with switch Off Warning	1	CCT15233	7894
MINs - electronic timer - 0.5 to 20 min with switch Off Warning and Impulse relay function	1	CCT15234	7948

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. June 01, 2021

Twilight switch



- Includes wall mounted cell
- Adjustable brightness threshold 2 to 2000 Lux
- 2 LEDs to signal the sensor status and the output status
- Test button: To check the product and load cabling
- Switching capacity: 16Amp
- Screwless Terminals compatible with rigid and flexible wires
- Consumption 6 VA
- Size 45mm

Description	Module Width 18mm/module	Reference	Unit MRP [₹]
IC2000 outdoor (2 - 2000 lux) twilight switch	1	CCT15369	12967
Analogue indoor light sensor cell	-	CCT15262	6526
Wall mounted Analogue outdoor light sensor cell	-	CCT15263	9917
IC100 (2 - 100 lux) twilight switch	1	CCT15482	10908
IC2000 indoor (2 - 2000 lux) twilight switch	1	CCT15285	9720
IC2000p+ (2 - 2000 lux) programmable twilight switch	2.5	CCT15483	24116
IC100kp+ 1C (1 - 99000 lux) SMART programmable twilight switch	2.5	CCT15494	27794
IC100kp+ 2C (1 - 99000 lux) SMART programmable twilight switch	2.5	CCT15495	34217
IC Astro 2C SMART programmable twilight switch	2.5	CCT15245	25209
IC Astro 1C SMART programmable twilight switch	2.5	CCT15225	19817

Time switch accessories

Description	Module Width 18mm/module	Reference	Unit MRP [₹]
Programming kit for IHP / IC	1	CCT15860	11102

Thermostat

Description	Module Width 18mm/module	Reference	Unit MRP [₹]
THP1+ 1C (24h/7d) programmable thermostat	2.5	CCT15834	25253

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. June 01, 2021

Life Is 

Schneider
 Electric

Schneider Electric India Pvt. Ltd.

Corporate Office: 9th Floor, DLF Building No. 10, Tower C, DLF Cyber City, Phase II, Gurugram 122002 Haryana
Tel.: ++91 124 6899000 Fax: ++91 124 4222036/037

Ahmedabad

Schneider Electric India (P) Ltd.
1506-1507, 15th Floor Shaphth-5
Opp.Karnavati Club, SG Highway,
Ahmedabad, Gujarat - 380015
Tel.: 079-66826701

Bengaluru

Schneider Electric India (P) Ltd.
No. 3/1, JP Techno Park
Mezzanine Floor, Millers Tank Bund
Road, Vasanth Nagar
Bengaluru - 560052
Tel.: 080-71481351

Bhubaneswar

Schneider Electric India (P) Ltd.
Workloop Co-Working in the property
Office No. 316, Esplanade One Mall
Rasulgarh, Bhubaneswar - 751010

Chennai

Schneider Electric India (P) Ltd.
No: 29, 2nd Floor,
Bannari Amman Towers, B-Block
Dr. Radhakrishnan Road, Mylapore
Chennai - 600 004
Tel.:044-71912000

Cochin

Schneider Electric India (P) Ltd.
Alapatt Properties Private Limited
(Trade Name : Centre A)
Main Door Number : 66/4971
(Old Door Number: 40/6584-H)
7th Floor Alapatt Heritage Building
MG Road Kochi - 682035

Coimbatore

Schneider Electric India (P) Ltd.
Hanudev Info Tech Park, 6th Floor
Unit No. Block-C, SF No. 558/2
Udalyampalayam Road, Nava India
Coimbatore-641028

Hyderabad

Schneider Electric India (P) Ltd.
D.No. 1-8-271, # 401, Ashoka
Bhoopal Chambers, SP Road
Secunderabad - 500003
Tel.: 040-67219500

Indore

Schneider Electric India (P) Ltd.
219, Dhan Trident Building
Vijay Nagar, A.B.Road
Indore-452001

Jaipur

Schneider Electric India (P) Ltd.
Jaipur Business Centre 309
3rd Floor, Sangam Tower 190
Church Road, Jaipur-302001
Tel.: 0141-2374810

Kolkata

Schneider Electric (I)Pvt.Ltd,
BP-4, Sector-V, Technopolis
3rd Floor, Salt Lake City
Kolkata- 700 091
Tel.: 033-66576400

Lucknow

Schneider Electric India (P) Ltd.
Summit, Plot No. TCG 3/3
6th Floor, 604A/B/C, Vibhuti Khand
Gomti Nagar, Lucknow
Uttar Pradesh - 226010
Tel.: 0522-3500334

Ludhiana

Schneider Electric India (P) Ltd.
SCO 23, 2nd Floor,
Chandigarh Road, Sector 32
Ludhiana, Punjab-141010
Tel.: 0161- 5203011

Mohali

Schneider Electric India (P) Ltd.
2nd Floor, Tower-A
Bestech Business Tower
Mega Information & Technology Park
Industrial Plot No.1, Phase IX
(Expansion), Mohali- 160059
Tel.: 0172-7198200

Mumbai

Schneider Electric India (P)(Ltd)
Marwah House, 2nd Floor
Krishanlal Marwah Marg
Andheri (East), Mumbai - 400072
Tel.: 022-62280000

Nagpur

Schneider Electric India (P) Ltd.
6, Vasant Vihar Complex
W.H.C Road, Shankar Nagar
Nagpur- 440010
Tel.: 0712-2558581

Nashik

Schneider Electric India (P) Ltd.
401, 4th Floor, Rishi Raj Towers
Jehan Circle, Gangapur Road
Nashik- 422013
Tel.: 0253-2344333

New Delhi

Schneider Electric India (P) Ltd.
C-56, Mayapuri Industrial Area, Phase-2
New Delhi - 110064
Tel.: 011-61317400

Pune

Schneider Electric India (P) Ltd.
Amar Caliber, CTS No 911, BMCC Road,
OFF F.C. Road, Deccan Gymkhana,
Shivaji Nagar, Pune - 411007
Tel.: 020-67492500

Vadodara

Schneider Electric India (P) Ltd.
Notus IT Park, 10th Floor, Block-D
Sarabhai Campus, Vadiwadi
Vadodara, Gujarat - 390017

Vishakhapatnam

Schneider Electric India (P) Ltd.
D.N.10-1-43, 1st Floor
Ratnam's Business Centre,
Siripuram Fort, C.B.M.Compound
Visakhapatnam - 530016
Tel.: 0891-6675500

Customer Care Centre

Monday-Saturday, 9 a.m. to 8 p.m.

Toll-free numbers: 1800 419 4272, 1800 103 0011

Email: customer-care.in@schneider-electric.com

For more information, visit our website at: www.se.com/in

- All Prices are in Indian Rupees.
- Prices are subject to change without notice.
- Product evolution is a continuous process and Schneider Electric reserves the right to modify/withdraw any product at any time without prior notice.
- Prices charged will be as prevailing on the date of dispatch.
- Maximum Retail Price (MRP) is inclusive of all taxes.
- Tax incidence on invoices is basis applicable GST rates. Invoice amount not to exceed MRP.

Distributor POWER ELECTRICALS
R.P.ROAD, SECUNDERABAD - 500003
PH: 040-27712364 , 66568311
MAIL- ccc@powerelectricalsindia.com